

- Althursse, L. (1992). *El porvenir es largo*. Barcelona: Destino.
- Andreasen, N.C. (1984). *Scale for the assessment of positive symptoms (SANS)*. Iowa. University of Iowa.
- Aparicio Basauri, V. (1990). Cronicidad y utilización de servicios. En Aparicio Basauri V. y García González V. (Eds.), *Nuevos sistemas de atención a la salud mental. Evaluación e investigación*. Oviedo: Consejería de Sanidad y Servicios Sociales.
- Aparicio Basauri, V. (1993). La reforma psiquiátrica de 1985. En Aparicio Basauri V. (Eds.), *Evaluación de servicios en salud mental*. Madrid: Asociación Española de Neuropsiquiatría.
- Babigian, H.M. (1977). The impact of community mental health centers on the utilization of services, *Archives of General Psychiatry*, 34, 385-398.
- Bachrach, L.L. (1996). Deinstitutionalisation: promises, problems and prospects. En Knudsen, H.C., Thornicroft, G. (Eds.), *Mental Health Service Evaluation*. Cambridge: Cambridge University Press.
- Bachrach, L.L. (1997). Lessons from the american experience in providing community-based services. En Leff, J. (Ed.), *Care in the community. Illusion or reality?* London: Wiley.
- Balestrieri, M., Sytema, S., Gavioli, I. y Micciolo, R. (1989). Patterns of psychiatric care in South-Verona and Groningen: a case-register follow-up study. *Acta Psychiatrica Scandinavica*, 80, 437-444.
- Barton, R. (1959). *Institutional neurosis*. Bristol: John Wright.
- Basaglia, F. (1972). *La institución negada*. Barcelona: Barral Editores.
- Bassuk, E.L. y Gerson, S. (1978). Deinstitutionalization and mental health services. *Scientific American*, 238, 46-53.
- Bebbington, P., Brewin, C.R., Marsden, L.M. y Lesage, A.D. (1996). Measuring the need for psychiatric treatment in the general population: the community version of the MRC Needs for Care Assessment. *Psychological Medicine*, 26, 229-236.
- Becker, T., Thornicroft, G., Leese, M., McCrone, P., Johnson, G., Albert, M., Turner, D. (1997). Social networks and service use among representative cases of psychosis in South London, *British Journal of Psychiatry*, 171:15-19
- Bennett, D.H. y Freeman, H.L. (1991). *Community Psychiatry. The principles*. London: Churchill Livingstone.
- Berrios, G.E. (1991). Evaluación de servicios de salud mental. *Revista Asociación Española de Neuropsiquiatría*, 11, 87-92.

**Bloom, B. (1970).** Prediction and monitoring of resource utilization in a community oriented mental hospital. *American Journal of Public Health*, **60**, 2257-2268.

**Blossfeld, H.P., Hamerle, A. y Mayer, K.U. (1989).** *Event history analysis: statistical theory and application in the social sciences*. New Jersey: Lawrence Erlbaum Associates.

**Bollini, P. y Mollica, R.F. (1989).** Surviving without the asylum: an overview of the studies on the italian reform movement. *Journal of Nervous and Mental Disease*, **177**, 607-615.

**Brewin, C.R., Wing, J.K., Mangen, S.P., Brugha, T.S. y MacCarthy, B. (1987).** Principles and practice of measuring needs in the long-term mentally ill: the MRC Needs for Care Assessment. *Psychological Medicine*, **17**, 971-981.

**Brewin, C.R., Wing, J.K., Mangen, S.P., Brugha, T.S. y MacCarthy, B. (1988).** Needs for care among the long-term mentally ill: a report from the Camberwell High Contact Survey. *Psychological Medicine*, **18**, 457-468.

**Brewin, C.R. y Wing, J.K. (1989).** *Manual of the MRC Needs for Care Assessment, Memo*. London: MRC Social Psychiatry Unit.

**Brewin, C.R., Bradley, C. y Home, P. (1991).** Measuring needs in patients with diabetes. En Bradley C., Home, P. y Christie, M. (Eds.), *The technology of diabetes care: covering medical and psychosocial perspectives*. Harwood: Reading.

**Brewin, C.R. y Wing, J.K. (1993).** The MRC Needs for Care Assessment: Progress and controversies. *Psychological Medicine*, **23**, 837-841.

**Brooke, E.M. (1974).** *The current and future use of registers in health information systems*. Ginebra: World Health Organization.

**Caplan, G. (1966).** *Principles of preventive psychiatry*. New York: Basic Books Inc.

**Caudill, W. (1966).** *El hospital psiquiátrico como comunidad terapeutica*. Buenos Aires: Escuela Pasaje Rivarola.

**Cohen, N.L. (1990).** *Psychiatry takes to the streets*. New York: Guilford Press.

**Coleman, J.S. (1981).** *Longitudinal data analysis*. New York: Basic Books.

- Comisión Ministerial para la Reforma Psiquiátrica. (1985). Documento General y Recomendaciones para la Reforma Psiquiátrica y la Atención en Salud Mental. *Revista Asociación Española de Neuropsiquiatría*, 5, 204-222.
- Cooper, J.E., Kendell, R.E., Gurland, B.J., Saarppe, L., Copeland, J. y Simon, R. (1972). *Psychiatric Diagnosis in New York and London*. New York: Oxford University Press Inc.
- Corcés, V. (1993). *Clasificación Internacional de Cuidados en Salud Mental*. Madrid: USAMI.
- Cox, D.R. (1972). Regression models and life table. *Journal of the Royal Statistical Society*, 34, 187-202.
- Craig, T.J., Goodman, A.B., Siegal, C., Wanderling, J. (1984). The dynamics of hospitalization in a defined population during deinstitutionalization. *American Journal of Psychiatry*, 141, 782-785.
- Crepet, P. (1988). The Italian mental health reform nine years on. *Acta Psychiatrica Scandinavica*, 77, 515-523.
- Crepet, P. (1990). A transition period in psychiatric care in Italy ten years after the Reform. *British Journal of Psychiatry*, 156, 27-36.
- Defensor del pueblo. (1992). *Situación jurídica y asistencial del enfermo mental en España*. Madrid.
- DeLisi, L.E. (1992). The significance of age of onset for schizophrenia. *Schizophrenia Bulletin*, 18 (2): 209-215.
- Desviat, M. (1994). *La Reforma Psiquiátrica*. Madrid: Ediciones Dor,S.L.
- Donabedian, A. (1966). Evaluating the quality of medical care. *Milbank Q*, 44, 166-203.
- Donabedian, A. (1984). *La calidad de la atención médica*. México: La prensa médica mexicana.
- Dorwart, R.A. (1988). A ten year follow-up study of the effects of deinstitutionalization. *Hospital and Community Psychiatry*, 39, 287-291.
- Douglass, A.B., Benson, K., Hill, E.M. y Zarcone, V.P. (1992). Markovian analysis of phasic measures of REM sleep in normal, depressed, and schizophrenic subjects. *Biological Psychiatry*, 31, 542-559.
- Dunn, G. (1983). Longitudinal records of anxiety and depression in general practice: The Second National Morbidity Survey. *Psychological Medicine*, 13, 897-906.
- Early, D.F. (1960). The industrial therapy organisation (Bristol). A development of work in hospital. *The Lancet*, 754-757.

Eaton, W.W. (1985). Epidemiology of schizophrenia. *Epidemiologic Reviews*, 7, 105-126.

Eaton, W.W., Mortensen, P.B., Herrman, H., Bilker, W., Burgess, P. y Wooff, K. (1992 a). Long-term course of hospitalization for schizophrenia: Part 1. Risk for rehospitalization. *Schizophrenia Bulletin*, 18, 217-228.

Eaton, W.W., Bilker, W., Haro, J.M., Herrman, H., Mortensen, P.B., Freeman, H.L. y Burgess, P. (1992 b). Long-term course of hospitalization for schizophrenia: Part 2. Change with passage of time. *Schizophrenia Bulletin*, 18, 217-228.

Eaton, W.W. (1996). Strategies of measurement and analyses. En Knudsen, H.C. y Thornicroft, G. (Eds.), *Mental health service evaluation*. Cambridge: Cambridge University Press.

Eguiagaray, M. (1990). La creación y utilización del Registro de Casos en Asturias. En García González, J. y Aparicio Basauri, V. (Eds.), *Nuevos sistemas de atención en salud mental: evaluación e investigación*. Oviedo: Consejería de Sanidad y Servicios Sociales.

Faccincani, C., Mignolli, C. y Platt, S. (1990). Service utilisation, social support and psychiatric status in a cohort of patients with schizophrenic psychoses. A 7 year follow-up study. *Schizophrenia Research*, 3, 139-146.

Faris, R.E.L. y Dunham, H.W. (1939). *Mental disorders in urban areas*. Chicago. University of Chicago.

Fernández Liria, A. (1997). La reforma psiquiátrica en España: En qué (y en qué no) metimos la pata (y qué podemos hacer). *Psiquiatría Pública*, 167-175.

Figuerido, J.L., Gutierrez, M., González Pinto, A., Ballesteros, J., Pérez de Heredia, J.L., Ramírez, F., Elizagárate, E., Gonzalez Oliveros, R. y López, P. (1997). Predictores de rehospitalización en la esquizofrenia. *Actas lusoespañolas de Neurología, Psiquiatría y Ciencias afines*, 25, 217-224.

Fleiss, J.L. (1981). *Statistical methods for rates and proportions* (2ª edición). New York: John Wiley.

Freeman, H.L., Fryers, T. y Henderson, J.H. (1985). *Mental health services in europe: 10 years on*. Public Health in Europe n.25. Copenhagen, World Health Organization.

Freeman, H.L. y Henderson, J.H. (1991). *Evaluation of comprehensive care of the mentally ill*. Londres: Gaskell.

Freudenberg, R.K. (1976). Psychiatric Care. *British Journal of Hospital Medicine*, 19, 585-592.

Frisanco, R. (1990). La situación de la asistencia psiquiátrica en Italia a la luz de las transformaciones culturales e institucionales producidas como consecuencia de la ley de la Reforma. En García González, J. y Aparicio Basauri,

V. (Eds.), *Nuevos sistemas de atención en salud mental: evaluación e investigación*. Oviedo: Consejería de Sanidad y Servicios Sociales.

Gaite, L., Ramírez, N., Herrera Castanedo, S y Vázquez Barquero, J.L. (1997). Traducción y adaptación transcultural de instrumentos de evaluación en psiquiatría: aspectos metodológicos. *Archivos de Neurobiología*, 60, 91-111.

García González, J. (1978). *Conflictos y lucha psiquiátrica en España*. Madrid: Dédalo.

García González, J. (1980). Una década de asistencia psiquiátrica (1965-1975) y dos intentos de psiquiatría comunitaria. En González de Chávez, M. (Ed.), *La transformación de la asistencia psiquiátrica*. Madrid: Asociación Española de Neuropsiquiatría.

García González, J. y Aparicio Basauri, V. (1990). La creación y utilización del Registro de Casos Psiquiátricos en Asturias. En García González, J.; Aparicio Basauri, V. (Eds.), *Nuevos sistemas de atención en salud mental*. Oviedo: Consejería de Sanidad y Servicios Sociales.

Gater, R., Amaddeo F., Tansella, M., Jackson, G. y Goldberg, D. (1995). A comparison of community-based care for schizophrenia in South Verona and South Manchester. *British Journal of Psychiatry*, 166, 344-352.

Giel, R. y Horn, G.H.M.M. ten (1982). Patterns of mental health care in a Dutch register area. *Social Psychiatry*, 17, 117-123.

Giel, R. (1986). An example from the Groningen register: evaluation of changes in service policy with register data. En Horn G.H.M.M ten, Giel, R., Gulbinat, W.H. y Henderson, J.H. (Eds.), *Psychiatric case registers in public health*. Amsterdam: Elsevier.

Giel, R., Horn, G.H.M.M. ten, Hermann, P. y Tricot, L. (1987). Patterns of care and service utilization. En World Health Organization. *Mental Health services in pilot study areas: report on a european study*. Copenhagen: World Health Organization

Giel, R. y Sytema, S. (1993). Patterns of care in psychiatric case-register areas. *Epidemiologia e Psichiatria Sociale*, 2, 79-82.

Goffman, E. (1961). *Essays on the social situation of mental patients and other inmates*. Doubleday y Company.

Goldman, H.H., Gattozzi, A.A. y Taube, C.A. (1981). Defining and counting the chronic mentally ill. *Hospital and Community Psychiatry*, 32, 21-27.

Gómez Beneyto, M., Salazar Fraile, J., Peris Bonet, R., Cebrian Lujan, A. y Belenguer Marques, M.J. (1989). *Registro de casos psiquiátricos de Valencia*. Valencia: área de Salud Pública. Diputación Provincial de Valencia.

González de Chávez, M. (1980). Historia de los cambios asistenciales y sus contextos sociales. En González de Chávez, M (Ed.), *La transformación de la asistencia psiquiátrica*. Madrid: Mayoría.

González Duro, E. (1980). Historia reciente de la asistencia psiquiátrica en España. En González de Chávez, M. (Ed.), *La transformación de la asistencia psiquiátrica*. Madrid: Mayoría.

Guimon, J., Sota, E., Bulbena, A., Zuazo, J.I. y Pérez Simo, R. (1989). Métodos de evaluación de la política de desinstitucionalización. *Revista Asociación Española de Neuropsiquiatría*, 9, 533-548.

Haaster, I. van., Lesage, A.D., Cyr, M. y Toupin, J. (1994 a). Further reliability and validity studies of a procedure to assess the needs for care of the chronically mentally ill. *Psychological Medicine*, 24, 215-222.

Haaster, I. van., Lesage, A.D., Cyr, M. y Toupin, J. (1994 b). Problems and needs for care of patients suffering from severe mental illness. *Social Psychiatry Psychiatric Epidemiology*, 29, 141-148.

Hansson, L. y Sandlund, M. (1992). Utilization and patterns of care in comprehensive psychiatric care organizations. *Acta Psychiatrica Scandinavica*, 86, 255-261.

Hansson, L., Öiesvold, T., Göstas, G., Kastrup, M., Lönnberg, O., Saarento, O. y Sandlund, O. (1995). The nordic comparative study on sectorized psychiatry. *Acta Psychiatrica Scandinavica*, 91, 41-47.

Hansson, L., Christiansen, L., Sandlund, M., Göstas, G., Zandén, T., Lindhardt, A., Saarento, O., Öiesvold, T. (1997). The nordic comparative study on sectorized psychiatry. Part V. Contact rates, contact patterns and care level at index contact. *Social Psychiatry Psychiatric Epidemiology*, 32:12-18

Hansson, L., Muus, S., Vinding, H.R., Göstas, G., Saarento, O., Sandlund, M., Lönnberg, O., Öiesvold, T. (1998). The nordic comparative study on sectorized psychiatry: contact rates and use of services for patients with a functional psychosis. *Acta Psychiatrica Scandinavica*, 97: 315-320.

Hargreaves, W.A. (1986). Theory of psychiatric treatment systems. *Archives of General Psychiatry*, 43, 701-705.

Harris, E.K. y Albert, A. (1991). *Survivor analysis for clinical studies*. New York: Marcel Dekker Inc.

Häfner, H. y Klug, J. (1982). The impact of an expanding Community Mental Health service on patterns of bed usage: evaluation of a four-years period of implementation. *Psychological Medicine*, 12, 177-190.

- Häfner, H. y Heiden, W. an der (1983). The impact of a changing system of care on patterns of utilization by schizophrenics. *Social Psychiatry*, 18, 153-166.
- Häfner, H. y Heiden, W. an der (1986). The contribution of European case registers to research on schizophrenia. *Schizophrenia Bulletin*, 12, 26-49.
- Häfner, H. y Heiden, W. an der (1989). The evaluation of mental health care systems. *British Journal of Psychiatry*, 155, 12-17.
- Häfner, H. y Heiden, W. an der (1991). Methodology of evaluative studies in the mental health field. En Freeman, H.L. y Henderson, J.H. (Eds.), *Evaluation of comprehensive care of the mentally ill*. London: Gaskell.
- Häfner, H. et al. (1992). The influence of age and sex on the onset and early course in schizophrenia. *British Journal of Psychiatry*, 162: 80-86.
- Häfner, H. y Heiden, W. an der (1996). Background and goals of evaluative research in community psychiatry. En Knudsen, H.C. y Thornicroft, G. (Eds.), *Mental health service evaluation*. Cambridge: Cambridge University Press.
- Henisz, J.E., Flynn, H.R. y Levine, M. (1977). Clients and patients of mental health services. *Archives of General Psychiatry*, 34, 1345-1348.
- Hersch, C. (1972). Social history, mental health, and community control. *American Psychologist*, 27, 749-754.
- Hochmann, J. (1971). *Pour une psychiatrie communautaire*. Paris: Seuil.
- Hogg, L. y Marshall, M. (1992). Can we measure need in the homeless mentally ill?. Using the MRC Needs for Care Assessment in hostels for the homeless. *Psychological Medicine*, 22, 1027-1034.
- Holland, W.W. (1983). Measurement in health care. En Holland, W. W. (Ed.), *Evaluation of health care*. Oxford: Oxford University Press.
- Hom, G.H.M.M ten (1980). A small cohort of multiple service users from a geographically circumscribed area. *Acta Psychiatrica Scandinavica*, 62, 305-314.
- Hom, G.H.M.M ten (1986 a). Definitons and classifications: introduction. En Hom G.H.M.M ten, Giel, R.; Gulbinat, W.H. y Henderson, J.H. (Eds.), *Psychiatric case registers in public health. A Worldwide Inventory 1960-1985*. Amsterdam: Elsevier.

Horn, G.H.M.M. ten (1982) (Tesis). *Nazorg geeft fopzorg. Een onderzoek met een register voor de geestelijke volksgezondheid.* Groningen, Rijksuniversiteit Groningen.

Horn, G.H.M.M. ten (1986 b). The development and main purposes for use of psychiatric case registers. En Horn G.H.M.M ten, Giel, R., Gulbinat, W.H. y Henderson, J.H. (Eds.), *Psychiatric case registers in public health. A worldwide inventory.* Amsterdam: Elsevier.

Horn, G.H.M.M. ten, Moschel, G., Giel, R. y Häfner, H. (1988). Patterns of care in two european areas: Manheim, FRD and Groningen (Holland). *Acta Psychiatrica Scandinavica*, 77, 271-279.

Horn, G.H.M.M. ten y Brook, F.G. (1990). Cronicidad en salud mental. En García González,J., Aparicio Basauri,V. *Nuevos sistemas de atención en salud mental: evaluación e investigación.* Oviedo: Consejería de Sanidad y Servicios Sociales.

IASAM. (1987). *La población hospitalizada en Instituciones Psiquiátricas en Andalucía. Resultados del Censo 1985.* Series monográficas de salud mental, nº 1.

IASAM. (1988). *La Reforma psiquiátrica en Andalucía, 1984-90.* Sevilla: IASAM. Series monográficas de salud mental, nº 2.

Jablensky, A., Sartorius, N., Hirschfeld, R. y Parder, H. (1983). Diagnosis and classification of mental disorders and alcohol and drug related problems: a research agenda for the 1980's. *Psychological Medicine*, 13, 907-921.

Jablensky, A., Sartorius, N., Ernberg, G., Anker, M., Korten, A., Cooper, J.E., Day, R. y Bertelsen, A. (1992). Schizophrenia:manifestations, incidence and course in different cultures. A World Health Organization ten-country study (DOS). *Psychological Medicine*, 20, monog. sup.

Janca, A. y Chandrashekar, C.R. (1993). *Catalogue of assessment instruments used in the studies co-ordinated by the WHO Mental Health Programme.* Geneva: WHO.

Jenkins, R. (1990). Towards a system of outcome indicators for mental health care. *British Journal of Psychiatry*, 157, 500-514.

Jiménez Estévez, J.F., Moreno Küstner, B., Torres González, F., Luna del Castillo, J.D. (1997). Evaluación de necesidades en enfermos mentales crónicos: el cuestionario de Camberwell. *Archivos de Neurobiología*, 60 (2): 113-124.

Johnson, S., Prosser, D., Bindman, J. y Szmukler, G. (1998). Continuity of care for the severely mentally ill: concepts and measures. *Social Psychiatry Psychiatric Epidemiology*, 32, 137-142.



Jones, M. (1958). *Psychopatology. A source book*. Harvard University press, Cambridge. Mass.

Jong, A.de., Giel, R. y Hom, G.H.M.M. ten (1988). *Who - International Classification of Mental Health*. University of Groningen.

Jong, A.d. (1996). *International Classification of Mental Health Care*. Groningen: Department of Social Psychiatry, University of Groningen.

Kaplan, H.I., Sadock, B.J., Grebb, J.A. (1994). *Synopsis of psychiatry*. Williams y Wilkins: Baltimore.

Keeler, E.B., Wells, K.B. y Manning, W.G. (1987). Markov and other models of episodes of mental health treatment. *Advances in health economics and health services research*, 8, 279-298.

Knudsen, H.C. y Thornicroft, G. (1996). *Mental health service evaluation*. Cambridge: Cambridge University Press.

Korff, M. von, Nestadt, G., Romanoski, A., Anthony, J. C., Eaton, W. W., Merchant, A., Chahal, R., Kramer, M., Folstein, M., Gruenberg, E. (1985). Prevalence of treated and untreated schizpphrenia: Results of a two-stage community survey. *Journal of Nervous and Mental Disease*, 173, 577-581.

Laing, R.D. (1973). *Antipsiquiatría y contracultura*. Madrid. Fundamentos

Lavik, N.J. (1983). Utilization of Mental Health Services over a given period. *Acta Psychiatrica Scandinavica*, 67, 404-413.

Lavik, N.J. (1987). The relationship between social conditions, service models and patterns of care. En World Health Organization. *Mental health services in pilot study areas*. Copenhagen: World Health Organization.

Leff, J. (1993). Evaluating the transfer of care from psychiatric hospitals to district-based services. *British Journal of Psychiatry*, 162, (suppl.19), 6.

Leff, J. (1997). *Care in the community. Illusion or reality?* Chichester: Wiley and Sons.

Lehtinen, V., Joukamaa, M., Jyrkinen, E., Lahtela, K., Raitasalo, R., Maatela, J., Aromaa, A. (1990) Need for mental health services of the adult population in Finland: results from the Mini Finland Health Survey. *Acta Psychiatrica Scandinavica*, 81, 426-431.

Lesage, A.D., Mignolli, G., Faccincani, C. y Tansella, M. (1991). Standardized assessment of the needs for care in a cohort of patients with schizophrenic psychoses. En Tansella, M. (Ed.), *Community-based psychiatry: long-term patterns of care in south-verona*. Cambridge: Cambridge University Press.

Lesage, A.D., Fournier, L., Cyr, M., Toupin, J., Fabian, J., Gaudette, G., Vanier, C., Bebbington, P. y Brewin, C.R. (1996). The reliability of the community version of the MRC Needs for Care Assessment. *Psychological Medicine*, 26, 237-243.

Lewine, R.R.J. (1981). Sex differences in schizophrenia: timing or subtypes?. *Psychological Bulletin*, 90:432-444.

Link, B., Dohrenwend, B. P. (1980) Formulation of hypotheses about the ratio of untreated to treated cases in the five prevalence studies of functional psychiatric disorders in adults in the United States. En Dohrenwend, B. P., Doherenwend, B. S., Gould, M. S., Link, B.M., Neugebauer, R., Wunsch-Hitzig, R. (Eds.), *Epidemiologic Estimates*. New York: Praeger

López Álvarez, M., Hita, F., Rodríguez Borrego, M.J. y Waisman, L.C. (1998). Un programa para la supresión de los hospitales psiquiátricos públicos en Andalucía (1985-1995). En García,J., Espino, A. y Lara,L. (Eds.), *La psiquiatría en la España de fin de siglo*. Madrid: Diaz de Santos.

MacCarthy, B., Lesage, A.D., Brewin, C.R., Brugha, T.S. y Mangen, S.P. (1989). Needs for care among the relatives of long-term users of day care. A report from the Camberwell High Contact Survey. *Psychological Medicine*, 19, 725-736.

Marder, S.R. y et al. (1979). Predicting drug-free improvement in schizophrenia. *British Journal of Psychiatry*, 36, 1080-1085.

Marengo, J.T. y Harrow, M. (1987). Schizophrenia thought disorder at follow up. *Archives of General Psychiatry*, 44, 651-659.

Marshal, A.W. y Godhamer, H. (1955). An application of markov processes to the study of the epidemiology of mental disease. *American Statistical Association Journal*, 50, 99-129.

Martínez Azumendi, O. (1993). La reforma del Servicio Nacional de Salud Británico y tendencias en Salud Mental. *Revista Asociación Española de Neuropsiquiatría*, 13, 130-135.

May, A.R. (1976). *Mental health services in Europe*. Copenhagen: World Health Organization.

Meredith, J. (1976). Program evaluation techniques in the health services. *American Journal of Public Health*, 66, 1069-1078.

Mignot, H. (1970). *Le Secteur*. París: Encyclopedie Medico-Chirurgicale Psychiatrie.

- Ministerio de Sanidad y Consumo. (1985). *Informe de la Comisión Ministerial para la reforma psiquiátrica*. Madrid.
- Ministerio de Sanidad y Consumo. (1990). *Plan de actuación en Salud Mental 1990/91*. Madrid.
- Ministerio de Sanidad y Consumo. (1996). *Informe evolutivo de la Encuesta de salud mental. Periodo 1991-1994*. Madrid. Mimeo.
- Morosini, P. y Veltro, F. (1991). Process or outcome approach in the evaluation of psychiatric services. En: Freeman, H.L. y Henderson, J.H. (Eds.), *Evaluation of comprehensive care of the mentally ill*. London: Gaskell.
- Moreno Küstner, B, Torres González, F., Rosales Varo, B. (1996). *Registro Acumulativo de Casos de Esquizofrenia Granada Sur. Memoria año 1996*. Granada. Mimeo.
- Moreno Küstner, B., Torres González, F., Salize, H.J. y Rössler, W. (1997 a). Ficha Mannheim de contacto con los servicios comunitarios de salud mental. *Archivos de Neurobiología*, **60**, 151-161.
- Moreno Küstner, B., Jiménez Estévez, J.F., Torres González, F., Salize, H.J. y Rössler, W. (1997 b). El enfermo esquizofrénico en la comunidad. Evaluación comparada entre Mannheim y Granada. *Libro de ponencias y comunicaciones del II congreso nacional de psiquiatría*, Valencia.
- Mortensen, P.B. y Eaton, W.W. (1994). Predictors for readmission risk in schizophrenia. *Psychological Medicine*, **24**, 223-232.
- O'Driscoll, C. (1993). The TAPS Project.7: Mental Hospital Closure- A literature review of outcomes studies and evaluative techniques. *British Journal of Psychiatry*, **162**, 7-17.
- Oiesvold, T., Sandlund, M., Hansson, L., Christiansen, L., Göstas, G., Lindhardt, A., Saarento, O., Sytema, S. y Zandén, T. (1998). Factor associated with referral to psychiatric care by general practitioners compared with self-referrals. *Psychological Medicine*, **28**, 427-436.
- Oldehinkel, T. (1997). *Trends and transitions in fifteen years of psychiatric care utilization*. Wageningen: Ponsen y Looijen B.V.
- Organización Mundial de la Salud. (1993). *Cuestionarios para la evaluación clínica en neuropsiquiatría*. Madrid: Meditor.
- Pedreira Massa, J. y Eguiagaray, M. (1996). Evaluación de un servicio de psiquiatría infantil a través de un registro acumulativo de casos psiquiátricos. *Revista de Psiquiatría Infanto-Juvenil*, **4**, 263-279.

Perris, C. y Kemali, D. (1985). (Eds.), *Focus on the Italian psychiatric reform. Acta Psychiatrica Scandinavica*, 71 (suppl. 316).

Perry, J. y Lavori, H. (1987). A markov model predicting levels of psychiatric service use in borderline analysis. *Journal Psychiatry Research*, 21, 215-232.

Phelan, M., Slade, M., Thornicroft, G., Dunn, G., Holloway, F., Wykes, T., Strathdee, G., Loftus, L., McCrone, P. y Hayward, P. (1995). The Camberwell Assessment of Need: The validity and reliability of an instrument to assess the needs of people with severe mental illness. *British Journal of Psychiatry*, 167, 589-595.

Pineault, R. y Daveluy, C. (1987). *La planificación sanitaria*. Barcelona: Masson.

Platman, S.R., Karahasan, A. y Booker, T.C. (1983). The new long-term patient in the public mental hospital. *American Journal of Psychiatry*, 140, 606-608.

Platman, S.R. y Booker, T.C. (1984). The new long-term patient in the public mental hospital: a follow-up. *American Journal of Psychiatry*, 141, 794-795.

Ribeiro, S.C.; Tandon, R., Ricoy R., Mazzara, C., Craig, K.A., Greden, J.F. (1992) Clinical predictors of 1 year outcome in schizophrenia. *Psychopathology*, 25: 331-334.

Rendueles Olmedo, G. (1980). La psiquiatría asilar española. En González de Chávez, M. *La transformación de la asistencia psiquiátrica*. Madrid: Mayoría.

Rivière, P. (1991). De la désinstitutionnalisation a la normalisation: une politique européen. *L'information psychiatrique*, 5, 431-439.

Robins, L.N. (1985). Epidemiology: reflections on testing the validity of psychiatric interviews. *Archives of General Psychiatry*, 42, 918-924.

Saarento, O., Öiesvold, T., Göstas, G., Lindhardt, A., Sandlund, M., Vinding, H.R., Zandrén, T. y Hansson, L. (1995). The nordic comparative study on sectorized psychiatry. *Acta Psychiatrica Scandinavica*, 92, 202-207.

Saarento, O. (1996). Tesis. *Factors related to treated incidence in psychiatric services and utilization of psychiatric inpatient care*. Oulu. University of Oulu.

Saarento, O., Hansson, L., Sandlund, M., Göstas, G., Kastrup, M., Muus, S., Niemine, P., Zandrén, T. y Öiesvold, T. (1996). The nordic comparative study on sectorized psychiatry. Utilization of psychiatric hospital care related to amount and allocation of resources to psychiatric services. *Social Psychiatry Psychiatric Epidemiology*, 31, 327-335.

- Salize, H.J., Moreno Küstner, B., Torres González, F., Reinhard, I. y Rössler, W. S. (1997). Effectiveness of comprehensive community based mental health care for schizophrenic patients. A comparison between Mannheim/Germany and Granada/Spain. *Libro de ponencias y comunicaciones del Third Conference European Network for Mental Health Service Evaluation*. Santander.
- Salize, H.J. y Rössler, W. (1989). *Mannheim Service Recording Sheet*. Mannheim: Central Institut of Mental Health. Mimeo.
- Salize, H.J. y Rössler, W. (1996). The cost of comprehensive care of people with schizofrenia living in the community. A cost evaluation from a german catchment area. *British Journal of Psychiatry*, 169, 42-48.
- Salokangas, R.K.R., Der, G. y Wing, J.K. (1985). Community Psychiatric Services in England and Finland. *Social Psychiatry*, 20, 23-29.
- Salvador Carulla, L. (1996). Assessment instruments in psychiatry: description and psychometric properties. En Thornicroft, G. y Tansella, M. (Eds.), *Mental health outcome measures*. Berlin: Springer-Verlag.
- Salvador Carulla, L., Torres González, F., Johnson, S., Kuhlman, R., Vázquez Barquero, J.L. y Beecham, J. (1997). Versión española del European Service Mapping Schedule -Diagrama europeo de servicios. *Archivos de Neurobiología*, 60, 163-169.
- Sartorius, N. (1990). Mental health care in continental Europe: medley or mosaic? En Marks, I.M. y Scott, R. A. (Eds.), *Mental health care delivery*. Cambridge: Cambridge University Press.
- Sartorius, N., Jablensky, A., Ernberg, G., Leff, J., Korten, A. y Gulbinat, W.H. (1987). Course of schizophrenia in different countries:some results of a WHO international comparative 5-year follow-up study. En Häfner, H., Gattaz, W.F. y Janzarik, W. (Eds.), *Search for the causes of schizophrenia*. Berlin: Springer-Verlag.
- Serban, G. (1977). *New trends of psychiatry in the community*. Ballinger, Cambridge Mass.
- Shepherd, G. (1988). Evaluation and service planning. En Lavender, A. y Holloway, F. (Eds.), *Community care in practice*. Chichester: Wiley.
- Shepherd, M., Watt, D., Falloon, I. y Smeeton, N. (1989). Natural history of schizophrenia: a five-year follow up study of outcome and prediction in a representative sample of schizophrenics. *Psychological Medicine*, Monograph supplement 15: 1-46.
- Shumay, M., Chouljian, T.L. y Hargreaves, W.A. (1994). Patterns of substance use in schizophrenia: A Markov modeling approach. *Journal Psychiatry Research*, 28, 277-287.

Soni, S.D., Gaskell, K. y Reed, P. (1994). Factors affecting rehospitalisation rates of chronic schizophrenic patients living in the community. *Schizophrenia Research*, 12, 169-177.

Staton, A.H. y Schwartz, M.S. (1972). *The mental hospital*. New York: Mc.Graw-Hill.

Sweillam, T. y Tardiff, K. (1978). Prediction of psychiatric in patient utilization. A markov chain model. *Administration in Mental Health*, 6, 161-173.

Sytema, S., Giel, R. y Horn, G.H.M.M. ten (1989 a). Patterns of care in the field of mental health. *Acta Psychiatrica Scandinavica*, 79, 1-10.

Sytema, S., Giel, R., Horn, G.H.M.M. ten y Tansella, M. (1989 b). Use of mental health services in South-Verona and Groningen. *Acta Psychiatrica Scandinavica*, 79, 153-162.

Sytema, S., Laciga, L., Giel, R. y Prevaratil, V. (1992). Inpatient care in an eastern and a western European area . *Social Psychiatry Psychiatric Epidemiology*, 27, 274-279.

Sytema, S. (1994). (Tesis). *Patterns of mental health care. Methods and international comparative research*. Groningen: State University Groningen.

Sytema, S., Micciolo, R. y Tansella, M. (1996). Service utilization of schizophrenic patients in Groningen and South-Verona: An event history analysis. *Psychological Medicine*, 26, 109-119.

Sytema, S. y Oldehinkel, T. (1996). Dynamic analysis of patterns of care. En Knudsen, H.C. y Thornicroft, G. (Eds.), *Mental Health Service Evaluation*. Cambridge: Cambridge University Press.

Sytema, S., Micciolo, R. y Tansella, M. (1997). Continuity of care for patients with schizophrenia and related disorders; a comparative South-Verona and Groningen case register study. *Psychological Medicine*, 27, 1355-1362.

Tansella, M., Micciolo, R., Biggeri, A., Bisoffi, G., Balestrieri, M. (1985) Episodes of care for first-ever psychiatric patients: A long-term case-register evaluation in a mainly urban area. *British of Journal Psychiatry*, 167:220-227.

Tansella, M. (1986). Community psychiatry without mental hospitals: the italian experience: a review. *Journal of the Royal Society of Medicine*, 79, 664-669.

Tansella, M., Micciolo, R. y Balestrieri, M. (1986). High and long-term users of the mental health services. A case register study in Italy. *Social Psychiatry*, 21, 96-103.

- Tansella, M. y Williams, P. (1987 a). The Italian experience and its implications. *Psychological Medicine*, 17, 283-289.
- Tansella, M., De Salvia, D. y Williams, P. (1987 b). The Italian psychiatric reform: some quantitative evidence. *Social Psychiatry*, 22, 37-48.
- Tansella, M. (1989). Evaluating community psychiatric services. En Williams, P., Wilkinson, G. y Rawnsley, K. (Eds.), *The scope of epidemiological psychiatry*. London: Routledge.
- Tansella, M., Balestrieri, M., Meneghelli, G. y Micciolo, R. (1991). Trends in the provision of psychiatric care 1979-1988. *Psychological Medicine*, Mon.Sup.19, 5-16.
- Tansella, M., Micciolo, R., Biggeri, A., Bisoffi, G. y Balestrieri, M. (1995). Episodes of care in first-ever psychiatric patients. A long-term case-register evaluation in a mainly urban area. *British Journal of Psychiatry*, 167, 220-227.
- Tavora Rivero, A. (1997). Tesis. *Diferentes modelos de atención al paciente esquizofrénico*. Granada.
- Thornicroft, G. y Tansella, M. (1996). *Mental Health Outcome Measures*. Berlin: Springer-Verlag.
- Tijms, H.C. (1994). *Stochastic models: an algorithmic approach*. Chichester: Wiley and Son.
- Tooth, G.C. y Brooke, E.M. (1961). Trends in the Mental Hospital Population and Their Effect on Future Planning. *The Lancet*, 1, 710-713.
- Torre, E., Marioni, A., Girardengo, C., Seeglia, G., Oberti y. y de Micheli, V. (1983). Uno studio comparativo dell'utenza dei servizi psichiatrici di due aree sanitarie: y regioni de Lomest e del Novese. *Formazione Psichiatrica*, 1, 95-108.
- Torres González, F. (1992). La Reforma Psiquiátrica en Andalucía, España: Descripción del proceso de transformación de la atención de base manicomial en comunitaria. En Levav, I. (Ed.), *Temas de salud mental en la comunidad*. Washington: OPS.
- Torres González, F. (1997). Instrumentos estandarizados para valorar la calidad de los Servicios Comunitarios de Salud Mental. En Leal Rubio, J. (Ed.), *Equipos e instituciones de salud (mental), salud (mental) de equipos e instituciones*. Madrid: Asociación Española de Neuropsiquiatría.
- Torres González, F., Moreno Küstner, B., Salvador Carulla, L., Romero, C. y de Jong, A. (1997). Clasificación Internacional de cuidados de salud mental. *Archivos de Neurobiología*, 60, 142-150.

Tracey, T.J. (1985). The N of 1 Markov chain design as a means of studying the stages of psychotherapy. *Psychiatry*, **48**, 196-204.

Tricot, L. (1986). An example of the standardization of terminology: defining episodes of care. En Horn, G.H.M.M. ten, Giel, R., Gulbinat, W.H. y Henderson, J.H. (Eds.), *Psychiatric case registers in public health. A worldwide inventory*. Amsterdam: Elsevier.

Tugwell, P. (1979). A methodological perspective on process measures of the quality of medical care. *Clin Invest Med*, **2**, 113-121.

Tuma, N.B. y Hannan, M.T. (1984). *Social Dynamics. Models and methods*. New York: Academic Press.

Valbak, K., Sorensen, L.V. y Lindhardt, A. (1992). Evaluation of community psychiatry: a cross-sectional study. *Acta Psychiatrica Scandinavica*, **85**, 183-188.

Valenciano Gaya, L. (1979). *El doctor Lafora y su época*. Madrid: La Piqueta.

Vallejo Ruibola, J. (1998). *Introducción a la psicopatología y la psiquiatría*. Barcelona: Masson, 4ªed.

Vázquez Barquero, J.L., Gaité, L., Artal, J., Díez Manrique, J.F., Herrera Castanedo, S. y Williams, I. (1992). Report on the spanish translation of the SCAN. Schedules and glossary. Informe a la Organización Mundial de la Salud. Unidad de Investigación en Psiquiatría Social de Cantabria.

Vázquez Barquero, J.L., Cuesta Nuñez, M.J., Lastra, I., Herrera Castanedo, S., Gaité, L. y Pardo, G. (1996). Modelo tetra-dimensional de la esquizofrenia:verificación en un estudio de primeros episodios. *Archivos de Neurobiología*, **59**, 161-180.

Vázquez Barquero, J.L., Gaité, L., Cuesta, M.J., García Usieto, E., Knapp, M. y Beecham, J. (1997). Versión española del CSRI: una entrevista para la evaluación de costes en salud mental. *Archivos de Neurobiología*, **60**, 171-184.

Vázquez, A.J., Jiménez, R., Gómez, I. y Becerra, P. (1995). Esquizofrenia en el medio comunitario. *Revista Asociación Española de Neuropsiquiatría*, **15** (53): 199-216.

Warner, R. y Girolamo, G. (1995). *Esquizofrenia. Epidemiología de los trastornos mentales y de los problemas psicosociales*. Ginebra: World Health Organization. Meditor.

White, D.J. (1992). *Markov decision processes*. Chichester: Wiley and Son.



- Wiersma, D., Kluiters, H., Nienhuis, F.J., Rüphan, M. y Giel, R. (1991). Cost and benefits of day treatment with community care for schizophrenic patients. *Schizophrenia Bulletin*, 17, 411-419.
- Wiersma, D. y Willige, G. (1996). Reliability of the "Needs for Care Assessment Schedule" in a European context: an international comparison. Department of Social Psychiatry, University of Groningen, Groningen.
- Wiersma, D., Nienhuis, F.J., Giel, R., Jong, A. de y Slooff, C.J. (1996). Assessment of the need for care 15 years after onset of a Dutch cohort of patients with schizophrenia and an international comparison. *Social Psychiatry Psychiatric Epidemiology*, 31: 114-121.
- Wiersma, D., Nienhuis, F.J., Giel, R. y Sloof, C.J. (1998). Stability and change in needs of patients with schizophrenic disorders: a 15- and 17- year follow-up from first onset of psychosis and a comparison between "objective" and "subjective" assessments of needs for care. *Social Psychiatry Psychiatric Epidemiology*, 33, 49-56.
- Wing, J.K., Birley, J.L.T., Cooper, J.E., Graham, P. y Isaacs, A. (1967). Reliability of a procedure for measuring and classifying "present psychiatric state". *British Journal of Psychiatry*, 113, 499-515.
- Wing, L. (1967). The use of the psychiatric services in three urban areas: an international case register study. *Social Psychiatry*, 2, 158-167.
- Wing, J.K. (1972). Principles of evaluation. En Wing, J.K. y Hailey, A.M. (Eds.), *Evaluating a community psychiatric service. The Camberwell Register 1964-1971*. Londres: Oxford University Press.
- Wing, J.K., Cooper, J.E. y Sartorius, N. (1974). *The description and manual for the PSE and CATEGO system*. Cambridge: Cambridge University Press.
- Wing, J.K. (1989). *Contributions to mental health planning and research*. London: Gaskell.
- Wing, J.K., Babor, T., Brugha, T.S., Burke, H., Cooper, J.E., Giel, R., Jablensky, A., Regier, D.A. y Sartorius, N. (1990). SCAN: Schedules for Clinical Assessment in Neuropsychiatry. *Archives of General Psychiatry*, 47, 489-593.
- Winters, E. (1969). Adolf Meyer and Clifford Beers 1907-1910. *Bull Hist Medicine*, 43, 414-443.
- Woof, K., Freeman, H.L. y Fryers, T. (1983). Psychiatric services use in Salford C.B.: a comparison of point prevalence ratios 1968 and 1978. *British Journal of Psychiatry*, 142, 588-597.
- World Health Organization. (1973). *The international pilot study of schizophrenia*. Geneva: World Health Organization.

**World Health Organization. (1980).** *Changing patterns in mental health care: Report on a WHO Working Group.* EURO Reports and Studies, 25. Geneva: World Health Organization.

**World Health Organization. (1987).** *Mental health services in pilot study areas.* Copenhagen: World Health Organization.

**Wykes, T. y Sturt, E. (1986).** The measurement of social behaviour in psychiatric patients: an assessment of the reliability and validity of the Social Behaviour Schedule. *British Journal of Psychiatry*, 148, 1-11.