



Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using $\sqrt{s} = 13$ TeV proton–proton collisions



ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 22 February 2016

Accepted 1 April 2016

Available online 6 April 2016

Editor: W.-D. Schlatter

ABSTRACT

Results are reported of a search for new phenomena, such as supersymmetric particle production, that could be observed in high-energy proton–proton collisions. Events with large numbers of jets, together with missing transverse momentum from unobserved particles, are selected. The data analysed were recorded by the ATLAS experiment during 2015 using the 13 TeV centre-of-mass proton–proton collisions at the Large Hadron Collider, and correspond to an integrated luminosity of 3.2 fb^{-1} . The search selected events with various jet multiplicities from ≥ 7 to ≥ 10 jets, and with various b -jet multiplicity requirements to enhance sensitivity. No excess above Standard Model expectations is observed. The results are interpreted within two supersymmetry models, where gluino masses up to 1400 GeV are excluded at 95% confidence level, significantly extending previous limits.

© 2016 CERN for the benefit of the ATLAS Collaboration. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

New strongly interacting particles, if present at the TeV energy scale, may be produced in high-energy proton–proton (pp) collisions and decay to final states with large jet multiplicities. If their decay produces stable particles which only interact weakly, it will also result in a momentum imbalance in the plane transverse to the beam (E_T^{miss}).

Such particles are present in supersymmetry (SUSY) [1–6], a theoretically favoured extension of the Standard Model (SM) that predicts partner fields for each of the SM particles. These fields combine into physical superpartners of the SM particles. The scalar partners of quarks and leptons are known as squarks (\tilde{q}) and sleptons ($\tilde{\ell}$). The fermionic partners of gauge and Higgs bosons are the gluinos (\tilde{g}), the charginos ($\tilde{\chi}_i^\pm$, with $i = 1, 2$) and the neutralinos ($\tilde{\chi}_i^0$ with $i = 1, 2, 3, 4$), with $\tilde{\chi}_i^\pm$ and $\tilde{\chi}_i^0$ being the mass eigenstates, ordered from the lightest to the heaviest, formed from the linear superpositions of the SUSY partners of the Higgs and electroweak gauge bosons.

Under the hypothesis of R -parity conservation [7], SUSY partners are produced in pairs and decay to the lightest supersymmetric particle (LSP), which is stable and in a large variety of models is assumed to be the lightest neutralino ($\tilde{\chi}_1^0$), which escapes detection. The undetected $\tilde{\chi}_1^0$ would result in missing transverse momentum, while the rest of the cascade can yield final states with

multiple jets and possibly leptons and/or photons. The strongly interacting gluinos and squarks can have large production cross-sections at the Large Hadron Collider (LHC), but no evidence of their existence has been observed to date.

This paper presents the results of a search for new phenomena, such as supersymmetry, in final states with large jet multiplicities (from ≥ 7 to ≥ 10 jets) in association with E_T^{miss} . This signature is exhibited, for example, by squark and gluino production followed by cascade decay chains, and/or decays to heavy SM particles, such as top quarks or W , Z or Higgs bosons, each of which can produce multiple jets in their decays. In contrast to many other searches for the production of strongly interacting SUSY particles, the requirement made here of large jet multiplicity means that the requirement on E_T^{miss} can be modest.

Previous searches [8–10] in similar final states have been performed by the ATLAS Collaboration at the lower centre-of-mass energies of $\sqrt{s} = 7$ TeV and 8 TeV, with integrated luminosities up to 20.3 fb^{-1} . The larger energy of the present dataset provides increased sensitivity, particularly to particles with higher masses. This paper closely follows the strategy of those previous studies. In particular, data are collected using an online selection relying only on high jet multiplicity and the signal regions (SR) are designed such that the dominant multijet background can be determined from the data using regions of lower E_T^{miss} and/or lower jet multiplicity.

The data were collected by the ATLAS detector [11] in pp collisions at the LHC at a centre-of-mass energy of 13 TeV, from 16th August to 3rd November 2015. The detector covers the

* E-mail address: atlas.publications@cern.ch.

pseudorapidity¹ range of $|\eta| < 4.9$ and is hermetic in azimuth. It consists of an inner tracking detector surrounded by a superconducting solenoid, electromagnetic and hadronic calorimeters, and an external muon spectrometer incorporating large superconducting toroidal magnets. After applying beam-, data- and detector-quality criteria, the integrated luminosity was $3.2 \pm 0.2 \text{ fb}^{-1}$. The uncertainty was derived using beam-separation scans, following a methodology similar to that detailed in Ref. [12].

2. Physics object definition

Jets are reconstructed using the anti- k_t clustering algorithm [13, 14] with jet radius parameter $R = 0.4$ and starting from clusters of calorimeter cells [15]. The effects of coincident pp interactions ('pileup') on jet energies are accounted for by an event-by-event p_T -density correction [16]. The energy resolution of the jets is improved by using global sequential calibrations [17, 18]. Events with jets originating from cosmic rays, beam background and detector noise are vetoed using the 'loose' requirements of Ref. [19]. Jets containing b -hadrons (b -jets) are identified using an algorithm exploiting the long lifetime, high decay multiplicity, hard fragmentation and large mass of b -hadrons [20]. The b -tagging algorithm tags b -jets with an efficiency of approximately 70% in simulated $t\bar{t}$ events, and mis-tags c -jets, τ -jets and light-quark or gluon jets with probabilities of approximately 10%, 4% and 0.2% respectively [21].

The primary vertex (PV) in each event is the vertex with the largest value of $\sum p_T^2$ for all tracks associated with it. To reduce the effect of pileup, a jet having $20 \text{ GeV} < p_T < 50 \text{ GeV}$ and $|\eta| < 2.4$ is disregarded when the p_T -weighted sum of its associated tracks indicates that it originated from a pileup collision and not the PV, based on a jet vertex tagger as described in Ref. [16].

Electron candidates are identified according to the likelihood-based 'loose' criterion described in Ref. [22], formed from e.g. calorimeter shower shape and inner-detector track properties. Muon candidates are identified according to the 'medium' criterion described in Ref. [23], based on combined tracks from the inner detector and muon spectrometer. These candidates (which may cause an event to be rejected from the signal regions) are required to have $p_T > 10 \text{ GeV}$, $|\eta| < 2.47$ for e and $|\eta| < 2.5$ for μ .

To avoid double-counting of reconstructed objects, electron candidates sharing an inner-detector track with a muon candidate are removed. Next, jet candidates separated from an electron candidate by $\Delta R_y < 0.2$ are removed, where $\Delta R_y = \sqrt{(\Delta y)^2 + (\Delta\phi)^2}$. Jet candidates with fewer than three tracks and with $\Delta R_y < 0.4$ from a muon candidate are then removed. Following this, any lepton candidate separated from a surviving jet candidate by $\Delta R_y < 0.4$ is removed.

The missing transverse momentum, \vec{E}_T^{miss} , is the negative two-vector sum of the calibrated \vec{p}_T of reconstructed jets with $p_T > 20 \text{ GeV}$ and $|\eta| < 4.5$, electrons, muons and photons [24]. It includes an additional contribution from inner-detector tracks, matched to the PV, that are not associated with these reconstructed objects. Photons are not considered beyond their contribution to the \vec{E}_T^{miss} unless they are reconstructed as jets. To reduce the effect of pileup, jets do not contribute to the \vec{E}_T^{miss} calculation when they are disregarded based on the jet vertex tagger as described above. Additionally, when a jet having $50 \text{ GeV} < p_T <$

70 GeV , $|\eta| < 2.0$ and azimuth relative to the missing momentum $\Delta\phi(\vec{p}_T, \vec{E}_T^{\text{miss}}) > 2.2$ meets the same vertex-tagging criterion, the event is discarded. Events in which the jet closest in ϕ to the \vec{E}_T^{miss} is found in or near an inactive region in the hadronic calorimeter barrel (i.e. $-0.1 < \eta < 1.0$, $0.8 < \phi < 1.1$) are also discarded, in order to reduce the impact of this source of \vec{E}_T^{miss} mismeasurement. These data-quality requirements reduce the expected acceptance of typical SUSY models by approximately 5%.

When defining leptons for control regions (Section 5), the candidates defined above are required to be isolated, to have a longitudinal impact parameter z_0 (with respect to the PV) satisfying $|z_0 \sin\theta| < 0.5 \text{ mm}$, and to have the significance of their transverse impact parameter $|d_0/\sigma(d_0)|$ (with respect to the measured beam position) be less than five for electrons and less than three for muons. Additionally, electrons must satisfy the 'tight' criterion of Ref. [22].

3. Event selection

The signal regions are defined using two jet multiplicity counts: either n_{50} , the number of jets having $p_T > 50 \text{ GeV}$ and $|\eta| < 2.0$, or n_{80} , the number of such jets which additionally satisfy the higher requirement $p_T > 80 \text{ GeV}$. The online selection (trigger) for n_{50} -based regions requires events to have at least six jets each with $p_T > 45 \text{ GeV}$ and $|\eta| < 2.4$, while that for n_{80} -based regions requires at least five jets each with $p_T > 70 \text{ GeV}$. The trigger efficiency is greater than 99.5% for events satisfying the signal selection described below. Jets with a looser definition – those having $p_T > 40 \text{ GeV}$ and $|\eta| < 2.8$ – are used to construct the scalar sum $H_T = \sum p_T^{\text{jet}}$, while those having $p_T > 40 \text{ GeV}$ and $|\eta| < 2.5$ are candidates for b -tagging, contributing to the number $n_{b\text{-jet}}$ of b -tagged jets.

The signal selection requires large jet multiplicity, which depends on the signal region (SR), as shown in Table 1. Fifteen different SRs are defined, providing wide-ranging sensitivity to models with different final states and mass spectra. There are three different triplets of regions defined in terms of the jet multiplicity n_{50} and two different triplets of regions defined in terms of n_{80} . Within each triplet, different requirements are made on $n_{b\text{-jet}}$, from no requirement to the requirement of at least two b -jets. In all cases the final selection is on the ratio of E_T^{miss} to $\sqrt{H_T}$, with the choice of a threshold at $4 \text{ GeV}^{1/2}$ being a good balance between background rejection and signal efficiency while maintaining the effectiveness of the background estimation. Events containing electron or muon candidates with $p_T > 10 \text{ GeV}$ are vetoed to reduce background from SM processes.

The SRs have events in common, for example all events in $9j50-1b$ also appear in $9j50$, which does not require the b -jet, and in $8j50$ and $8j50-1b$, which have a looser requirement on n_{50} . Events may also appear in both the n_{50} and the n_{80} categories.

4. Background and simulation

Standard Model processes contribute to the event counts in the SRs. The dominant background contributions are multijet production, including those from purely strong interaction processes and fully hadronic decays of $t\bar{t}$; partially leptonic decays of $t\bar{t}$; and leptonically decaying W or Z bosons produced in association with jets. Top-quark, W - and Z -boson decays that are not fully hadronic are collectively referred to as 'leptonic' backgrounds. They can contribute to the signal regions when no e or μ leptons are produced, for example $Z \rightarrow \nu\nu$ or hadronic $W \rightarrow \tau\nu$ decays, or when they are produced but are out of acceptance, lie within jets, or are not reconstructed.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The transverse momentum of a four-momentum is $\vec{p}_T = (p_x, p_y)$, its rapidity is $y = \frac{1}{2} \ln \frac{E+p_z}{E-p_z}$, and the pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

Table 1

Definition of the signal regions. The selection variables are described in Sections 2 and 3. A long dash ‘–’ indicates that no requirement is made. Events with leptons are vetoed.

(a) Signal regions using n_{50}									
	8j50	8j50-1b	8j50-2b	9j50	9j50-1b	9j50-2b	10j50	10j50-1b	10j50-2b
n_{50}		≥ 8			≥ 9			≥ 10	
$n_{b\text{-jet}}$	–	≥ 1	≥ 2	–	≥ 1	≥ 2	–	≥ 1	≥ 2
$E_T^{\text{miss}}/\sqrt{H_T}$					$> 4 \text{ GeV}^{1/2}$				

(b) Signal regions using n_{80}					
	7j80	7j80-1b	7j80-2b	8j80	8j80-1b
n_{80}		≥ 7			≥ 8
$n_{b\text{-jet}}$	–	≥ 1	≥ 2	–	≥ 1
$E_T^{\text{miss}}/\sqrt{H_T}$				$> 4 \text{ GeV}^{1/2}$	
	8j80-2b				

The most significant leptonic backgrounds are $t\bar{t}$ and W boson production in association with jets. The contribution of these two backgrounds to the signal regions is determined from a combined fit as described later in Section 5. The yields for the other, generally subdominant, leptonic backgrounds are taken from the simulations as described below.

Monte Carlo simulations are used in the determination of the leptonic backgrounds and to assess sensitivity to specific SUSY signal models. All simulated events are overlaid with multiple pp collisions simulated with the soft QCD processes of PYTHIA 8.186 [25] using the A2 set of parameters (tune) [26] and the MSTW2008LO parton distribution functions (PDF) [27]. The simulations are weighted such that the pileup conditions match those of the data. The response of the detector to particles is modelled with an ATLAS detector simulation [28] based fully on GEANT4 [29], or using fast simulation based on a parameterisation of the performance of the ATLAS electromagnetic and hadronic calorimeters [30] and on GEANT4 elsewhere. Leptonic background samples use full simulation, while signal samples (described below) use the fast simulation option. Corrections are applied to the simulated samples to account for differences between data and simulation for the lepton identification and reconstruction efficiencies, and for the efficiency and misidentification rate of the b -tagging algorithm.

4.1. Leptonic background simulation

For the generation of $t\bar{t}$ and single top quarks in the Wt and s -channels [31] Powheg-Box v2 [32] is used with the CT10 PDF sets [33] in the matrix element calculations. Electroweak t -channel single-top-quark events are generated using Powheg-Box v1. This generator uses the four-flavour scheme for the next-to-leading order (NLO) matrix element calculations together with the fixed four-flavour PDF set CT10f4 [33]. For this process, the top quarks are decayed using MadSpin [34] preserving all spin correlations, while for all processes the parton shower, fragmentation, and the underlying event are simulated using PYTHIA v6.428 [35] with the CTEQ6L1 PDF sets [36] and the corresponding Perugia 2012 tune (P2012) [37]. The top quark mass is set to 172.5 GeV. The EvtGen v1.2.0 program [38] models the bottom and charm hadron decays, as it does for all non-SHERPA-simulated processes mentioned below. The $t\bar{t}$ simulation is normalised to the cross-section calculated to next-to-next-to-leading order (NNLO) in perturbative QCD, including soft-gluon resummation to next-to-next-to-leading log (NNLL) accuracy [39].

Events containing $t\bar{t}$ and additional heavy particles – comprising three-top, four-top, $t\bar{t} + W$, $t\bar{t} + Z$ and $t\bar{t} + WW$ production [40] – are simulated at leading order in the strong coupling constant α_s , using MadGraph v2.2.2 [41] with up to two additional partons in the matrix element, interfaced to the PYTHIA 8.186

[25,35] parton shower model. The A14 tune of the PYTHIA parameters is used [42], together with the NNPDF2.3LO PDF set [43]. The predicted production cross-sections are calculated to NLO as described in Ref. [41] for all processes other than three-top, for which it is calculated to LO.

Events containing W bosons or Z bosons with associated jets [44] are likewise simulated using MadGraph, but with up to four additional final-state partons in the matrix element, and interfaced to PYTHIA, using the same tunes and particle decay programs. The $W +$ jets and $Z +$ jets events are normalised to NNLO cross-sections [45]. Diboson processes with at least one boson decaying leptonically [46] are simulated using the SHERPA v2.1.1 generator [47]. The matrix element calculations contain all diagrams with four electroweak vertices. They are calculated for up to one (for 4ℓ , $2\ell + 2\nu$, semileptonic ZZ) or no additional partons (for $3\ell + 1\nu$, other semileptonic processes) at NLO and up to three additional partons at LO using the Comix [48] and OpenLoops [49] matrix element generators and interfaced with the SHERPA parton shower [50] using the ME+PS@NLO prescription [51]. The CT10 PDF set is used in conjunction with dedicated parton shower tuning developed by the SHERPA authors.

Theoretical uncertainties are considered for all these simulated samples. Production of $t\bar{t}$ is by far the most important process simulated in this analysis and to evaluate the uncertainty on this background several samples are compared. Samples are produced with the factorisation and renormalisation scales varied coherently, along with variations of the resummation damping parameter and with more/less radiation tunes of the parton shower [52]. Additionally the nominal sample is compared to one with Powheg interfaced with Herwig++ [53] and SHERPA v2.1.1 samples with up to one additional jet at next-to-leading order using OpenLoops and up to four additional jets at leading order, to account for uncertainties in the parton shower and the generator respectively. The comparison with the SHERPA sample dominates the uncertainty in the signal region prediction.

4.2. SUSY signal models

Two classes of SUSY signal models are used when interpreting the results. The first is a simplified model, in which gluinos are pair-produced and then decay via the cascade

$$\begin{aligned}\tilde{g} &\rightarrow q + \bar{q}' + \tilde{\chi}_1^\pm \quad (q = u, d, s, c) \\ \tilde{\chi}_1^\pm &\rightarrow W^\pm + \tilde{\chi}_2^0 \\ \tilde{\chi}_2^0 &\rightarrow Z + \tilde{\chi}_1^0.\end{aligned}$$

The parameters of the model are the masses of the gluino, $m_{\tilde{g}}$, and the lightest neutralino, $m_{\tilde{\chi}_1^0}$. The mass of the $\tilde{\chi}_1^\pm$ is constrained to




Fig. 1. Example distributions of the ratio $E_T^{\text{miss}}/\sqrt{H_T}$ in the validation region with jet multiplicities (a) $n_{50} = 7$, and (b) $n_{80} = 6$. The templates, which are in each case built from a jet multiplicity one smaller than that of the data, are normalised to the data in the region with $E_T^{\text{miss}}/\sqrt{H_T} < 1.5 \text{ GeV}^{1/2}$. The templates are weighted by H_T as described in the text. No requirement is made on $n_{b\text{-jet}}$. Variable bin sizes are used with bin widths (in units of $\text{GeV}^{1/2}$) of 0.25 (up to $E_T^{\text{miss}}/\sqrt{H_T} = 2$), 0.5 (from 2 to 6), 1 (from 6 to 8), 2 (from 8 to 12) and 4 thereafter, with the last bin additionally containing all events with $E_T^{\text{miss}}/\sqrt{H_T} > 20 \text{ GeV}^{1/2}$. The total background can lie below the leptonic background contribution in individual bins, since the template can give a negative contribution. The dashed lines labelled ‘pMSSM’ and ‘2-step’ show the (small) signal contamination from the example SUSY models described in Section 4.2 – a pMSSM slice model with $(m_{\tilde{g}}, m_{\tilde{\chi}_1^\pm}) = (1300, 200) \text{ GeV}$ and a cascade decay model with $(m_{\tilde{g}}, m_{\tilde{\chi}_1^\pm}) = (1300, 200) \text{ GeV}$. The sub-plots show the ratio of the data to the SM prediction, with the blue hatched band showing the statistical uncertainty arising from a finite number of MC events and limited data in the templates and $E_T^{\text{miss}}/\sqrt{H_T} < 1.5$ normalisation regions.

be $\frac{1}{2}(m_{\tilde{g}} + m_{\tilde{\chi}_1^0})$ and the mass of the $\tilde{\chi}_2^0$ to be $\frac{1}{2}(m_{\tilde{\chi}_1^\pm} + m_{\tilde{\chi}_1^0})$. All other sparticles are kinematically inaccessible. This model is labelled in the following figures as ‘2-step’.

A second set of SUSY models is drawn from a two-dimensional subspace (a ‘slice’) of the 19-parameter phenomenological Minimal Supersymmetric Standard Model (pMSSM) [54,55]. The selection is motivated in part by models not previously excluded in the analysis presented in Ref. [56]. The models are selected to have a bino-dominated $\tilde{\chi}_1^0$, kinematically accessible gluinos, and a Higgsino-dominated multiplet at intermediate mass. The Higgsino multiplet contains two neutralinos (the $\tilde{\chi}_2^0$ and $\tilde{\chi}_3^0$) and a chargino (the $\tilde{\chi}_1^\pm$). The mass of these particles is varied by changing the soft SUSY-breaking parameters M_3 (for the gluino), M_1 (for the $\tilde{\chi}_1^0$, set to 60 GeV), and μ (for the Higgsinos). In order that other SUSY particles remain kinematically inaccessible, the other parameters, defined in Ref. [56], are set to $M_A = M_2 = 3 \text{ TeV}$, $A_\tau = 0$, $\tan \beta = 10$, $A_t = A_b = m_{\tilde{L}_{(1,2,3)}} = m_{(\tilde{e}, \tilde{\mu}, \tilde{\tau})} = m_{\tilde{Q}_{(1,2,3)}} = m_{(\tilde{u}, \tilde{c}, \tilde{t})} = m_{(\tilde{d}, \tilde{s}, \tilde{b})} = 5 \text{ TeV}$. Mass spectra with consistent electroweak symmetry breaking are generated using softsusy 3.4.0 [57]. The decay branching ratios are calculated with SDECAY/HDECAY 1.3b/3.4 [58], and when $m_{\tilde{\chi}_1^\pm} \lesssim 500 \text{ GeV}$ and $m_{\tilde{g}} \gtrsim 1200 \text{ GeV}$ the predominant decays are $\tilde{g} \rightarrow t + \bar{t} + \tilde{\chi}_2^0$ and $\tilde{g} \rightarrow t + \bar{b} + \tilde{\chi}_1^\pm$, with $\tilde{\chi}_2^0$ decaying to $Z/h + \tilde{\chi}_1^0$ and $\tilde{\chi}_1^\pm$ to $W^\pm + \tilde{\chi}_1^0$ (numerical values are provided in Ref. [59]). When these decays dominate they lead to final states with many jets, several of which are b -jets, but relatively little E_T^{miss} . This renders this search particularly sensitive compared to most other SUSY searches, which tend to require high E_T^{miss} . At higher $m_{\tilde{\chi}_1^\pm}$ and lower $m_{\tilde{g}}$, the decay $\tilde{g} \rightarrow q + \bar{q} + \tilde{\chi}_1^0$ becomes dominant and this search starts to lose sensitivity. This model is labelled in the following figures as ‘pMSSM’.

The signal events are simulated using MadGraph v2.2.2 at LO interfaced to PYTHIA 8.186, as for those of $W + \text{jets}$ and $Z + \text{jets}$.

The signal cross-sections are calculated at NLO in the strong coupling constant, adding the resummation of soft gluon emission at next-to-leading-logarithmic (NLL) accuracy [60–64]. The nominal cross-section is taken from an envelope of cross-section predictions using different PDF sets and factorisation and renormalisation scales, as described in Ref. [65].

For the model points shown later in Figs. 1–3, with $m_{\tilde{g}} = 1300 \text{ GeV}$ slightly beyond the Run-1 exclusion limits, the SR selection efficiencies are around 8% in the SRs most sensitive to those models.

4.3. Multijet background

The signal regions were chosen such that the background from the multijet process can be determined from the data. The method relies on the observation [8] that where E_T^{miss} originates predominantly from calorimeter energy mismeasurement, as is the case for the multijet contributions, the distribution of the ratio $E_T^{\text{miss}}/\sqrt{H_T}$ is almost invariant under changes in jet multiplicity. This invariance, which is illustrated in Fig. 1, occurs because the calorimeter resolution that produces the momentum imbalance in these events is dominated by stochastic processes which have variance proportional to H_T , and is largely independent of the jet multiplicity.

The shape of the $E_T^{\text{miss}}/\sqrt{H_T}$ distribution is measured in control regions (CR) with lower jet multiplicities than the signal regions, and correspondingly much higher multijet contributions. For the n_{50} signal regions, the CR contains events with exactly six jets having $p_T > 50 \text{ GeV}$. For the n_{80} signal regions, the CR requires exactly five jets with $p_T > 80 \text{ GeV}$. For each SR jet selection, an appropriate $E_T^{\text{miss}}/\sqrt{H_T}$ distribution template is normalised to the data in a further CR having the same jet multiplicity as the SR but with $E_T^{\text{miss}}/\sqrt{H_T} < 1.5 \text{ GeV}^{1/2}$. That normalised template then provides the background prediction for the SR multiplicity in the region with $E_T^{\text{miss}}/\sqrt{H_T} > 4 \text{ GeV}^{1/2}$.




Fig. 2. Control regions – requiring one lepton – showing the n_{50} jet multiplicity distributions after all selections aside from n_{50} . That lepton is permitted to contribute to the jet multiplicity count and to H_T . The sub-plots show the ratio of the data to the Standard Model prediction. The blue hatched bands on those sub-plots show MC statistical uncertainties. The dashed lines labelled ‘pMSSM’ and ‘2-step’ refer to benchmark signal points – a pMSSM slice model with $(m_{\tilde{g}}, m_{\tilde{\chi}_1^\pm}) = (1300, 200)$ GeV and a cascade decay model with $(m_{\tilde{g}}, m_{\tilde{\chi}_1^0}) = (1300, 200)$ GeV. All backgrounds are normalised according to their theoretical (pre-fit) cross-sections. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this article.)

Since semileptonic b -hadron decays can contribute to E_T^{miss} , these $E_T^{\text{miss}}/\sqrt{H_T}$ template distributions are built separately for each n_b -jet requirement. For example, the multijet contribution to the 9j50-1b signal region is determined using a template built from events with exactly six jets with $p_T > 50$ GeV, and n_b -jet ≥ 1 . That template is normalised to 9j50-1b in the region with $E_T^{\text{miss}}/\sqrt{H_T} < 1.5$ GeV $^{1/2}$.

When constructing and normalising the $E_T^{\text{miss}}/\sqrt{H_T}$ templates, the same lepton veto is used as for the signal regions. However, some leptonic background contributions persist, and so the expected leptonic backgrounds to those templates (normalised according to their theoretical cross-sections, as described in Section 4.1) are subtracted from the data distributions. The uncertainties associated with the leptonic backgrounds are included in the systematic uncertainty in the prediction. Non-stochastic contributions to calorimeter resolution, which lead to a residual dependence of the $E_T^{\text{miss}}/\sqrt{H_T}$ distribution on H_T (at the $\mathcal{O}(10\%)$ level), are reduced by constructing the templates in four bins of H_T in the kinematic region of interest. Those proto-templates are combined with weights which reflect the H_T distribution of the CR with the same jet multiplicity as the target SR but with $E_T^{\text{miss}}/\sqrt{H_T} < 1.5$ GeV $^{1/2}$. The effect of changing the H_T binning is included in the systematic uncertainty.

The validity of assuming $E_T^{\text{miss}}/\sqrt{H_T}$ invariance is tested with data, using a series of validation regions (VR) with smaller jet multiplicities or smaller $E_T^{\text{miss}}/\sqrt{H_T}$ (between 1.5 GeV $^{1/2}$ and 3.5 GeV $^{1/2}$) than the SRs, or both. These VRs are found to be described by the templates, constructed as described above, mostly to within 10%–20%. However, for the tightest regions (with very few events) the discrepancy reaches 60%. The tests are performed separately for each of the three b -jet requirements, and the largest difference for each set, including VRs with jet multiplicity up to and including that of the SR in question, is included as an overall ‘closure’ systematic uncertainty associated with the method.

5. Statistical treatment and systematic uncertainties

Systematic uncertainties specific to the multijet and leptonic background contributions are described in Sections 4.3 and 4.1 respectively. Further uncertainties that apply to signal processes and all simulated backgrounds include those on the jet energy scale, jet resolution, integrated luminosity, the b -tagging efficiency (for correct and incorrect identifications of both the b - and non- b -jets), and the lepton identification efficiency and energy scale. They are in general small compared to the aforementioned ones, being at most one third the size of the largest of those.

The effect of the systematic uncertainties on the SM background calculations is reduced by constraining the normalisations of the $t\bar{t}$ and $W + \text{jets}$ backgrounds using dedicated control regions kinematically close to, but distinct from, the signal regions, as shown in Table 2. Each leptonic control region contains events with one electron or muon that meets the stricter requirements described in Section 2 and has transverse momentum $p_T^\ell > 20$ GeV. There must be no additional lepton candidates with $p_T^\ell > 10$ GeV. Each such region uses the same multijet trigger as its corresponding SR.

To reduce generic background from new particles which may decay to a final state with leptons and E_T^{miss} , a modest upper bound of 120 GeV is placed on the transverse mass $m_T = \left(2 E_T^{\text{miss}} p_T^\ell - 2 \vec{E}_T^{\text{miss}} \cdot \vec{p}_T^\ell\right)^{1/2}$. Since it is predominantly through hadronic τ decays that W bosons and $t\bar{t}$ pairs contribute to the signal regions, the corresponding control regions are created by recasting the muon or electron as a jet. If that lepton has sufficient p_T (without any additional calibration) it may contribute to the jet multiplicity count (denoted n_{50}^{CR} or n_{80}^{CR}), as well as to H_T and hence to $E_T^{\text{miss}}/\sqrt{H_T}$. In order to yield sufficient numbers of events in these CRs, the requirement on the jet multiplicity in each CR is one fewer than that in the corresponding SR, and a somewhat less stringent requirement is made on $E_T^{\text{miss}}/\sqrt{H_T}$ compared to the SRs.




Fig. 3. Example distributions of the selection variable $E_T^{\text{miss}}/\sqrt{H_T}$, for the largest multiplicities required of the number of jets with p_T larger than 50 GeV (top) or 80 GeV (bottom). The plots on the left have no selection on the number of b -tagged jets, while those on the right are for events with $n_{b\text{-jet}} \geq 2$. $t\bar{t}$ and $W + \text{jets}$ are normalised to their post-fit values, while the other leptonic backgrounds are normalised to their theoretical cross-sections. The multijet templates are normalised to data at lower jet multiplicities in the region $E_T^{\text{miss}}/\sqrt{H_T} < 1.5 \text{ GeV}^{1/2}$, in the manner described in Section 4.3. The SRs lie where $E_T^{\text{miss}}/\sqrt{H_T} > 4 \text{ GeV}^{1/2}$. The dashed lines labelled ‘pMSSM’ and ‘2-step’ refer to benchmark signal points – a pMSSM slice model with $(m_{\tilde{g}}, m_{\tilde{\chi}_1^0}) = (1300, 200) \text{ GeV}$ and a cascade decay model with $(m_{\tilde{g}}, m_{\tilde{\chi}_1^0}) = (1300, 200) \text{ GeV}$. Other details are as described in Fig. 1.

For each SR (regardless of its own requirement on $n_{b\text{-jet}}$) there are two CRs, which require either exactly zero or at least one b -jet. These help constrain the combination of $t\bar{t}$ and $W + \text{jets}$ backgrounds, with the $t\bar{t}$ background being enhanced in the CR that requires a b -jet. Fig. 2 shows the resulting n_{50}^{CR} jet multiplicity distributions in these control regions.

For each signal region, a simultaneous fit is performed to the number of events found in the corresponding two CRs, using the HistFitter package [66]. For the purpose of exclusion, the simultaneous fit also includes data in the SR. In the fit the normalisations of the $t\bar{t}$ and $W + \text{jets}$ background contributions are allowed to float, while the other leptonic backgrounds, which are generally subdominant, are determined directly from their yields using the

corresponding theoretical cross-sections. The event yields in each CR and SR are assumed to be Poisson distributed. The systematic uncertainties are treated as Gaussian-distributed nuisance parameters, and are assumed to be correlated within each fit. The multijet background yield in the SR is determined separately from the data using the methods described in Section 4.3.

The normalisations for the $t\bar{t}$ and $W + \text{jets}$ backgrounds are generally found to be consistent with their corresponding theoretical predictions when uncertainties are considered. Systematic uncertainties are larger than statistical uncertainties for the regions with looser selection criteria, with the situation reversed for those with tighter selection criteria. The systematic uncertainties with the largest impact include theoretical uncertainties on the $t\bar{t}$ back-

Table 2

Leptonic control region definitions for each of the signal regions. In the names, the symbols n and $n - 1$ refer to the corresponding jet multiplicity requirements. For example the three signal regions $9j_{50}$, $9j_{50-1b}$ and $9j_{50-2b}$ are each independently controlled by both the $CR8j_{50-0b}$ and $CR8j_{50-1b}$ control regions.

SR name	nj_{50} or nj_{50-1b} or nj_{50-2b}	
CR name	$CR(n-1)j_{50-0b}$	
p_T^ℓ ($\ell \in \{e, \mu\}$)		> 20 GeV
m_T		< 120 GeV
$E_T^{\text{miss}}/\sqrt{H_T}$		> 3 GeV $^{1/2}$
n_{CR}^{50}	$\geq n_{50} - 1$	–
n_{CR}^{80}	–	$\geq n_{80} - 1$
$n_{b\text{-jet}}$	0	0
	≥ 1	≥ 1




Fig. 4. Post-fit signal region compositions. The area of each pie chart is scaled to \log_{10} of the total expected yield (as printed above each one).

ground, the impact of limited numbers of events in the control regions, the closure of the multijet background estimation method and the jet energy scale. The overall post-fit values range from 14% to 42% with the theoretical uncertainties on the $t\bar{t}$ backgrounds typically being the most significant contribution.

6. Results

Fig. 3 shows the post-fit $E_T^{\text{miss}}/\sqrt{H_T}$ distributions in the most sensitive signal regions (see below), while Fig. 4 shows the back-

ground composition in all fifteen SRs. The background is split between multijet and leptonic processes, with the latter being 60–90% $t\bar{t}$.

The yields in each of the 15 signal regions are reported in Table 3. No significant excess is observed above the SM expectations in any SR, and most have confidence levels for the background-only hypothesis larger than 10%, as shown in Table 4. The table also shows the model-independent limits – 95% confidence level (CL) limits on the maximum contribution of new physics processes

Table 3

For each signal region, the expected SM background (and separately the multijet and leptonic contributions) and the observed number of data events. The SM background normalisations are obtained from fits to the data in control regions, as described in Sections 4 and 5. The signal regions are as defined in Table 1.

Signal region	Fitted background			Obs events
	Multijet	Leptonic	Total	
8j50	109.3 ± 6.9	80 ± 25	189 ± 26	157
8j50-1b	76.7 ± 2.7	62 ± 21	138 ± 21	97
8j50-2b	33.8 ± 2.1	33 ± 13	67 ± 13	39
9j50	16.8 ± 1.3	12.8 ± 5.4	29.6 ± 5.6	29
9j50-1b	13.5 ± 2.0	10.2 ± 4.9	23.8 ± 5.3	21
9j50-2b	6.4 ± 1.6	5.8 ± 3.3	12.1 ± 3.6	9
10j50	2.61 ± 0.61	1.99 ± 0.62	4.60 ± 0.87	6
10j50-1b	2.42 ± 0.62	1.44 ± 0.49	3.86 ± 0.79	3
10j50-2b	1.40 ± 0.87	0.83 ± 0.37	2.23 ± 0.94	1
7j80	40.0 ± 5.3	30 ± 13	70 ± 14	70
7j80-1b	29.1 ± 3.4	20.8 ± 10	50 ± 11	42
7j80-2b	11.5 ± 1.6	11.0 ± 5.0	22.5 ± 5.2	19
8j80	4.5 ± 1.9	4.9 ± 2.2	9.3 ± 2.9	8
8j80-1b	3.9 ± 1.5	3.8 ± 2.1	7.6 ± 2.6	4
8j80-2b	1.72 ± 0.93	2.3 ± 1.1	4.1 ± 1.5	2


Table 4

The results of a fit to the control and signal region data, assuming no signal contamination in the control regions. Left to right: 95% CL upper limits on the visible cross-section ($(\epsilon\sigma)_{\text{obs}}^{95}$) and on the number of signal events (S_{obs}^{95}). Convergence and stability tests of the fits suggest uncertainties of order 5% on S_{obs}^{95} resulting from these effects. The third column (S_{exp}^{95}) shows the 95% CL upper limit on the number of signal events, given the expected number (and $\pm 1\sigma$ excursions on the expectation) of background events. The last two columns indicate the CL_B value, i.e. the confidence level observed for the background-only hypothesis, and the discovery p -value ($p(s=0)$). The test is one-sided, so the p -value is 0.50 when the observed number of events is smaller than the prediction. Yields are not statistically independent, since there are correlated systematic uncertainties and since signal regions overlap.


Signal region	$(\epsilon\sigma)_{\text{obs}}^{95}$ [fb]	S_{obs}^{95}	S_{exp}^{95}	CL_B	$p(s=0)$
8j50	11	36	49 ⁺¹⁹ ₋₁₃	0.14	0.50
8j50-1b	6.8	22	37 ⁺¹³ ₋₁₀	0.04	0.50
8j50-2b	3.8	12	22 ⁺⁸ ₋₆	0.03	0.50
9j50	5.8	19	19 ⁺⁴ ₋₅	0.49	0.50
9j50-1b	5	16	17 ⁺² ₋₆	0.38	0.50
9j50-2b	2.6	8	10 ⁺³ ₋₂	0.31	0.50
10j50	2.5	8	6 ⁺³ ₋₁	0.74	0.26
10j50-1b	1.6	5	6 ⁺² ₋₁	0.37	0.50
10j50-2b	1.1	4	4 ⁺² ₋₁	0.27	0.50
7j80	10	32	32 ⁺¹¹ ₋₉	0.51	0.50
7j80-1b	6.2	20	24 ⁺⁶ ₋₅	0.29	0.50
7j80-2b	4.2	14	14 ⁺⁶ ₋₂	0.33	0.50
8j80	3.2	10	11 ⁺² ₋₄	0.41	0.50
8j80-1b	1.7	5	7 ⁺³ ₋₂	0.20	0.50
8j80-2b	1.4	4	5 ⁺² ₋₁	0.24	0.50

to the event yields in the various SRs, assuming zero signal contamination in control regions.

The results are interpreted in the context of the two supersymmetric models described in Section 4.2. The limit for each signal region is obtained by comparing the observed event count with that expected from Standard Model background plus SUSY signal processes, with their contamination of the leptonic control regions, typically below 10% for points close to the exclusion contour, being accounted for. All uncertainties on the Standard Model expectation are considered, including those which are correlated between signal and background (for instance jet energy scale uncertainties)



(a) pMSSM slice



(b) Simplified cascade decay ('2-step') model

Fig. 5. 95% CL exclusion curve for the two supersymmetric models described in the text. The solid red and dashed blue curves show the 95% CL observed and expected limits, respectively, including all uncertainties except the theoretical signal cross-section uncertainty (PDF and scale). The dotted red lines bracketing the observed limit represent the result produced when moving the signal cross-section by $\pm 1\sigma$ (as defined by the PDF and scale uncertainties). The shaded yellow band around the expected limit shows the $\pm 1\sigma$ variation of the expected limit. The shaded grey area shows the observed exclusion from the combination of ATLAS $\sqrt{s}=8$ TeV analyses performed in Ref. [68] (Fig. 25 therein). Excluded regions are below and to the left of the relevant lines. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this article.)

and all, except theoretical cross-section uncertainties (PDF and scale), on the signal expectation. The resulting exclusion regions, shown in Fig. 5, are obtained using the CL_s prescription [67]. For each signal model point, the signal region with the best expected limit is used. Signal regions defined by n_{50} and those defined by n_{80} both contribute to the best expected limit. The most sensitive signal regions are found to be those with no requirement on $n_{b\text{-jet}}$ for the simplified model decay. For the pMSSM slice, which has large branching ratios for gluinos to third-generation quarks, the best signal regions are those requiring either one or two b -jets. In both cases, gluino masses up to 1400 GeV are excluded at 95% confidence level, significantly extending previous limits for the simplified model decay.

7. Conclusions

A search is presented for new phenomena with large jet multiplicities (from ≥ 7 to ≥ 10) and missing transverse momentum. The search used 3.2 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data collected by the ATLAS experiment at the Large Hadron Collider. The increase in the LHC centre-of-mass energy provided increased sensitivity to higher-mass sparticles compared with previous searches. Further sensitivity was gained by considering separately final states with ≥ 0 , ≥ 1 and ≥ 2 b -tagged jets. The Standard Model predictions are found to be consistent with the data. The results are interpreted in the context of a simplified supersymmetry model, and a slice of the pMSSM, each of which predict cascade decays of supersymmetric particles and hence large jet multiplicities. The data exclude gluino masses up to 1400 GeV at the 95% CL in these models, significantly extending previous bounds. Model-independent limits were presented which allow reinterpretation of the results to cases of other models which also predict decays into multijet final states in association with invisible particles.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Knut and Alice Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, Canarie, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

References

- [1] Y.A. Gol'fand, E.P. Likhtman, Extension of the algebra of Poincare group generators and violation of p invariance, *JETP Lett.* **13** (1971) 323; *Pis'ma Zh. Eksp. Teor. Fiz.* **13** (1971) 452–455.
- [2] D.V. Volkov, V.P. Akulov, Is the neutrino a Goldstone particle?, *Phys. Lett. B* **46** (1973) 109.
- [3] J. Wess, B. Zumino, Supergauge transformations in four-dimensions, *Nucl. Phys. B* **70** (1974) 39.
- [4] J. Wess, B. Zumino, Supergauge invariant extension of quantum electrodynamics, *Nucl. Phys. B* **78** (1974) 1.
- [5] S. Ferrara, B. Zumino, Supergauge invariant Yang–Mills theories, *Nucl. Phys. B* **79** (1974) 413.
- [6] A. Salam, J.A. Strathdee, Supersymmetry and nonabelian gauges, *Phys. Lett. B* **51** (1974) 353.
- [7] G.R. Farrar, P. Fayet, Phenomenology of the production, decay, and detection of new hadronic states associated with supersymmetry, *Phys. Lett. B* **76** (1978) 575.
- [8] ATLAS Collaboration, Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector, *J. High Energy Phys.* **11** (2011) 099, arXiv: 1110.2299 [hep-ex].
- [9] ATLAS Collaboration, Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7 \text{ TeV}$ proton–proton collisions, *J. High Energy Phys.* **07** (2012) 167, arXiv: 1206.1760 [hep-ex].
- [10] ATLAS Collaboration, Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8 \text{ TeV}$ proton–proton collisions using the ATLAS experiment, *J. High Energy Phys.* **10** (2013) 130, arXiv: 1308.1841 [hep-ex]; ATLAS Collaboration, Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8 \text{ TeV}$ proton–proton collisions using the ATLAS experiment, *J. High Energy Phys.* **01** (2014) 109, Erratum.
- [11] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, *J. Instrum.* **3** (2008) S08003.
- [12] ATLAS Collaboration, Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC, *Eur. Phys. J. C* **73** (2013) 2518, arXiv: 1302.4393 [hep-ex].
- [13] M. Cacciari, G.P. Salam, G. Soyez, The anti- $k(t)$ jet clustering algorithm, *J. High Energy Phys.* **04** (2008) 063, arXiv: 0802.1189 [hep-ph].
- [14] M. Cacciari, G.P. Salam, Dispelling the N^3 myth for the k_t jet-finder, *Phys. Lett. B* **641** (2006) 57, arXiv: hep-ph/0512210.
- [15] W. Lampl, et al., Calorimeter clustering algorithms: description and performance, ATL-LARG-PUB-2008-002, <https://cds.cern.ch/record/1099735>, 2008.
- [16] ATLAS Collaboration, Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector, arXiv: 1510.03823 [hep-ex], 2015.
- [17] ATLAS Collaboration, Jet global sequential corrections with the ATLAS detector in proton–proton collisions at $\sqrt{s} = 8 \text{ TeV}$, ATLAS-CONF-2015-002, <https://cds.cern.ch/record/2001682>, 2015.
- [18] ATLAS Collaboration, Jet calibration and systematic uncertainties for jets reconstructed in the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$, ATL-PHYS-PUB-2015-015, <https://cds.cern.ch/record/2037613>, 2015.
- [19] ATLAS Collaboration, Selection of jets produced in 13 TeV proton–proton collisions with the ATLAS detector, ATLAS-CONF-2015-029, <https://cds.cern.ch/record/2037702>, 2015.
- [20] ATLAS Collaboration, Expected performance of the ATLAS b -tagging algorithms in Run-2, ATL-PHYS-PUB-2015-022, <https://cds.cern.ch/record/2037697>, 2015.
- [21] ATLAS Collaboration, Commissioning of the ATLAS b -tagging algorithms using $t\bar{t}$ events in early Run-2 data, ATL-PHYS-PUB-2015-039, <https://cds.cern.ch/record/2047871>, 2015.
- [22] ATLAS Collaboration, Electron identification measurements in ATLAS using $\sqrt{s} = 13 \text{ TeV}$ data with 50 ns bunch spacing, ATL-PHYS-PUB-2015-041, <https://cds.cern.ch/record/2048202>, 2015.
- [23] ATLAS Collaboration, Muon reconstruction performance in early $\sqrt{s} = 13 \text{ TeV}$ data, ATL-PHYS-PUB-2015-037, <https://cds.cern.ch/record/2047831>, 2015.
- [24] ATLAS Collaboration, Expected performance of missing transverse momentum reconstruction for the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$, ATL-PHYS-PUB-2015-023, <https://cds.cern.ch/record/2037700>, 2015.
- [25] T. Sjöstrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, *Comput. Phys. Commun.* **178** (2008) 852, arXiv: 0710.3820 [hep-ph].
- [26] ATLAS Collaboration, Summary of ATLAS Pythia 8 tunes, ATL-PHYS-PUB-2012-003, <https://cds.cern.ch/record/1474107>, 2012.
- [27] A.D. Martin, W.J. Stirling, R.S. Thorne, G. Watt, Parton distributions for the LHC, *Eur. Phys. J. C* **63** (2009) 189–285, arXiv: 0901.0002 [hep-ph].
- [28] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* **70** (2010) 823, arXiv: 1005.4568 [physics.ins-det].
- [29] GEANT4 Collaboration, S. Agostinelli, et al., GEANT4: a simulation toolkit, *Nucl. Instrum. Methods A* **506** (2003) 250.
- [30] ATLAS Collaboration, Performance of the fast ATLAS tracking simulation (FASTRAS) and the ATLAS fast calorimeter simulation (FastCaloSim) with single particles, ATL-SOFT-PUB-2014-001, <http://cds.cern.ch/record/1669341>, 2014.
- [31] ATLAS Collaboration, Simulation of top quark production for the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$, ATL-PHYS-PUB-2016-004, <https://cds.cern.ch/record/2120417>, 2016.

- [32] S. Alioli, et al., A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, *J. High Energy Phys.* **06** (2010) 043, arXiv:1002.2581 [hep-ph].
- [33] H.-L. Lai, et al., New parton distributions for collider physics, *Phys. Rev. D* **82** (2010) 074024, arXiv:1007.2241 [hep-ph].
- [34] P. Artoisenet, et al., Automatic spin-entangled decays of heavy resonances in Monte Carlo simulations, *J. High Energy Phys.* **03** (2013) 015, arXiv:1212.3460 [hep-ph].
- [35] T. Sjöstrand, S. Mrenna, P.Z. Skands, PYTHIA 6.4 physics and manual, *J. High Energy Phys.* **05** (2006) 026, arXiv:hep-ph/0603175.
- [36] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, *J. High Energy Phys.* **07** (2002) 012, arXiv:hep-ph/0201195.
- [37] P.Z. Skands, Tuning Monte Carlo generators: the Perugia Tunes, *Phys. Rev. D* **82** (2010) 074018, arXiv:1005.3457 [hep-ph].
- [38] D.J. Lange, The EvtGen particle decay simulation package, *Nucl. Instrum. Methods A* **462** (2001) 152.
- [39] M. Czakon, A. Mitov, Top++: a program for the calculation of the top-pair cross-section at hadron colliders, *Comput. Phys. Commun.* **185** (2014) 2930, arXiv:1112.5675 [hep-ph].
- [40] ATLAS Collaboration, Modelling of the $t\bar{t}H$ and $t\bar{t}V$ ($V = W, Z$) processes for $\sqrt{s} = 13$ TeV ATLAS analyses, ATL-PHYS-PUB-2016-005, <https://cds.cern.ch/record/2120826>, 2016.
- [41] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* **07** (2014) 079, arXiv:1405.0301 [hep-ph].
- [42] ATLAS Collaboration, ATLAS Run 1 Pythia8 tunes, ATL-PHYS-PUB-2014-021, <https://cds.cern.ch/record/1966419>, 2014.
- [43] NNPDF Collaboration, R.D. Ball, et al., Parton distributions with LHC data, *Nucl. Phys. B* **867** (2013) 244, arXiv:1207.1303 [hep-ph].
- [44] ATLAS Collaboration, Monte Carlo generators for the production of a W or Z/γ^* boson in association with jets at ATLAS in Run 2, ATL-PHYS-PUB-2016-003, <https://cds.cern.ch/record/2120133>, 2016.
- [45] R. Gavin, Y. Li, F. Petriello, S. Quackenbush, FEWZ 2.0: a code for hadronic Z production at next-to-next-to-leading order, *Comput. Phys. Commun.* **182** (2011) 2388, arXiv:1011.3540 [hep-ph].
- [46] ATLAS Collaboration, Multi-boson simulation for 13 TeV ATLAS analyses, ATL-PHYS-PUB-2016-002, <https://cds.cern.ch/record/2119986>, 2016.
- [47] T. Gleisberg, et al., Event generation with SHERPA 1.1, *J. High Energy Phys.* **02** (2009) 007, arXiv:0811.4622 [hep-ph].
- [48] T. Gleisberg, S. Hoeche, Comix, a new matrix element generator, *J. High Energy Phys.* **12** (2008) 039, arXiv:0808.3674 [hep-ph].
- [49] F. Cascioli, P. Maierhöfer, S. Pozzorini, Scattering amplitudes with open loops, *Phys. Rev. Lett.* **108** (2012) 111601, arXiv:1111.5206 [hep-ph].
- [50] S. Schumann, F. Krauss, A parton shower algorithm based on Catani–Seymour dipole factorisation, *J. High Energy Phys.* **03** (2008) 038, arXiv:0709.1027 [hep-ph].
- [51] S. Hoeche, et al., QCD matrix elements + parton showers: the NLO case, *J. High Energy Phys.* **04** (2013) 027, arXiv:1207.5030 [hep-ph].
- [52] ATLAS Collaboration, Comparison of Monte Carlo generator predictions from Powheg and Sherpa to ATLAS measurements of top pair production at 7 TeV, ATL-PHYS-PUB-2015-011, <https://cds.cern.ch/record/2020602>, 2015.
- [53] M. Bähr, et al., Herwig++ physics and manual, *Eur. Phys. J. C* **58** (2008) 639, arXiv:0803.0883 [hep-ph].
- [54] A. Djouadi, et al., The minimal supersymmetric standard model: group summary report, arXiv:hep-ph/9901246, 1998.
- [55] C.F. Berger, J.S. Gainer, J.L. Hewett, T.G. Rizzo, Supersymmetry without prejudice, *J. High Energy Phys.* **02** (2009) 023, arXiv:0812.0980 [hep-ph].
- [56] ATLAS Collaboration, Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 – interpreted in the phenomenological MSSM, *J. High Energy Phys.* **10** (2015) 134, arXiv:1508.06608 [hep-ex].
- [57] B.C. Allanach, SOFTSUSY: a program for calculating supersymmetric spectra, *Comput. Phys. Commun.* **143** (2002) 305, arXiv:hep-ph/0104145.
- [58] A. Djouadi, M. Mühlleitner, M. Spira, Decays of supersymmetric particles: the program SUSY-HIT (SUspect-SdecaY-Hdecay-InTerface), *Acta Phys. Pol. B* **38** (2007) 635, arXiv:hep-ph/0609292.
- [59] HepData: <http://hepdata.cedar.ac.uk/view/ins1422615>.
- [60] W. Beenakker, R. Höpker, M. Spirac, P.M. Zerwas, Squark and gluino production at hadron colliders, *Nucl. Phys. B* **492** (1997) 51, arXiv:hep-ph/9610490.
- [61] A. Kulesza, L. Motyka, Threshold resummation for squark-antisquark and gluino-pair production at the LHC, *Phys. Rev. Lett.* **102** (2009) 111802, arXiv:0807.2405 [hep-ph].
- [62] A. Kulesza, L. Motyka, Soft gluon resummation for the production of gluino-gluino and squark-antisquark pairs at the LHC, *Phys. Rev. D* **80** (2009) 095004, arXiv:0905.4749 [hep-ph].
- [63] W. Beenakker, et al., Soft-gluon resummation for squark and gluino hadroproduction, *J. High Energy Phys.* **12** (2009) 041, arXiv:0909.4418 [hep-ph].
- [64] W. Beenakker, et al., Squark and gluino hadroproduction, *Int. J. Mod. Phys. A* **26** (2011) 2637, arXiv:1105.1110 [hep-ph].
- [65] M. Krämer, et al., Supersymmetry production cross sections in pp collisions at $\sqrt{s} = 7$ TeV, arXiv:1206.2892 [hep-ph], 2012.
- [66] M. Baak, et al., HistFitter software framework for statistical data analysis, *Eur. Phys. J. C* **75** (2015) 153, arXiv:1410.1280 [hep-ex].
- [67] A. Read, Presentation of search results: the Cls technique, *J. Phys. G* **28** (2002) 2693–2704.
- [68] ATLAS Collaboration, Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC, *J. High Energy Phys.* **10** (2015) 054, arXiv:1507.05525 [hep-ex].

ATLAS Collaboration

- G. Aad⁸⁶, B. Abbott¹¹³, J. Abdallah¹⁵¹, O. Abdinov¹¹, B. Abelsoos¹¹⁷, R. Aben¹⁰⁷, M. Abolins⁹¹, O.S. AbouZeid¹³⁷, H. Abramowicz¹⁵³, H. Abreu¹⁵², R. Abreu¹¹⁶, Y. Abulaiti^{146a,146b}, B.S. Acharya^{163a,163b,a}, L. Adamczyk^{39a}, D.L. Adams²⁶, J. Adelman¹⁰⁸, S. Adomeit¹⁰⁰, T. Adye¹³¹, A.A. Affolder⁷⁵, T. Agatonovic-Jovin¹³, J. Agricola⁵⁵, J.A. Aguilar-Saavedra^{126a,126f}, S.P. Ahlen²³, F. Ahmadov^{66,b}, G. Aielli^{133a,133b}, H. Akerstedt^{146a,146b}, T.P.A. Åkesson⁸², A.V. Akimov⁹⁶, G.L. Alberghi^{21a,21b}, J. Albert¹⁶⁸, S. Albrand⁵⁶, M.J. Alconada Verzini⁷², M. Aleksi³¹, I.N. Aleksandrov⁶⁶, C. Alexa^{27b}, G. Alexander¹⁵³, T. Alexopoulos¹⁰, M. Alhroob¹¹³, G. Alimonti^{92a}, J. Alison³², S.P. Alkire³⁶, B.M.M. Allbrooke¹⁴⁹, B.W. Allen¹¹⁶, P.P. Allport¹⁸, A. Aloisio^{104a,104b}, A. Alonso³⁷, F. Alonso⁷², C. Alpigiani¹³⁸, B. Alvarez Gonzalez³¹, D. Álvarez Piqueras¹⁶⁶, M.G. Alviggi^{104a,104b}, B.T. Amadio¹⁵, K. Amako⁶⁷, Y. Amaral Coutinho^{25a}, C. Amelung²⁴, D. Amidei⁹⁰, S.P. Amor Dos Santos^{126a,126c}, A. Amorim^{126a,126b}, S. Amoroso³¹, N. Amram¹⁵³, G. Amundsen²⁴, C. Anastopoulos¹³⁹, L.S. Ancu⁵⁰, N. Andari¹⁰⁸, T. Andeen³², C.F. Anders^{59b}, G. Anders³¹, J.K. Anders⁷⁵, K.J. Anderson³², A. Andreazza^{92a,92b}, V. Andrei^{59a}, S. Angelidakis⁹, I. Angelozzi¹⁰⁷, P. Anger⁴⁵, A. Angerami³⁶, F. Anghinolfi³¹, A.V. Anisenkov^{109,c}, N. Anjos¹², A. Annovi^{124a,124b}, M. Antonelli⁴⁸, A. Antonov⁹⁸, J. Antos^{144b}, F. Anulli^{132a}, M. Aoki⁶⁷, L. Aperio Bella¹⁸, G. Arabidze⁹¹, Y. Arai⁶⁷, J.P. Araque^{126a}, A.T.H. Arce⁴⁶, F.A. Arduh⁷², J-F. Arguin⁹⁵, S. Argyropoulos⁶⁴, M. Arik^{19a}, A.J. Armbruster³¹, L.J. Armitage⁷⁷, O. Arnaez³¹, H. Arnold⁴⁹, M. Arratia²⁹, O. Arslan²², A. Artamonov⁹⁷, G. Artoni¹²⁰, S. Artz⁸⁴, S. Asai¹⁵⁵, N. Asbah⁴³, A. Ashkenazi¹⁵³, B. Åsman^{146a,146b}, L. Asquith¹⁴⁹, K. Assamagan²⁶, R. Astalos^{144a}, M. Atkinson¹⁶⁵, N.B. Atlay¹⁴¹, K. Augsten¹²⁸, G. Avolio³¹, B. Axen¹⁵, M.K. Ayoub¹¹⁷, G. Azuelos^{95,d}, M.A. Baak³¹, A.E. Baas^{59a}, M.J. Baca¹⁸, H. Bachacou¹³⁶, K. Bachas^{74a,74b}, M. Backes³¹, M. Backhaus³¹, P. Bagiacchi^{132a,132b}, P. Bagnaia^{132a,132b}, Y. Bai^{34a}, J.T. Baines¹³¹, O.K. Baker¹⁷⁵,

- E.M. Baldin 109,c, P. Balek 129, T. Balestri 148, F. Balli 136, W.K. Balunas 122, E. Banas 40, Sw. Banerjee 172,e, A.A.E. Bannoura 174, L. Barak 31, E.L. Barberio 89, D. Barberis 51a,51b, M. Barbero 86, T. Barillari 101, M. Barisonzi 163a,163b, T. Barklow 143, N. Barlow 29, S.L. Barnes 85, B.M. Barnett 131, R.M. Barnett 15, Z. Barnovska 5, A. Baroncelli 134a, G. Barone 24, A.J. Barr 120, L. Barranco Navarro 166, F. Barreiro 83, J. Barreiro Guimaraes da Costa 34a, R. Bartoldus 143, A.E. Barton 73, P. Bartos 144a, A. Basalaev 123, A. Bassalat 117, A. Basye 165, R.L. Bates 54, S.J. Batista 158, J.R. Batley 29, M. Battaglia 137, M. Bauce 132a,132b, F. Bauer 136, H.S. Bawa 143,f, J.B. Beacham 111, M.D. Beattie 73, T. Beau 81, P.H. Beauchemin 161, P. Bechtle 22, H.P. Beck 17,g, K. Becker 120, M. Becker 84, M. Beckingham 169, C. Becot 110, A.J. Beddall 19e, A. Beddall 19b, V.A. Bednyakov 66, M. Bedognetti 107, C.P. Bee 148, L.J. Beemster 107, T.A. Beermann 31, M. Begel 26, J.K. Behr 120, C. Belanger-Champagne 88, A.S. Bell 79, G. Bella 153, L. Bellagamba 21a, A. Bellerive 30, M. Bellomo 87, K. Belotskiy 98, O. Beltramello 31, N.L. Belyaev 98, O. Benary 153, D. Benchekroun 135a, M. Bender 100, K. Bendtz 146a,146b, N. Benekos 10, Y. Benhammou 153, E. Benhar Noccioli 175, J. Benitez 64, J.A. Benitez Garcia 159b, D.P. Benjamin 46, J.R. Bensinger 24, S. Bentvelsen 107, L. Beresford 120, M. Beretta 48, D. Berge 107, E. Bergeaas Kuutmann 164, N. Berger 5, F. Berghausen 168, J. Beringer 15, S. Berlendis 56, N.R. Bernard 87, C. Bernius 110, F.U. Bernlochner 22, T. Berry 78, P. Berta 129, C. Bertella 84, G. Bertoli 146a,146b, F. Bertolucci 124a,124b, I.A. Bertram 73, C. Bertsche 113, D. Bertsche 113, G.J. Besjes 37, O. Bessidskaia Bylund 146a,146b, M. Bessner 43, N. Besson 136, C. Betancourt 49, S. Bethke 101, A.J. Bevan 77, W. Bhimji 15, R.M. Bianchi 125, L. Bianchini 24, M. Bianco 31, O. Biebel 100, D. Biedermann 16, R. Bielski 85, N.V. Biesuz 124a,124b, M. Biglietti 134a, J. Bilbao De Mendizabal 50, H. Bilonok 48, M. Bindi 55, S. Binet 117, A. Bingul 19b, C. Bini 132a,132b, S. Biondi 21a,21b, D.M. Bjergaard 46, C.W. Black 150, J.E. Black 143, K.M. Black 23, D. Blackburn 138, R.E. Blair 6, J.-B. Blanchard 136, J.E. Blanco 78, T. Blazek 144a, I. Bloch 43, C. Blocker 24, W. Blum 84,* U. Blumenschein 55, S. Blunier 33a, G.J. Bobbink 107, V.S. Bobrovnikov 109,c, S.S. Bocchetta 82, A. Bocci 46, C. Bock 100, M. Boehler 49, D. Boerner 174, J.A. Bogaerts 31, D. Bogavac 13, A.G. Bogdanchikov 109, C. Bohm 146a, V. Boisvert 78, T. Bold 39a, V. Boldea 27b, A.S. Boldyrev 163a,163c, M. Bomben 81, M. Bona 77, M. Boonekamp 136, A. Borisov 130, G. Borissov 73, J. Bortfeldt 100, D. Bortoletto 120, V. Bortolotto 61a,61b,61c, K. Bos 107, D. Boscherini 21a, M. Bosman 12, J.D. Bossio Sola 28, J. Boudreau 125, J. Bouffard 2, E.V. Bouhova-Thacker 73, D. Boumediene 35, C. Bourdarios 117, N. Bousson 114, S.K. Boutle 54, A. Boveia 31, J. Boyd 31, I.R. Boyko 66, J. Bracinik 18, A. Brandt 8, G. Brandt 55, O. Brandt 59a, U. Bratzler 156, B. Brau 87, J.E. Brau 116, H.M. Braun 174,* W.D. Breaden Madden 54, K. Brendlinger 122, A.J. Brennan 89, L. Brenner 107, R. Brenner 164, S. Bressler 171, T.M. Bristow 47, D. Britton 54, D. Britzger 43, F.M. Brochu 29, I. Brock 22, R. Brock 91, G. Brooijmans 36, T. Brooks 78, W.K. Brooks 33b, J. Brosamer 15, E. Brost 116, J.H. Broughton 18, P.A. Bruckman de Renstrom 40, D. Bruncko 144b, R. Bruneliere 49, A. Bruni 21a, G. Bruni 21a, BH Brunt 29, M. Bruschi 21a, N. Bruscino 22, P. Bryant 32, L. Bryngemark 82, T. Buanes 14, Q. Buat 142, P. Buchholz 141, A.G. Buckley 54, I.A. Budagov 66, F. Buehrer 49, M.K. Bugge 119, O. Bulekov 98, D. Bullock 8, H. Burckhart 31, S. Burdin 75, C.D. Burgard 49, B. Burgrave 108, K. Burka 40, S. Burke 131, I. Burmeister 44, J.T.P. Burr 120, E. Busato 35, D. Büscher 49, V. Büscher 84, P. Bussey 54, J.M. Butler 23, A.I. Butt 3, C.M. Buttar 54, J.M. Butterworth 79, P. Butti 107, W. Buttinger 26, A. Buzatu 54, A.R. Buzykaev 109,c, S. Cabrera Urbán 166, D. Caforio 128, V.M. Cairo 38a,38b, O. Cakir 4a, N. Calace 50, P. Calafiura 15, A. Calandri 86, G. Calderini 81, P. Calfayan 100, L.P. Caloba 25a, D. Calvet 35, S. Calvet 86, T.P. Calvet 32, R. Camacho Toro 32, S. Camarda 31, P. Camarri 133a,133b, D. Cameron 119, R. Caminal Armadans 165, C. Camincher 56, S. Campana 31, M. Campanelli 79, A. Campoverde 148, V. Canale 104a,104b, A. Canepa 159a, M. Cano Bret 34e, J. Cantero 83, R. Cantrill 126a, T. Cao 41, M.D.M. Capeans Garrido 31, I. Caprini 27b, M. Caprini 27b, M. Capua 38a,38b, R. Caputo 84, R.M. Carbone 36, R. Cardarelli 133a, F. Cardillo 49, T. Carli 31, G. Carlino 104a, L. Carminati 92a,92b, S. Caron 106, E. Carquin 33a, G.D. Carrillo-Montoya 31, J.R. Carter 29, J. Carvalho 126a,126c, D. Casadei 79, M.P. Casado 12,h, M. Casolino 12, D.W. Casper 162, E. Castaneda-Miranda 145a, A. Castelli 107, V. Castillo Gimenez 166, N.F. Castro 126a,i, A. Catinaccio 31, J.R. Catmore 119, A. Cattai 31, J. Caudron 84, V. Cavaliere 165, D. Cavalli 92a, M. Cavalli-Sforza 12, V. Cavasinni 124a,124b, F. Ceradini 134a,134b, L. Cerdá Alberich 166, B.C. Cerio 46, A.S. Cerqueira 25b, A. Cerri 149, L. Cerrito 77, F. Cerutti 15, M. Cerv 31, A. Cervelli 17, S.A. Cetin 19d, A. Chafaq 135a, D. Chakraborty 108, I. Chalupkova 129, S.K. Chan 58, Y.L. Chan 61a, P. Chang 165, J.D. Chapman 29, D.G. Charlton 18, A. Chatterjee 50, C.C. Chau 158, C.A. Chavez Barajas 149, S. Che 111, S. Cheatham 73, A. Chegwidden 91, S. Chekanov 6, S.V. Chekulaev 159a,

- G.A. Chelkov ^{66,j}, M.A. Chelstowska ⁹⁰, C. Chen ⁶⁵, H. Chen ²⁶, K. Chen ¹⁴⁸, S. Chen ^{34c}, S. Chen ¹⁵⁵, X. Chen ^{34f}, Y. Chen ⁶⁸, H.C. Cheng ⁹⁰, H.J. Cheng ^{34a}, Y. Cheng ³², A. Cheplakov ⁶⁶, E. Cheremushkina ¹³⁰, R. Cherkaoui El Moursli ^{135e}, V. Chernyatin ^{26,*}, E. Cheu ⁷, L. Chevalier ¹³⁶, V. Chiarella ⁴⁸, G. Chiarelli ^{124a,124b}, G. Chiodini ^{74a}, A.S. Chisholm ¹⁸, A. Chitan ^{27b}, M.V. Chizhov ⁶⁶, K. Choi ⁶², A.R. Chomont ³⁵, S. Chouridou ⁹, B.K.B. Chow ¹⁰⁰, V. Christodoulou ⁷⁹, D. Chromek-Burckhart ³¹, J. Chudoba ¹²⁷, A.J. Chuinard ⁸⁸, J.J. Chwastowski ⁴⁰, L. Chytka ¹¹⁵, G. Ciapetti ^{132a,132b}, A.K. Ciftci ^{4a}, D. Cinca ⁵⁴, V. Cindro ⁷⁶, I.A. Cioara ²², A. Ciocio ¹⁵, F. Cirotto ^{104a,104b}, Z.H. Citron ¹⁷¹, M. Ciubancan ^{27b}, A. Clark ⁵⁰, B.L. Clark ⁵⁸, P.J. Clark ⁴⁷, R.N. Clarke ¹⁵, C. Clement ^{146a,146b}, Y. Coadou ⁸⁶, M. Cobal ^{163a,163c}, A. Coccaro ⁵⁰, J. Cochran ⁶⁵, L. Coffey ²⁴, L. Colasurdo ¹⁰⁶, B. Cole ³⁶, S. Cole ¹⁰⁸, A.P. Colijn ¹⁰⁷, J. Collot ⁵⁶, T. Colombo ³¹, G. Compostella ¹⁰¹, P. Conde Muiño ^{126a,126b}, E. Coniavitis ⁴⁹, S.H. Connell ^{145b}, I.A. Connolly ⁷⁸, V. Consorti ⁴⁹, S. Constantinescu ^{27b}, C. Conta ^{121a,121b}, G. Conti ³¹, F. Conventi ^{104a,k}, M. Cooke ¹⁵, B.D. Cooper ⁷⁹, A.M. Cooper-Sarkar ¹²⁰, T. Cornelissen ¹⁷⁴, M. Corradi ^{132a,132b}, F. Corriveau ^{88,l}, A. Corso-Radu ¹⁶², A. Cortes-Gonzalez ¹², G. Cortiana ¹⁰¹, G. Costa ^{92a}, M.J. Costa ¹⁶⁶, D. Costanzo ¹³⁹, G. Cottin ²⁹, G. Cowan ⁷⁸, B.E. Cox ⁸⁵, K. Cranmer ¹¹⁰, S.J. Crawley ⁵⁴, G. Cree ³⁰, S. Crépé-Renaudin ⁵⁶, F. Crescioli ⁸¹, W.A. Cribbs ^{146a,146b}, M. Crispin Ortuzar ¹²⁰, M. Cristinziani ²², V. Croft ¹⁰⁶, G. Crosetti ^{38a,38b}, T. Cuhadar Donszelmann ¹³⁹, J. Cummings ¹⁷⁵, M. Curatolo ⁴⁸, J. Cúth ⁸⁴, C. Cuthbert ¹⁵⁰, H. Czirr ¹⁴¹, P. Czodrowski ³, S. D'Auria ⁵⁴, M. D'Onofrio ⁷⁵, M.J. Da Cunha Sargedas De Sousa ^{126a,126b}, C. Da Via ⁸⁵, W. Dabrowski ^{39a}, T. Dai ⁹⁰, O. Dale ¹⁴, F. Dallaire ⁹⁵, C. Dallapiccola ⁸⁷, M. Dam ³⁷, J.R. Dandoy ³², N.P. Dang ⁴⁹, A.C. Daniells ¹⁸, N.S. Dann ⁸⁵, M. Danninger ¹⁶⁷, M. Dano Hoffmann ¹³⁶, V. Dao ⁴⁹, G. Darbo ^{51a}, S. Darmora ⁸, J. Dassoulas ³, A. Datta Gupta ⁶², W. Davey ²², C. David ¹⁶⁸, T. Davidek ¹²⁹, M. Davies ¹⁵³, P. Davison ⁷⁹, Y. Davygora ^{59a}, E. Dawe ⁸⁹, I. Dawson ¹³⁹, R.K. Daya-Ishmukhametova ⁸⁷, K. De ⁸, R. de Asmundis ^{104a}, A. De Benedetti ¹¹³, S. De Castro ^{21a,21b}, S. De Cecco ⁸¹, N. De Groot ¹⁰⁶, P. de Jong ¹⁰⁷, H. De la Torre ⁸³, F. De Lorenzi ⁶⁵, D. De Pedis ^{132a}, A. De Salvo ^{132a}, U. De Sanctis ¹⁴⁹, A. De Santo ¹⁴⁹, J.B. De Vivie De Regie ¹¹⁷, W.J. Dearnaley ⁷³, R. Debbe ²⁶, C. Debenedetti ¹³⁷, D.V. Dedovich ⁶⁶, I. Deigaard ¹⁰⁷, J. Del Peso ⁸³, T. Del Prete ^{124a,124b}, D. Delgove ¹¹⁷, F. Deliot ¹³⁶, C.M. Delitzsch ⁵⁰, M. Deliyergiyev ⁷⁶, A. Dell'Acqua ³¹, L. Dell'Asta ²³, M. Dell'Orso ^{124a,124b}, M. Della Pietra ^{104a,k}, D. della Volpe ⁵⁰, M. Delmastro ⁵, P.A. Delsart ⁵⁶, C. Deluca ¹⁰⁷, D.A. DeMarco ¹⁵⁸, S. Demers ¹⁷⁵, M. Demichev ⁶⁶, A. Demilly ⁸¹, S.P. Denisov ¹³⁰, D. Denysiuk ¹³⁶, D. Derendarz ⁴⁰, J.E. Derkaoui ^{135d}, F. Derue ⁸¹, P. Dervan ⁷⁵, K. Desch ²², C. Deterre ⁴³, K. Dette ⁴⁴, P.O. Deviveiros ³¹, A. Dewhurst ¹³¹, S. Dhaliwal ²⁴, A. Di Caccio ^{133a,133b}, L. Di Caccio ⁵, W.K. Di Clemente ¹²², C. Di Donato ^{132a,132b}, A. Di Girolamo ³¹, B. Di Girolamo ³¹, B. Di Micco ^{134a,134b}, R. Di Nardo ⁴⁸, A. Di Simone ⁴⁹, R. Di Sipio ¹⁵⁸, D. Di Valentino ³⁰, C. Diaconu ⁸⁶, M. Diamond ¹⁵⁸, F.A. Dias ⁴⁷, M.A. Diaz ^{33a}, E.B. Diehl ⁹⁰, J. Dietrich ¹⁶, S. Diglio ⁸⁶, A. Dimitrievska ¹³, J. Dingfelder ²², P. Dita ^{27b}, S. Dita ^{27b}, F. Dittus ³¹, F. Djama ⁸⁶, T. Djobava ^{52b}, J.I. Djuvsland ^{59a}, M.A.B. do Vale ^{25c}, D. Dobos ³¹, M. Dobre ^{27b}, C. Doglioni ⁸², T. Dohmae ¹⁵⁵, J. Dolejsi ¹²⁹, Z. Dolezal ¹²⁹, B.A. Dolgoshein ^{98,*}, M. Donadelli ^{25d}, S. Donati ^{124a,124b}, P. Dondero ^{121a,121b}, J. Donini ³⁵, J. Dopke ¹³¹, A. Doria ^{104a}, M.T. Dova ⁷², A.T. Doyle ⁵⁴, E. Drechsler ⁵⁵, M. Dris ¹⁰, Y. Du ^{34d}, J. Duarte-Campderros ¹⁵³, E. Duchovni ¹⁷¹, G. Duckeck ¹⁰⁰, O.A. Ducu ^{27b}, D. Duda ¹⁰⁷, A. Dudarev ³¹, L. Duflot ¹¹⁷, L. Duguid ⁷⁸, M. Dührssen ³¹, M. Dunford ^{59a}, H. Duran Yildiz ^{4a}, M. Düren ⁵³, A. Durglishvili ^{52b}, D. Duschinger ⁴⁵, B. Dutta ⁴³, M. Dyndal ^{39a}, C. Eckardt ⁴³, K.M. Ecker ¹⁰¹, R.C. Edgar ⁹⁰, W. Edson ², N.C. Edwards ⁴⁷, T. Eifert ³¹, G. Eigen ¹⁴, K. Einsweiler ¹⁵, T. Ekelof ¹⁶⁴, M. El Kacimi ^{135c}, V. Ellajosyula ⁸⁶, M. Ellert ¹⁶⁴, S. Elles ⁵, F. Ellinghaus ¹⁷⁴, A.A. Elliot ¹⁶⁸, N. Ellis ³¹, J. Elmsheuser ¹⁰⁰, M. Elsing ³¹, D. Emeliyanov ¹³¹, Y. Enari ¹⁵⁵, O.C. Endner ⁸⁴, M. Endo ¹¹⁸, J.S. Ennis ¹⁶⁹, J. Erdmann ⁴⁴, A. Ereditato ¹⁷, G. Ernis ¹⁷⁴, J. Ernst ², M. Ernst ²⁶, S. Errede ¹⁶⁵, E. Ertel ⁸⁴, M. Escalier ¹¹⁷, H. Esch ⁴⁴, C. Escobar ¹²⁵, B. Esposito ⁴⁸, A.I. Etienne ¹³⁶, E. Etzion ¹⁵³, H. Evans ⁶², A. Ezhilov ¹²³, F. Fabbri ^{21a,21b}, L. Fabbri ^{21a,21b}, G. Facini ³², R.M. Fakhrutdinov ¹³⁰, S. Falciano ^{132a}, R.J. Falla ⁷⁹, J. Faltova ¹²⁹, Y. Fang ^{34a}, M. Fanti ^{92a,92b}, A. Farbin ⁸, A. Farilla ^{134a}, C. Farina ¹²⁵, T. Farooque ¹², S. Farrell ¹⁵, S.M. Farrington ¹⁶⁹, P. Farthouat ³¹, F. Fassi ^{135e}, P. Fassnacht ³¹, D. Fassouliotis ⁹, M. Faucci Giannelli ⁷⁸, A. Favareto ^{51a,51b}, W.J. Fawcett ¹²⁰, L. Fayard ¹¹⁷, O.L. Fedin ^{123,m}, W. Fedorko ¹⁶⁷, S. Feigl ¹¹⁹, L. Feligioni ⁸⁶, C. Feng ^{34d}, E.J. Feng ³¹, H. Feng ⁹⁰, A.B. Fenyuk ¹³⁰, L. Feremenga ⁸, P. Fernandez Martinez ¹⁶⁶, S. Fernandez Perez ¹², J. Ferrando ⁵⁴, A. Ferrari ¹⁶⁴, P. Ferrari ¹⁰⁷, R. Ferrari ^{121a}, D.E. Ferreira de Lima ⁵⁴, A. Ferrer ¹⁶⁶, D. Ferrere ⁵⁰, C. Ferretti ⁹⁰, A. Ferretto Parodi ^{51a,51b}, F. Fiedler ⁸⁴, A. Filipčič ⁷⁶, M. Filipuzzi ⁴³, F. Filthaut ¹⁰⁶,

- M. Fincke-Keeler 168, K.D. Finelli 150, M.C.N. Fiolhais 126a, 126c, L. Fiorini 166, A. Firan 41, A. Fischer 2, C. Fischer 12, J. Fischer 174, W.C. Fisher 91, N. Flaschel 43, I. Fleck 141, P. Fleischmann 90, G.T. Fletcher 139, G. Fletcher 77, R.R.M. Fletcher 122, T. Flick 174, A. Floderus 82, L.R. Flores Castillo 61a, M.J. Flowerdew 101, G.T. Forcolin 85, A. Formica 136, A. Forti 85, A.G. Foster 18, D. Fournier 117, H. Fox 73, S. Fracchia 12, P. Francavilla 81, M. Franchini 21a, 21b, D. Francis 31, L. Franconi 119, M. Franklin 58, M. Frate 162, M. Fraternali 121a, 121b, D. Freeborn 79, S.M. Fressard-Batraneanu 31, F. Friedrich 45, D. Froidevaux 31, J.A. Frost 120, C. Fukunaga 156, E. Fullana Torregrosa 84, T. Fusayasu 102, J. Fuster 166, C. Gabaldon 56, O. Gabizon 174, A. Gabrielli 21a, 21b, A. Gabrielli 15, G.P. Gach 39a, S. Gadatsch 31, S. Gadomski 50, G. Gagliardi 51a, 51b, L.G. Gagnon 95, P. Gagnon 62, C. Galea 106, B. Galhardo 126a, 126c, E.J. Gallas 120, B.J. Gallop 131, P. Gallus 128, G. Galster 37, K.K. Gan 111, J. Gao 34b, 86, Y. Gao 47, Y.S. Gao 143, f, F.M. Garay Walls 47, C. García 166, J.E. García Navarro 166, M. Garcia-Sciveres 15, R.W. Gardner 32, N. Garelli 143, V. Garonne 119, A. Gascon Bravo 43, C. Gatti 48, A. Gaudiello 51a, 51b, G. Gaudio 121a, B. Gaur 141, L. Gauthier 95, I.L. Gavrilenko 96, C. Gay 167, G. Gaycken 22, E.N. Gazis 10, Z. Gecse 167, C.N.P. Gee 131, Ch. Geich-Gimbel 22, M.P. Geisler 59a, C. Gemme 51a, M.H. Genest 56, C. Geng 34b, n, S. Gentile 132a, 132b, S. George 78, D. Gerbaudo 162, A. Gershon 153, S. Ghasemi 141, H. Ghazlane 135b, B. Giacobbe 21a, S. Giagu 132a, 132b, P. Giannetti 124a, 124b, B. Gibbard 26, S.M. Gibson 78, M. Gignac 167, M. Gilchriese 15, T.P.S. Gillam 29, D. Gillberg 30, G. Gilles 174, D.M. Gingrich 3, d, N. Giokaris 9, M.P. Giordani 163a, 163c, F.M. Giorgi 21a, F.M. Giorgi 16, P.F. Giraud 136, P. Giromini 58, D. Giugni 92a, C. Giuliani 101, M. Giulini 59b, B.K. Gjelsten 119, S. Gkaitatzis 154, I. Gkialas 154, E.L. Gkougkousis 117, L.K. Gladilin 99, C. Glasman 83, J. Glatzer 31, P.C.F. Glaysher 47, A. Glazov 43, M. Goblirsch-Kolb 101, J. Godlewski 40, S. Goldfarb 90, T. Golling 50, D. Golubkov 130, A. Gomes 126a, 126b, 126d, R. Gonçalo 126a, J. Goncalves Pinto Firmino Da Costa 136, L. Gonella 18, A. Gongadze 66, S. González de la Hoz 166, G. Gonzalez Parra 12, S. Gonzalez-Sevilla 50, L. Goossens 31, P.A. Gorbounov 97, H.A. Gordon 26, I. Gorelov 105, B. Gorini 31, E. Gorini 74a, 74b, A. Gorišek 76, E. Gornicki 40, A.T. Goshaw 46, C. Gössling 44, M.I. Gostkin 66, C.R. Goudet 117, D. Goujdami 135c, A.G. Goussiou 138, N. Govender 145b, E. Gozani 152, L. Gruber 55, I. Grabowska-Bold 39a, P.O.J. Gradin 56, P. Grafström 21a, 21b, J. Gramling 50, E. Gramstad 119, S. Grancagnolo 16, V. Gratchev 123, H.M. Gray 31, E. Graziani 134a, Z.D. Greenwood 80, o, C. Grefe 22, K. Gregersen 79, I.M. Gregor 43, P. Grenier 143, K. Grevtsov 5, J. Griffiths 8, A.A. Grillo 137, K. Grimm 73, S. Grinstein 12, p, Ph. Gris 35, J.-F. Grivaz 117, S. Groh 84, J.P. Grohs 45, E. Gross 171, J. Grosse-Knetter 55, G.C. Grossi 80, Z.J. Grout 149, L. Guan 90, W. Guan 172, J. Guenther 128, F. Guescini 50, D. Guest 162, O. Gueta 153, E. Guido 51a, 51b, T. Guillemin 5, S. Guindon 2, U. Gul 54, C. Gumpert 31, J. Guo 34e, Y. Guo 34b, n, S. Gupta 120, G. Gustavino 132a, 132b, P. Gutierrez 113, N.G. Gutierrez Ortiz 79, C. Gutschow 45, C. Guyot 136, C. Gwenlan 120, C.B. Gwilliam 75, A. Haas 110, C. Haber 15, H.K. Hadavand 8, N. Haddad 135e, A. Hadef 86, P. Haefner 22, S. Hageböck 22, Z. Hajduk 40, H. Hakobyan 176, *, M. Haleem 43, J. Haley 114, D. Hall 120, G. Halladjian 91, G.D. Hallewell 86, K. Hamacher 174, P. Hamal 115, K. Hamano 168, A. Hamilton 145a, G.N. Hamity 139, P.G. Hamnett 43, L. Han 34b, K. Hanagaki 67, q, K. Hanawa 155, M. Hance 137, B. Haney 122, P. Hanke 59a, R. Hanna 136, J.B. Hansen 37, J.D. Hansen 37, M.C. Hansen 22, P.H. Hansen 37, K. Hara 160, A.S. Hard 172, T. Harenberg 174, F. Hariri 117, S. Harkusha 93, R.D. Harrington 47, P.F. Harrison 169, F. Hartjes 107, M. Hasegawa 68, Y. Hasegawa 140, A. Hasib 113, S. Hassani 136, S. Haug 17, R. Hauser 91, L. Hauswald 45, M. Havranek 127, C.M. Hawkes 18, R.J. Hawkings 31, A.D. Hawkins 82, D. Hayden 91, C.P. Hays 120, J.M. Hays 77, H.S. Hayward 75, S.J. Haywood 131, S.J. Head 18, T. Heck 84, V. Hedberg 82, L. Heelan 8, S. Heim 122, T. Heim 15, B. Heinemann 15, J.J. Heinrich 100, L. Heinrich 110, C. Heinz 53, J. Hejbal 127, L. Helary 23, S. Hellman 146a, 146b, C. Helsens 31, J. Henderson 120, R.C.W. Henderson 73, Y. Heng 172, S. Henkelmann 167, A.M. Henriques Correia 31, S. Henrot-Versille 117, G.H. Herbert 16, Y. Hernández Jiménez 166, G. Herten 49, R. Hertenberger 100, L. Hervas 31, G.G. Hesketh 79, N.P. Hessey 107, J.W. Hetherly 41, R. Hickling 77, E. Higón-Rodriguez 166, E. Hill 168, J.C. Hill 29, K.H. Hiller 43, S.J. Hillier 18, I. Hinchliffe 15, E. Hines 122, R.R. Hinman 15, M. Hirose 157, D. Hirschbuehl 174, J. Hobbs 148, N. Hod 107, M.C. Hodgkinson 139, P. Hodgson 139, A. Hoecker 31, M.R. Hoeferkamp 105, F. Hoenig 100, M. Hohlfeld 84, D. Hohn 22, T.R. Holmes 15, M. Homann 44, T.M. Hong 125, B.H. Hooberman 165, W.H. Hopkins 116, Y. Horii 103, A.J. Horton 142, J-Y. Hostachy 56, S. Hou 151, A. Hoummada 135a, J. Howard 120, J. Howarth 43, M. Hrabovsky 115, I. Hristova 16, J. Hrivnac 117, T. Hrynevich 94, C. Hsu 145c, P.J. Hsu 151, r, S.-C. Hsu 138, D. Hu 36, Q. Hu 34b, Y. Huang 43, Z. Hubacek 128, F. Hubaut 86, F. Huegging 22,

- T.B. Huffman ¹²⁰, E.W. Hughes ³⁶, G. Hughes ⁷³, M. Huhtinen ³¹, T.A. Hülsing ⁸⁴, N. Huseynov ^{66,b},
 J. Huston ⁹¹, J. Huth ⁵⁸, G. Iacobucci ⁵⁰, G. Iakovidis ²⁶, I. Ibragimov ¹⁴¹, L. Iconomidou-Fayard ¹¹⁷,
 E. Ideal ¹⁷⁵, Z. Idrissi ^{135e}, P. Iengo ³¹, O. Igolkina ¹⁰⁷, T. Iizawa ¹⁷⁰, Y. Ikegami ⁶⁷, M. Ikeno ⁶⁷,
 Y. Ilchenko ^{32,s}, D. Iliadis ¹⁵⁴, N. Ilic ¹⁴³, T. Ince ¹⁰¹, G. Introzzi ^{121a,121b}, P. Ioannou ^{9,*}, M. Iodice ^{134a},
 K. Iordanidou ³⁶, V. Ippolito ⁵⁸, A. Irles Quiles ¹⁶⁶, C. Isaksson ¹⁶⁴, M. Ishino ⁶⁹, M. Ishitsuka ¹⁵⁷,
 R. Ishmukhametov ¹¹¹, C. Issever ¹²⁰, S. Istin ^{19a}, F. Ito ¹⁶⁰, J.M. Iturbe Ponce ⁸⁵, R. Iuppa ^{133a,133b},
 J. Ivarsson ⁸², W. Iwanski ⁴⁰, H. Iwasaki ⁶⁷, J.M. Izen ⁴², V. Izzo ^{104a}, S. Jabbar ³, B. Jackson ¹²²,
 M. Jackson ⁷⁵, P. Jackson ¹, V. Jain ², K.B. Jakobi ⁸⁴, K. Jakobs ⁴⁹, S. Jakobsen ³¹, T. Jakoubek ¹²⁷,
 D.O. Jamin ¹¹⁴, D.K. Jana ⁸⁰, E. Jansen ⁷⁹, R. Jansky ⁶³, J. Janssen ²², M. Janus ⁵⁵, G. Jarlskog ⁸²,
 N. Javadov ^{66,b}, T. Javurek ⁴⁹, F. Jeanneau ¹³⁶, L. Jeanty ¹⁵, J. Jejelava ^{52a,t}, G.-Y. Jeng ¹⁵⁰, D. Jennens ⁸⁹,
 P. Jenni ^{49,u}, J. Jentzsch ⁴⁴, C. Jeske ¹⁶⁹, S. Jézéquel ⁵, H. Ji ¹⁷², J. Jia ¹⁴⁸, H. Jiang ⁶⁵, Y. Jiang ^{34b}, S. Jiggins ⁷⁹,
 J. Jimenez Pena ¹⁶⁶, S. Jin ^{34a}, A. Jinaru ^{27b}, O. Jinnouchi ¹⁵⁷, P. Johansson ¹³⁹, K.A. Johns ⁷, W.J. Johnson ¹³⁸,
 K. Jon-And ^{146a,146b}, G. Jones ¹⁶⁹, R.W.L. Jones ⁷³, S. Jones ⁷, T.J. Jones ⁷⁵, J. Jongmanns ^{59a},
 P.M. Jorge ^{126a,126b}, J. Jovicevic ^{159a}, X. Ju ¹⁷², A. Juste Rozas ^{12,p}, M.K. Köhler ¹⁷¹, A. Kaczmarzka ⁴⁰,
 M. Kado ¹¹⁷, H. Kagan ¹¹¹, M. Kagan ¹⁴³, S.J. Kahn ⁸⁶, E. Kajomovitz ⁴⁶, C.W. Kalderon ¹²⁰, A. Kaluza ⁸⁴,
 S. Kama ⁴¹, A. Kamenshchikov ¹³⁰, N. Kanaya ¹⁵⁵, S. Kaneti ²⁹, V.A. Kantserov ⁹⁸, J. Kanzaki ⁶⁷,
 B. Kaplan ¹¹⁰, L.S. Kaplan ¹⁷², A. Kapliy ³², D. Kar ^{145c}, K. Karakostas ¹⁰, A. Karamaoun ³, N. Karastathis ¹⁰,
 M.J. Kareem ⁵⁵, E. Karentzos ¹⁰, M. Karnevskiy ⁸⁴, S.N. Karpov ⁶⁶, Z.M. Karpova ⁶⁶, K. Karthik ¹¹⁰,
 V. Kartvelishvili ⁷³, A.N. Karyukhin ¹³⁰, K. Kasahara ¹⁶⁰, L. Kashif ¹⁷², R.D. Kass ¹¹¹, A. Kastanas ¹⁴,
 Y. Kataoka ¹⁵⁵, C. Kato ¹⁵⁵, A. Katre ⁵⁰, J. Katzy ⁴³, K. Kawagoe ⁷¹, T. Kawamoto ¹⁵⁵, G. Kawamura ⁵⁵,
 S. Kazama ¹⁵⁵, V.F. Kazanin ^{109,c}, R. Keeler ¹⁶⁸, R. Kehoe ⁴¹, J.S. Keller ⁴³, J.J. Kempster ⁷⁸, K Kentaro ¹⁰³,
 H. Keoshkerian ⁸⁵, O. Kepka ¹²⁷, B.P. Kerševan ⁷⁶, S. Kersten ¹⁷⁴, R.A. Keyes ⁸⁸, F. Khalil-zada ¹¹,
 H. Khandanyan ^{146a,146b}, A. Khanov ¹¹⁴, A.G. Kharlamov ^{109,c}, T.J. Khoo ²⁹, V. Khovanskiy ⁹⁷, E. Khramov ⁶⁶,
 J. Khubua ^{52b,v}, S. Kido ⁶⁸, H.Y. Kim ⁸, S.H. Kim ¹⁶⁰, Y.K. Kim ³², N. Kimura ¹⁵⁴, O.M. Kind ¹⁶, B.T. King ⁷⁵,
 M. King ¹⁶⁶, S.B. King ¹⁶⁷, J. Kirk ¹³¹, A.E. Kiryunin ¹⁰¹, T. Kishimoto ⁶⁸, D. Kisielewska ^{39a}, F. Kiss ⁴⁹,
 K. Kiuchi ¹⁶⁰, O. Kivernyk ¹³⁶, E. Kladiva ^{144b}, M.H. Klein ³⁶, M. Klein ⁷⁵, U. Klein ⁷⁵, K. Kleinknecht ⁸⁴,
 P. Klimek ^{146a,146b}, A. Klimentov ²⁶, R. Klingenberg ⁴⁴, J.A. Klinger ¹³⁹, T. Klioutchnikova ³¹, E.-E. Kluge ^{59a},
 P. Kluit ¹⁰⁷, S. Kluth ¹⁰¹, J. Knapik ⁴⁰, E. Kneringer ⁶³, E.B.F.G. Knoops ⁸⁶, A. Knue ⁵⁴, A. Kobayashi ¹⁵⁵,
 D. Kobayashi ¹⁵⁷, T. Kobayashi ¹⁵⁵, M. Kobel ⁴⁵, M. Kocian ¹⁴³, P. Kodys ¹²⁹, T. Koffas ³⁰, E. Koffeman ¹⁰⁷,
 L.A. Kogan ¹²⁰, T. Koi ¹⁴³, H. Kolanoski ¹⁶, M. Kolb ^{59b}, I. Koletsou ⁵, A.A. Komar ^{96,*}, Y. Komori ¹⁵⁵,
 T. Kondo ⁶⁷, N. Kondrashova ⁴³, K. Köneke ⁴⁹, A.C. König ¹⁰⁶, T. Kono ^{67,w}, R. Konoplich ^{110,x},
 N. Konstantinidis ⁷⁹, R. Kopeliansky ⁶², S. Koperny ^{39a}, L. Köpke ⁸⁴, A.K. Kopp ⁴⁹, K. Korcyl ⁴⁰, K. Kordas ¹⁵⁴,
 A. Korn ⁷⁹, A.A. Korol ^{109,c}, I. Korolkov ¹², E.V. Korolkova ¹³⁹, O. Kortner ¹⁰¹, S. Kortner ¹⁰¹, T. Kosek ¹²⁹,
 V.V. Kostyukhin ²², V.M. Kotov ⁶⁶, A. Kotwal ⁴⁶, A. Kourkoumeli-Charalampidi ¹⁵⁴, C. Kourkoumelis ⁹,
 V. Kouskoura ²⁶, A. Koutsman ^{159a}, A.B. Kowalewska ⁴⁰, R. Kowalewski ¹⁶⁸, T.Z. Kowalski ^{39a},
 W. Kozanecki ¹³⁶, A.S. Kozhin ¹³⁰, V.A. Kramarenko ⁹⁹, G. Kramberger ⁷⁶, D. Krasnopevtsev ⁹⁸,
 M.W. Krasny ⁸¹, A. Krasznahorkay ³¹, J.K. Kraus ²², A. Kravchenko ²⁶, M. Kretz ^{59c}, J. Kretzschmar ⁷⁵,
 K. Kreutzfeldt ⁵³, P. Krieger ¹⁵⁸, K. Krizka ³², K. Kroeninger ⁴⁴, H. Kroha ¹⁰¹, J. Kroll ¹²², J. Kroeseberg ²²,
 J. Krstic ¹³, U. Kruchonak ⁶⁶, H. Krüger ²², N. Krumnack ⁶⁵, A. Kruse ¹⁷², M.C. Kruse ⁴⁶, M. Kruskal ²³,
 T. Kubota ⁸⁹, H. Kucuk ⁷⁹, S. Kuday ^{4b}, J.T. Kuechler ¹⁷⁴, S. Kuehn ⁴⁹, A. Kugel ^{59c}, F. Kuger ¹⁷³, A. Kuhl ¹³⁷,
 T. Kuhl ⁴³, V. Kukhtin ⁶⁶, R. Kukla ¹³⁶, Y. Kulchitsky ⁹³, S. Kuleshov ^{33b}, M. Kuna ^{132a,132b}, T. Kunigo ⁶⁹,
 A. Kupco ¹²⁷, H. Kurashige ⁶⁸, Y.A. Kurochkin ⁹³, V. Kus ¹²⁷, E.S. Kuwertz ¹⁶⁸, M. Kuze ¹⁵⁷, J. Kvita ¹¹⁵,
 T. Kwan ¹⁶⁸, D. Kyriazopoulos ¹³⁹, A. La Rosa ¹⁰¹, J.L. La Rosa Navarro ^{25d}, L. La Rotonda ^{38a,38b},
 C. Lacasta ¹⁶⁶, F. Lacava ^{132a,132b}, J. Lacey ³⁰, H. Lacker ¹⁶, D. Lacour ⁸¹, V.R. Lacuesta ¹⁶⁶, E. Ladygin ⁶⁶,
 R. Lafaye ⁵, B. Laforge ⁸¹, T. Lagouri ¹⁷⁵, S. Lai ⁵⁵, S. Lammers ⁶², W. Lampl ⁷, E. Lançon ¹³⁶, U. Landgraf ⁴⁹,
 M.P.J. Landon ⁷⁷, V.S. Lang ^{59a}, J.C. Lange ¹², A.J. Lankford ¹⁶², F. Lanni ²⁶, K. Lantzsch ²², A. Lanza ^{121a},
 S. Laplace ⁸¹, C. Lapoire ³¹, J.F. Laporte ¹³⁶, T. Lari ^{92a}, F. Lasagni Manghi ^{21a,21b}, M. Lassnig ³¹, P. Laurelli ⁴⁸,
 W. Lavrijsen ¹⁵, A.T. Law ¹³⁷, P. Laycock ⁷⁵, T. Lazovich ⁵⁸, M. Lazzaroni ^{92a,92b}, O. Le Dortz ⁸¹,
 E. Le Guirieec ⁸⁶, E. Le Menedeu ¹², E.P. Le Quillec ¹³⁶, M. LeBlanc ¹⁶⁸, T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁶,
 C.A. Lee ²⁶, S.C. Lee ¹⁵¹, L. Lee ¹, G. Lefebvre ⁸¹, M. Lefebvre ¹⁶⁸, F. Legger ¹⁰⁰, C. Leggett ¹⁵, A. Lehan ⁷⁵,
 G. Lehmann Miotto ³¹, X. Lei ⁷, W.A. Leight ³⁰, A. Leisos ^{154,y}, A.G. Leister ¹⁷⁵, M.A.L. Leite ^{25d},
 R. Leitner ¹²⁹, D. Lellouch ¹⁷¹, B. Lemmer ⁵⁵, K.J.C. Leney ⁷⁹, T. Lenz ²², B. Lenzi ³¹, R. Leone ⁷,

- S. Leone 124a, 124b, C. Leonidopoulos 47, S. Leontsinis 10, G. Lerner 149, C. Leroy 95, A.A.J. Lesage 136, C.G. Lester 29, M. Levchenko 123, J. Levêque 5, D. Levin 90, L.J. Levinson 171, M. Levy 18, A.M. Leyko 22, M. Leyton 42, B. Li 34b,z, H. Li 148, H.L. Li 32, L. Li 46, L. Li 34e, Q. Li 34a, S. Li 46, X. Li 85, Y. Li 141, Z. Liang 137, H. Liao 35, B. Liberti 133a, A. Liblong 158, P. Lichard 31, K. Lie 165, J. Liebal 22, W. Liebig 14, C. Limbach 22, A. Limosani 150, S.C. Lin 151,aa, T.H. Lin 84, B.E. Lindquist 148, E. Lipeles 122, A. Lipniacka 14, M. Lisovyi 59b, T.M. Liss 165, D. Lissauer 26, A. Lister 167, A.M. Litke 137, B. Liu 151,ab, D. Liu 151, H. Liu 90, H. Liu 26, J. Liu 86, J.B. Liu 34b, K. Liu 86, L. Liu 165, M. Liu 46, M. Liu 34b, Y.L. Liu 34b, Y. Liu 34b, M. Livan 121a, 121b, A. Lleres 56, J. Llorente Merino 83, S.L. Lloyd 77, F. Lo Sterzo 151, E. Lobodzinska 43, P. Loch 7, W.S. Lockman 137, F.K. Loebinger 85, A.E. Loevschall-Jensen 37, K.M. Loew 24, A. Loginov 175, T. Lohse 16, K. Lohwasser 43, M. Lokajicek 127, B.A. Long 23, J.D. Long 165, R.E. Long 73, L. Longo 74a, 74b, K.A.Looper 111, L. Lopes 126a, D. Lopez Mateos 58, B. Lopez Paredes 139, I. Lopez Paz 12, A. Lopez Solis 81, J. Lorenz 100, N. Lorenzo Martinez 62, M. Losada 20, P.J. Lösel 100, X. Lou 34a, A. Lounis 117, J. Love 6, P.A. Love 73, H. Lu 61a, N. Lu 90, H.J. Lubatti 138, C. Luci 132a, 132b, A. Lucotte 56, C. Luedtke 49, F. Luehring 62, W. Lukas 63, L. Luminari 132a, O. Lundberg 146a, 146b, B. Lund-Jensen 147, D. Lynn 26, R. Lysak 127, E. Lytken 82, V. Lyubushkin 66, H. Ma 26, L.L. Ma 34d, G. Maccarrone 48, A. Macchiolo 101, C.M. Macdonald 139, B. Maček 76, J. Machado Miguens 122, 126b, D. Madaffari 86, R. Madar 35, H.J. Maddocks 164, W.F. Mader 45, A. Madsen 43, J. Maeda 68, S. Maeland 14, T. Maeno 26, A. Maevskiy 99, E. Magradze 55, J. Mahlstedt 107, C. Maiani 117, C. Maidantchik 25a, A.A. Maier 101, T. Maier 100, A. Maio 126a, 126b, 126d, S. Majewski 116, Y. Makida 67, N. Makovec 117, B. Malaescu 81, Pa. Malecki 40, V.P. Maleev 123, F. Malek 56, U. Mallik 64, D. Malon 6, C. Malone 143, S. Maltezos 10, V.M. Malyshev 109, S. Malyukov 31, J. Mamuzic 43, G. Mancini 48, B. Mandelli 31, L. Mandelli 92a, I. Mandić 76, J. Maneira 126a, 126b, L. Manhaes de Andrade Filho 25b, J. Manjarres Ramos 159b, A. Mann 100, B. Mansoulie 136, R. Mantifel 88, M. Mantoani 55, S. Manzoni 92a, 92b, L. Mapelli 31, G. Marceca 28, L. March 50, G. Marchiori 81, M. Marcisovsky 127, M. Marjanovic 13, D.E. Marley 90, F. Marroquim 25a, S.P. Marsden 85, Z. Marshall 15, L.F. Marti 17, S. Marti-Garcia 166, B. Martin 91, T.A. Martin 169, V.J. Martin 47, B. Martin dit Latour 14, M. Martinez 12,p, S. Martin-Haugh 131, V.S. Martoiu 27b, A.C. Martyniuk 79, M. Marx 138, F. Marzano 132a, A. Marzin 31, L. Masetti 84, T. Mashimo 155, R. Mashinistov 96, J. Masik 85, A.L. Maslennikov 109,c, I. Massa 21a, 21b, L. Massa 21a, 21b, P. Mastrandrea 5, A. Mastroberardino 38a, 38b, T. Masubuchi 155, P. Mättig 174, J. Mattmann 84, J. Maurer 27b, S.J. Maxfield 75, D.A. Maximov 109,c, R. Mazini 151, S.M. Mazza 92a, 92b, N.C. Mc Fadden 105, G. Mc Goldrick 158, S.P. Mc Kee 90, A. McCarn 90, R.L. McCarthy 148, T.G. McCarthy 30, L.I. McClymont 79, K.W. McFarlane 57,* J.A. McFayden 79, G. McHedlidze 55, S.J. McMahon 131, R.A. McPherson 168,!, M. Medinnis 43, S. Meehan 138, S. Mehlhase 100, A. Mehta 75, K. Meier 59a, C. Meineck 100, B. Meirose 42, B.R. Mellado Garcia 145c, F. Meloni 17, A. Mengarelli 21a, 21b, S. Menke 101, E. Meoni 161, K.M. Mercurio 58, S. Mergelmeyer 16, P. Mermod 50, L. Merola 104a, 104b, C. Meroni 92a, F.S. Merritt 32, A. Messina 132a, 132b, J. Metcalfe 6, A.S. Mete 162, C. Meyer 84, C. Meyer 122, J.-P. Meyer 136, J. Meyer 107, H. Meyer Zu Theenhausen 59a, R.P. Middleton 131, S. Miglioranzi 163a, 163c, L. Mijović 22, G. Mikenberg 171, M. Mikestikova 127, M. Mikuž 76, M. Milesi 89, A. Milic 31, D.W. Miller 32, C. Mills 47, A. Milov 171, D.A. Milstead 146a, 146b, A.A. Minaenko 130, Y. Minami 155, I.A. Minashvili 66, A.I. Mincer 110, B. Mindur 39a, M. Mineev 66, Y. Ming 172, L.M. Mir 12, K.P. Mistry 122, T. Mitani 170, J. Mitrevski 100, V.A. Mitsou 166, A. Miucci 50, P.S. Miyagawa 139, J.U. Mjörnmark 82, T. Moa 146a, 146b, K. Mochizuki 86, S. Mohapatra 36, W. Mohr 49, S. Molander 146a, 146b, R. Moles-Valls 22, R. Monden 69, M.C. Mondragon 91, K. Mönig 43, J. Monk 37, E. Monnier 86, A. Montalbano 148, J. Montejo Berlingen 31, F. Monticelli 72, S. Monzani 92a, 92b, R.W. Moore 3, N. Morange 117, D. Moreno 20, M. Moreno Llácer 55, P. Morettini 51a, D. Mori 142, T. Mori 155, M. Morii 58, M. Morinaga 155, V. Morisbak 119, S. Moritz 84, A.K. Morley 150, G. Mornacchi 31, J.D. Morris 77, S.S. Mortensen 37, L. Morvaj 148, M. Mosidze 52b, J. Moss 143, K. Motohashi 157, R. Mount 143, E. Mountricha 26, S.V. Mouraviev 96,*, E.J.W. Moyse 87, S. Muanza 86, R.D. Mudd 18, F. Mueller 101, J. Mueller 125, R.S.P. Mueller 100, T. Mueller 29, D. Muenstermann 73, P. Mullen 54, G.A. Mullier 17, F.J. Munoz Sanchez 85, J.A. Murillo Quijada 18, W.J. Murray 169, 131, H. Musheghyan 55, A.G. Myagkov 130, ac, M. Myska 128, B.P. Nachman 143, O. Nackenhorst 50, J. Nadal 55, K. Nagai 120, R. Nagai 67, w, Y. Nagai 86, K. Nagano 67, Y. Nagasaka 60, K. Nagata 160, M. Nagel 101, E. Nagy 86, A.M. Nairz 31, Y. Nakahama 31, K. Nakamura 67, T. Nakamura 155, I. Nakano 112, H. Namasivayam 42, R.F. Narango Garcia 43, R. Narayan 32, D.I. Narrias Villar 59a, I. Naryshkin 123, T. Naumann 43, G. Navarro 20, R. Nayyar 7, H.A. Neal 90,

- P.Yu. Nechaeva 96, T.J. Neep 85, P.D. Nef 143, A. Negri 121a, 121b, M. Negrini 21a, S. Nektarijevic 106, C. Nellist 117, A. Nelson 162, S. Nemecsek 127, P. Nemethy 110, A.A. Nepomuceno 25a, M. Nessi 31, ad, M.S. Neubauer 165, M. Neumann 174, R.M. Neves 110, P. Nevski 26, P.R. Newman 18, D.H. Nguyen 6, R.B. Nickerson 120, R. Nicolaïdou 136, B. Nicquevert 31, J. Nielsen 137, A. Nikiforov 16, V. Nikolaenko 130, ac, I. Nikolic-Audit 81, K. Nikolopoulos 18, J.K. Nilsen 119, P. Nilsson 26, Y. Ninomiya 155, A. Nisati 132a, R. Nisius 101, T. Nobe 155, L. Nodulman 6, M. Nomachi 118, I. Nomidis 30, T. Nooney 77, S. Norberg 113, M. Nordberg 31, N. Norjoharuddeen 120, O. Novgorodova 45, S. Nowak 101, M. Nozaki 67, L. Nozka 115, K. Ntekas 10, E. Nurse 79, F. Nuti 89, F. O’grady 7, D.C. O’Neil 142, A.A. O’Rourke 43, V. O’Shea 54, F.G. Oakham 30, d, H. Oberlack 101, T. Obermann 22, J. Ocariz 81, A. Ochi 68, I. Ochoa 36, J.P. Ochoa-Ricoux 33a, S. Oda 71, S. Odaka 67, H. Ogren 62, A. Oh 85, S.H. Oh 46, C.C. Ohm 15, H. Ohman 164, H. Oide 31, H. Okawa 160, Y. Okumura 32, T. Okuyama 67, A. Olariu 27b, L.F. Oleiro Seabra 126a, S.A. Olivares Pino 47, D. Oliveira Damazio 26, A. Olszewski 40, J. Olszowska 40, A. Onofre 126a, 126e, K. Onogi 103, P.U.E. Onyisi 32, s, C.J. Oram 159a, M.J. Oreglia 32, Y. Oren 153, D. Orestano 134a, 134b, N. Orlando 61b, R.S. Orr 158, B. Osculati 51a, 51b, R. Ospanov 85, G. Otero y Garzon 28, H. Otono 71, M. Ouchrif 135d, F. Ould-Saada 119, A. Ouraou 136, K.P. Oussoren 107, Q. Ouyang 34a, A. Ovcharova 15, M. Owen 54, R.E. Owen 18, V.E. Ozcan 19a, N. Ozturk 8, K. Pachal 142, A. Pacheco Pages 12, C. Padilla Aranda 12, M. Pagáčová 49, S. Pagan Griso 15, F. Paige 26, P. Pais 87, K. Pajchel 119, G. Palacino 159b, S. Palestini 31, M. Palka 39b, D. Pallin 35, A. Palma 126a, 126b, E.St. Panagiotopoulou 10, C.E. Pandini 81, J.G. Panduro Vazquez 78, P. Pani 146a, 146b, S. Panitkin 26, D. Pantea 27b, L. Paolozzi 50, Th.D. Papadopoulou 10, K. Papageorgiou 154, A. Paramonov 6, D. Paredes Hernandez 175, M.A. Parker 29, K.A. Parker 139, F. Parodi 51a, 51b, J.A. Parsons 36, U. Parzefall 49, V.R. Pascuzzi 158, E. Pasqualucci 132a, S. Passaggio 51a, F. Pastore 134a, 134b, *, Fr. Pastore 78, G. Pásztor 30, S. Pataraia 174, N.D. Patel 150, J.R. Pater 85, T. Pauly 31, J. Pearce 168, B. Pearson 113, L.E. Pedersen 37, M. Pedersen 119, S. Pedraza Lopez 166, R. Pedro 126a, 126b, S.V. Peleganchuk 109, c, D. Pelikan 164, O. Penc 127, C. Peng 34a, H. Peng 34b, J. Penwell 62, B.S. Peralva 25b, M.M. Perego 136, D.V. Perepelitsa 26, E. Perez Codina 159a, L. Perini 92a, 92b, H. Pernegger 31, S. Perrella 104a, 104b, R. Peschke 43, V.D. Peshekhonov 66, K. Peters 31, R.F.Y. Peters 85, B.A. Petersen 31, T.C. Petersen 37, E. Petit 56, A. Petridis 1, C. Petridou 154, P. Petroff 117, E. Petrolo 132a, M. Petrov 120, F. Petrucci 134a, 134b, N.E. Pettersson 157, A. Peyaud 136, R. Pezoa 33b, P.W. Phillips 131, G. Piacquadio 143, E. Pianori 169, A. Picazio 87, E. Piccaro 77, M. Piccinini 21a, 21b, M.A. Pickering 120, R. Piegaia 28, J.E. Pilcher 32, A.D. Pilkington 85, A.W.J. Pin 85, J. Pina 126a, 126b, 126d, M. Pinamonti 163a, 163c, ae, J.L. Pinfold 3, A. Pingel 37, S. Pires 81, H. Pirumov 43, M. Pitt 171, L. Plazak 144a, M.-A. Pleier 26, V. Pleskot 84, E. Plotnikova 66, P. Plucinski 146a, 146b, D. Pluth 65, R. Poettgen 146a, 146b, L. Poggioli 117, D. Pohl 22, G. Polesello 121a, A. Poley 43, A. Policicchio 38a, 38b, R. Polifka 158, A. Polini 21a, C.S. Pollard 54, V. Polychronakos 26, K. Pommès 31, L. Pontecorvo 132a, B.G. Pope 91, G.A. Popeneiciu 27c, D.S. Popovic 13, A. Poppleton 31, S. Pospisil 128, K. Potamianos 15, I.N. Potrap 66, C.J. Potter 29, C.T. Potter 116, G. Poulard 31, J. Poveda 31, V. Pozdnyakov 66, M.E. Pozo Astigarraga 31, P. Pralavorio 86, A. Pranko 15, S. Prell 65, D. Price 85, L.E. Price 6, M. Primavera 74a, S. Prince 88, M. Proissl 47, K. Prokofiev 61c, F. Prokoshin 33b, S. Protopopescu 26, J. Proudfoot 6, M. Przybycien 39a, D. Puddu 134a, 134b, D. Puldon 148, M. Purohit 26, af, P. Puzo 117, J. Qian 90, G. Qin 54, Y. Qin 85, A. Quadt 55, W.B. Quayle 163a, 163b, M. Queitsch-Maitland 85, D. Quilty 54, S. Raddum 119, V. Radeka 26, V. Radescu 59b, S.K. Radhakrishnan 148, P. Radloff 116, P. Rados 89, F. Ragusa 92a, 92b, G. Rahal 177, S. Rajagopalan 26, M. Rammensee 31, C. Rangel-Smith 164, M.G. Ratti 92a, 92b, F. Rauscher 100, S. Rave 84, T. Ravenscroft 54, M. Raymond 31, A.L. Read 119, N.P. Readioff 75, D.M. Rebuzzi 121a, 121b, A. Redelbach 173, G. Redlinger 26, R. Reece 137, K. Reeves 42, L. Rehnisch 16, J. Reichert 122, H. Reisin 28, C. Rembser 31, H. Ren 34a, M. Rescigno 132a, S. Resconi 92a, O.L. Rezanova 109, c, P. Reznicek 129, R. Rezvani 95, R. Richter 101, S. Richter 79, E. Richter-Was 39b, O. Ricken 22, M. Ridel 81, P. Rieck 16, C.J. Riegel 174, J. Rieger 55, O. Rifki 113, M. Rijssenbeek 148, A. Rimoldi 121a, 121b, L. Rinaldi 21a, B. Ristić 50, E. Ritsch 31, I. Riu 12, F. Rizatdinova 114, E. Rizvi 77, C. Rizzi 12, S.H. Robertson 88, l, A. Robichaud-Veronneau 88, D. Robinson 29, J.E.M. Robinson 43, A. Robson 54, C. Roda 124a, 124b, Y. Rodina 86, A. Rodriguez Perez 12, D. Rodriguez Rodriguez 166, S. Roe 31, C.S. Rogan 58, O. Røhne 119, A. Romaniouk 98, M. Romano 21a, 21b, S.M. Romano Saez 35, E. Romero Adam 166, N. Rompotis 138, M. Ronzani 49, L. Roos 81, E. Ros 166, S. Rosati 132a, K. Rosbach 49, P. Rose 137, O. Rosenthal 141, V. Rossetti 146a, 146b, E. Rossi 104a, 104b, L.P. Rossi 51a, J.H.N. Rosten 29, R. Rosten 138, M. Rotaru 27b, I. Roth 171, J. Rothberg 138, D. Rousseau 117,

- C.R. Royon ¹³⁶, A. Rozanov ⁸⁶, Y. Rozen ¹⁵², X. Ruan ^{145c}, F. Rubbo ¹⁴³, I. Rubinskiy ⁴³, V.I. Rud ⁹⁹, M.S. Rudolph ¹⁵⁸, F. Rühr ⁴⁹, A. Ruiz-Martinez ³¹, Z. Rurikova ⁴⁹, N.A. Rusakovich ⁶⁶, A. Ruschke ¹⁰⁰, H.L. Russell ¹³⁸, J.P. Rutherford ⁷, N. Ruthmann ³¹, Y.F. Ryabov ¹²³, M. Rybar ¹⁶⁵, G. Rybkin ¹¹⁷, S. Ryu ⁶, A. Ryzhov ¹³⁰, A.F. Saavedra ¹⁵⁰, G. Sabato ¹⁰⁷, S. Sacerdoti ²⁸, H.F-W. Sadrozinski ¹³⁷, R. Sadykov ⁶⁶, F. Safai Tehrani ^{132a}, P. Saha ¹⁰⁸, M. Sahinsoy ^{59a}, M. Saimpert ¹³⁶, T. Saito ¹⁵⁵, H. Sakamoto ¹⁵⁵, Y. Sakurai ¹⁷⁰, G. Salamanna ^{134a,134b}, A. Salamon ^{133a,133b}, J.E. Salazar Loyola ^{33b}, D. Salek ¹⁰⁷, P.H. Sales De Bruin ¹³⁸, D. Salihagic ¹⁰¹, A. Salnikov ¹⁴³, J. Salt ¹⁶⁶, D. Salvatore ^{38a,38b}, F. Salvatore ¹⁴⁹, A. Salvucci ^{61a}, A. Salzburger ³¹, D. Sammel ⁴⁹, D. Sampsonidis ¹⁵⁴, A. Sanchez ^{104a,104b}, J. Sánchez ¹⁶⁶, V. Sanchez Martinez ¹⁶⁶, H. Sandaker ¹¹⁹, R.L. Sandbach ⁷⁷, H.G. Sander ⁸⁴, M.P. Sanders ¹⁰⁰, M. Sandhoff ¹⁷⁴, C. Sandoval ²⁰, R. Sandstroem ¹⁰¹, D.P.C. Sankey ¹³¹, M. Sannino ^{51a,51b}, A. Sansoni ⁴⁸, C. Santoni ³⁵, R. Santonico ^{133a,133b}, H. Santos ^{126a}, I. Santoyo Castillo ¹⁴⁹, K. Sapp ¹²⁵, A. Sapronov ⁶⁶, J.G. Saraiva ^{126a,126d}, B. Sarrazin ²², O. Sasaki ⁶⁷, Y. Sasaki ¹⁵⁵, K. Sato ¹⁶⁰, G. Sauvage ^{5,*}, E. Sauvan ⁵, G. Savage ⁷⁸, P. Savard ^{158,d}, C. Sawyer ¹³¹, L. Sawyer ^{80,o}, J. Saxon ³², C. Sbarra ^{21a}, A. Sbrizzi ^{21a,21b}, T. Scanlon ⁷⁹, D.A. Scannicchio ¹⁶², M. Scarcella ¹⁵⁰, V. Scarfone ^{38a,38b}, J. Schaarschmidt ¹⁷¹, P. Schacht ¹⁰¹, D. Schaefer ³¹, R. Schaefer ⁴³, J. Schaeffer ⁸⁴, S. Schaepe ²², S. Schaetzle ^{59b}, U. Schäfer ⁸⁴, A.C. Schaffer ¹¹⁷, D. Schaile ¹⁰⁰, R.D. Schamberger ¹⁴⁸, V. Scharf ^{59a}, V.A. Schegelsky ¹²³, D. Scheirich ¹²⁹, M. Schernau ¹⁶², C. Schiavi ^{51a,51b}, C. Schillo ⁴⁹, M. Schioppa ^{38a,38b}, S. Schlenker ³¹, K. Schmieden ³¹, C. Schmitt ⁸⁴, S. Schmitt ⁴³, S. Schmitz ⁸⁴, B. Schneider ^{159a}, Y.J. Schnellbach ⁷⁵, U. Schnoon ⁴⁹, L. Schoeffel ¹³⁶, A. Schoening ^{59b}, B.D. Schoenrock ⁹¹, E. Schopff ²², A.L.S. Schorlemmer ⁴⁴, M. Schott ⁸⁴, D. Schouten ^{159a}, J. Schovancova ⁸, S. Schramm ⁵⁰, M. Schreyer ¹⁷³, N. Schuh ⁸⁴, M.J. Schultens ²², H.-C. Schultz-Coulon ^{59a}, H. Schulz ¹⁶, M. Schumacher ⁴⁹, B.A. Schumm ¹³⁷, Ph. Schune ¹³⁶, C. Schwanenberger ⁸⁵, A. Schwartzman ¹⁴³, T.A. Schwarz ⁹⁰, Ph. Schwegler ¹⁰¹, H. Schweiger ⁸⁵, Ph. Schwemling ¹³⁶, R. Schwienhorst ⁹¹, J. Schwindling ¹³⁶, T. Schwindt ²², G. Sciolla ²⁴, F. Scuri ^{124a,124b}, F. Scutti ⁸⁹, J. Searcy ⁹⁰, P. Seema ²², S.C. Seidel ¹⁰⁵, A. Seiden ¹³⁷, F. Seifert ¹²⁸, J.M. Seixas ^{25a}, G. Sekhniaidze ^{104a}, K. Sekhon ⁹⁰, S.J. Sekula ⁴¹, D.M. Seliverstov ^{123,*}, N. Semprini-Cesari ^{21a,21b}, C. Serfon ¹¹⁹, L. Serin ¹¹⁷, L. Serkin ^{163a,163b}, M. Sessa ^{134a,134b}, R. Seuster ^{159a}, H. Severini ¹¹³, T. Sfiligoj ⁷⁶, F. Sforza ³¹, A. Sfyrla ⁵⁰, E. Shabalina ⁵⁵, N.W. Shaikh ^{146a,146b}, L.Y. Shan ^{34a}, R. Shang ¹⁶⁵, J.T. Shank ²³, M. Shapiro ¹⁵, P.B. Shatalov ⁹⁷, K. Shaw ^{163a,163b}, S.M. Shaw ⁸⁵, A. Shcherbakova ^{146a,146b}, C.Y. Shehu ¹⁴⁹, P. Sherwood ⁷⁹, L. Shi ^{151,ag}, S. Shimizu ⁶⁸, C.O. Shimmin ¹⁶², M. Shimojima ¹⁰², M. Shiyakova ^{66,ah}, A. Shmeleva ⁹⁶, D. Shoaleh Saadi ⁹⁵, M.J. Shochet ³², S. Shojaei ^{92a,92b}, S. Shrestha ¹¹¹, E. Shulga ⁹⁸, M.A. Shupe ⁷, P. Sicho ¹²⁷, P.E. Sidebo ¹⁴⁷, O. Sidiropoulou ¹⁷³, D. Sidorov ¹¹⁴, A. Sidoti ^{21a,21b}, F. Siegert ⁴⁵, Dj. Sijacki ¹³, J. Silva ^{126a,126d}, S.B. Silverstein ^{146a}, V. Simak ¹²⁸, O. Simard ⁵, Lj. Simic ¹³, S. Simion ¹¹⁷, E. Simioni ⁸⁴, B. Simmons ⁷⁹, D. Simon ³⁵, M. Simon ⁸⁴, P. Sinervo ¹⁵⁸, N.B. Sinev ¹¹⁶, M. Sioli ^{21a,21b}, G. Siragusa ¹⁷³, S.Yu. Sivoklokov ⁹⁹, J. Sjölin ^{146a,146b}, T.B. Sjursen ¹⁴, M.B. Skinner ⁷³, H.P. Skottowe ⁵⁸, P. Skubic ¹¹³, M. Slater ¹⁸, T. Slavicek ¹²⁸, M. Slawinska ¹⁰⁷, K. Sliwa ¹⁶¹, R. Slovak ¹²⁹, V. Smakhtin ¹⁷¹, B.H. Smart ⁵, L. Smestad ¹⁴, S.Yu. Smirnov ⁹⁸, Y. Smirnov ⁹⁸, L.N. Smirnova ^{99,ai}, O. Smirnova ⁸², M.N.K. Smith ³⁶, R.W. Smith ³⁶, M. Smizanska ⁷³, K. Smolek ¹²⁸, A.A. Snesarev ⁹⁶, G. Snidero ⁷⁷, S. Snyder ²⁶, R. Sobie ^{168,l}, F. Socher ⁴⁵, A. Soffer ¹⁵³, D.A. Soh ^{151,ag}, G. Sokhrannyi ⁷⁶, C.A. Solans Sanchez ³¹, M. Solar ¹²⁸, E.Yu. Soldatov ⁹⁸, U. Soldevila ¹⁶⁶, A.A. Solodkov ¹³⁰, A. Soloshenko ⁶⁶, O.V. Solovyanov ¹³⁰, V. Solovyev ¹²³, P. Sommer ⁴⁹, H. Son ¹⁶¹, H.Y. Song ^{34b,z}, A. Sood ¹⁵, A. Sopczak ¹²⁸, V. Sopko ¹²⁸, V. Sorin ¹², D. Sosa ^{59b}, C.L. Sotiropoulou ^{124a,124b}, R. Soualah ^{163a,163c}, A.M. Soukharev ^{109,c}, D. South ⁴³, B.C. Sowden ⁷⁸, S. Spagnolo ^{74a,74b}, M. Spalla ^{124a,124b}, M. Spangenberg ¹⁶⁹, F. Spanò ⁷⁸, D. Sperlich ¹⁶, F. Spettel ¹⁰¹, R. Spighi ^{21a}, G. Spigo ³¹, L.A. Spiller ⁸⁹, M. Spousta ¹²⁹, R.D. St. Denis ^{54,*}, A. Stabile ^{92a}, J. Stahlman ¹²², R. Stamen ^{59a}, S. Stamm ¹⁶, E. Stanecka ⁴⁰, R.W. Stanek ⁶, C. Stanescu ^{134a}, M. Stanescu-Bellu ⁴³, M.M. Stanitzki ⁴³, S. Stapnes ¹¹⁹, E.A. Starchenko ¹³⁰, G.H. Stark ³², J. Stark ⁵⁶, P. Staroba ¹²⁷, P. Starovoitov ^{59a}, S. Stärz ³¹, R. Staszewski ⁴⁰, P. Steinberg ²⁶, B. Stelzer ¹⁴², H.J. Stelzer ³¹, O. Stelzer-Chilton ^{159a}, H. Stenzel ⁵³, G.A. Stewart ⁵⁴, J.A. Stillings ²², M.C. Stockton ⁸⁸, M. Stoebe ⁸⁸, G. Stoica ^{27b}, P. Stolte ⁵⁵, S. Stonjek ¹⁰¹, A.R. Stradling ⁸, A. Straessner ⁴⁵, M.E. Stramaglia ¹⁷, J. Strandberg ¹⁴⁷, S. Strandberg ^{146a,146b}, A. Strandlie ¹¹⁹, M. Strauss ¹¹³, P. Strizenec ^{144b}, R. Ströhmer ¹⁷³, D.M. Strom ¹¹⁶, R. Stroynowski ⁴¹, A. Strubig ¹⁰⁶, S.A. Stucci ¹⁷, B. Stugu ¹⁴, N.A. Styles ⁴³, D. Su ¹⁴³, J. Su ¹²⁵, R. Subramaniam ⁸⁰, S. Suchek ^{59a}, Y. Sugaya ¹¹⁸, M. Suk ¹²⁸, V.V. Sulin ⁹⁶, S. Sultansoy ^{4c}, T. Sumida ⁶⁹, S. Sun ⁵⁸, X. Sun ^{34a}, J.E. Sundermann ⁴⁹, K. Suruliz ¹⁴⁹, G. Susinno ^{38a,38b}, M.R. Sutton ¹⁴⁹,

- S. Suzuki ⁶⁷, M. Svatos ¹²⁷, M. Swiatlowski ³², I. Sykora ^{144a}, T. Sykora ¹²⁹, D. Ta ⁴⁹, C. Taccini ^{134a,134b}, K. Tackmann ⁴³, J. Taenzer ¹⁵⁸, A. Taffard ¹⁶², R. Tafirout ^{159a}, N. Taiblum ¹⁵³, H. Takai ²⁶, R. Takashima ⁷⁰, H. Takeda ⁶⁸, T. Takeshita ¹⁴⁰, Y. Takubo ⁶⁷, M. Talby ⁸⁶, A.A. Talyshев ^{109,c}, J.Y.C. Tam ¹⁷³, K.G. Tan ⁸⁹, J. Tanaka ¹⁵⁵, R. Tanaka ¹¹⁷, S. Tanaka ⁶⁷, B.B. Tannenwald ¹¹¹, S. Tapia Araya ^{33b}, S. Tapprogge ⁸⁴, S. Tarem ¹⁵², G.F. Tartarelli ^{92a}, P. Tas ¹²⁹, M. Tasevsky ¹²⁷, T. Tashiro ⁶⁹, E. Tassi ^{38a,38b}, A. Tavares Delgado ^{126a,126b}, Y. Tayalati ^{135d}, A.C. Taylor ¹⁰⁵, G.N. Taylor ⁸⁹, P.T.E. Taylor ⁸⁹, W. Taylor ^{159b}, F.A. Teischinger ³¹, P. Teixeira-Dias ⁷⁸, K.K. Temming ⁴⁹, D. Temple ¹⁴², H. Ten Kate ³¹, P.K. Teng ¹⁵¹, J.J. Teoh ¹¹⁸, F. Tepel ¹⁷⁴, S. Terada ⁶⁷, K. Terashi ¹⁵⁵, J. Terron ⁸³, S. Terzo ¹⁰¹, M. Testa ⁴⁸, R.J. Teuscher ^{158,l}, T. Theveneaux-Pelzer ⁸⁶, J.P. Thomas ¹⁸, J. Thomas-Wilsker ⁷⁸, E.N. Thompson ³⁶, P.D. Thompson ¹⁸, R.J. Thompson ⁸⁵, A.S. Thompson ⁵⁴, L.A. Thomsen ¹⁷⁵, E. Thomson ¹²², M. Thomson ²⁹, M.J. Tibbetts ¹⁵, R.E. Ticse Torres ⁸⁶, V.O. Tikhomirov ^{96,aj}, Yu.A. Tikhonov ^{109,c}, S. Timoshenko ⁹⁸, P. Tipton ¹⁷⁵, S. Tisserant ⁸⁶, K. Todome ¹⁵⁷, T. Todorov ^{5,*}, S. Todorova-Nova ¹²⁹, J. Tojo ⁷¹, S. Tokár ^{144a}, K. Tokushuku ⁶⁷, E. Tolley ⁵⁸, L. Tomlinson ⁸⁵, M. Tomoto ¹⁰³, L. Tompkins ^{143,ak}, K. Toms ¹⁰⁵, B. Tong ⁵⁸, E. Torrence ¹¹⁶, H. Torres ¹⁴², E. Torró Pastor ¹³⁸, J. Toth ^{86,al}, F. Touchard ⁸⁶, D.R. Tovey ¹³⁹, T. Trefzger ¹⁷³, A. Tricoli ³¹, I.M. Trigger ^{159a}, S. Trincaz-Duvold ⁸¹, M.F. Tripiana ¹², W. Trischuk ¹⁵⁸, B. Trocmé ⁵⁶, A. Trofymov ⁴³, C. Troncon ^{92a}, M. Trottier-McDonald ¹⁵, M. Trovatelli ¹⁶⁸, L. Truong ^{163a,163b}, M. Trzebinski ⁴⁰, A. Trzupek ⁴⁰, J.-C.-L. Tseng ¹²⁰, P.V. Tsiareshka ⁹³, G. Tsipolitis ¹⁰, N. Tsirintanis ⁹, S. Tsiskaridze ¹², V. Tsiskaridze ⁴⁹, E.G. Tskhadadze ^{52a}, K.M. Tsui ^{61a}, I.I. Tsukerman ⁹⁷, V. Tsulaia ¹⁵, S. Tsuno ⁶⁷, D. Tsybychev ¹⁴⁸, A. Tudorache ^{27b}, V. Tudorache ^{27b}, A.N. Tuna ⁵⁸, S.A. Tupputi ^{21a,21b}, S. Turchikhin ^{99,ai}, D. Turecek ¹²⁸, D. Turgeman ¹⁷¹, R. Turra ^{92a,92b}, A.J. Turvey ⁴¹, P.M. Tuts ³⁶, M. Tylmad ^{146a,146b}, M. Tyndel ¹³¹, G. Ucchielli ^{21a,21b}, I. Ueda ¹⁵⁵, R. Ueno ³⁰, M. Uggetto ^{146a,146b}, F. Ukegawa ¹⁶⁰, G. Unal ³¹, A. Undrus ²⁶, G. Unel ¹⁶², F.C. Ungaro ⁸⁹, Y. Unno ⁶⁷, C. Unverdorben ¹⁰⁰, J. Urban ^{144b}, P. Urquijo ⁸⁹, P. Urrejola ⁸⁴, G. Usai ⁸, A. Usanova ⁶³, L. Vacavant ⁸⁶, V. Vacek ¹²⁸, B. Vachon ⁸⁸, C. Valderanis ⁸⁴, E. Valdes Santurio ^{146a,146b}, N. Valencic ¹⁰⁷, S. Valentini ^{21a,21b}, A. Valero ¹⁶⁶, L. Valery ¹², S. Valkar ¹²⁹, S. Vallecorsa ⁵⁰, J.A. Valls Ferrer ¹⁶⁶, W. Van Den Wollenberg ¹⁰⁷, P.C. Van Der Deijl ¹⁰⁷, R. van der Geer ¹⁰⁷, H. van der Graaf ¹⁰⁷, N. van Eldik ¹⁵², P. van Gemmeren ⁶, J. Van Nieuwkoop ¹⁴², I. van Vulpen ¹⁰⁷, M.C. van Woerden ³¹, M. Vanadia ^{132a,132b}, W. Vandelli ³¹, R. Vanguri ¹²², A. Vaniachine ⁶, P. Vankov ¹⁰⁷, G. Vardanyan ¹⁷⁶, R. Vari ^{132a}, E.W. Varnes ⁷, T. Varol ⁴¹, D. Varouchas ⁸¹, A. Vartapetian ⁸, K.E. Varvell ¹⁵⁰, F. Vazeille ³⁵, T. Vazquez Schroeder ⁸⁸, J. Veatch ⁷, L.M. Veloce ¹⁵⁸, F. Veloso ^{126a,126c}, S. Veneziano ^{132a}, A. Ventura ^{74a,74b}, M. Venturi ¹⁶⁸, N. Venturi ¹⁵⁸, A. Venturini ²⁴, V. Vercesi ^{121a}, M. Verducci ^{132a,132b}, W. Verkerke ¹⁰⁷, J.C. Vermeulen ¹⁰⁷, A. Vest ^{45,am}, M.C. Vetterli ^{142,d}, O. Viazlo ⁸², I. Vichou ¹⁶⁵, T. Vickey ¹³⁹, O.E. Vickey Boeriu ¹³⁹, G.H.A. Viehhauser ¹²⁰, S. Viel ¹⁵, R. Vigne ⁶³, M. Villa ^{21a,21b}, M. Villaplana Perez ^{92a,92b}, E. Vilucchi ⁴⁸, M.G. Vincter ³⁰, V.B. Vinogradov ⁶⁶, C. Vittori ^{21a,21b}, I. Vivarelli ¹⁴⁹, S. Vlachos ¹⁰, M. Vlasak ¹²⁸, M. Vogel ¹⁷⁴, P. Vokac ¹²⁸, G. Volpi ^{124a,124b}, M. Volpi ⁸⁹, H. von der Schmitt ¹⁰¹, E. von Toerne ²², V. Vorobel ¹²⁹, K. Vorobev ⁹⁸, M. Vos ¹⁶⁶, R. Voss ³¹, J.H. Vossebeld ⁷⁵, N. Vranjes ¹³, M. Vranjes Milosavljevic ¹³, V. Vrba ¹²⁷, M. Vreeswijk ¹⁰⁷, R. Vuillermet ³¹, I. Vukotic ³², Z. Vykydal ¹²⁸, P. Wagner ²², W. Wagner ¹⁷⁴, H. Wahlberg ⁷², S. Wahr mund ⁴⁵, J. Wakabayashi ¹⁰³, J. Walder ⁷³, R. Walker ¹⁰⁰, W. Walkowiak ¹⁴¹, V. Wallangen ^{146a,146b}, C. Wang ¹⁵¹, C. Wang ^{34d,86}, F. Wang ¹⁷², H. Wang ¹⁵, H. Wang ⁴¹, J. Wang ⁴³, J. Wang ¹⁵⁰, K. Wang ⁸⁸, R. Wang ⁶, S.M. Wang ¹⁵¹, T. Wang ²², T. Wang ³⁶, X. Wang ¹⁷⁵, C. Wanotayaroj ¹¹⁶, A. Warburton ⁸⁸, C.P. Ward ²⁹, D.R. Wardrope ⁷⁹, A. Washbrook ⁴⁷, P.M. Watkins ¹⁸, A.T. Watson ¹⁸, I.J. Watson ¹⁵⁰, M.F. Watson ¹⁸, G. Watts ¹³⁸, S. Watts ⁸⁵, B.M. Waugh ⁷⁹, S. Webb ⁸⁴, M.S. Weber ¹⁷, S.W. Weber ¹⁷³, J.S. Webster ⁶, A.R. Weidberg ¹²⁰, B. Weinert ⁶², J. Weingarten ⁵⁵, C. Weiser ⁴⁹, H. Weits ¹⁰⁷, P.S. Wells ³¹, T. Wenaus ²⁶, T. Wengler ³¹, S. Wenig ³¹, N. Wermes ²², M. Werner ⁴⁹, P. Werner ³¹, M. Wessels ^{59a}, J. Wetter ¹⁶¹, K. Whalen ¹¹⁶, N.L. Whallon ¹³⁸, A.M. Wharton ⁷³, A. White ⁸, M.J. White ¹, R. White ^{33b}, S. White ^{124a,124b}, D. Whiteson ¹⁶², F.J. Wickens ¹³¹, W. Wiedenmann ¹⁷², M. Wielers ¹³¹, P. Wienemann ²², C. Wiglesworth ³⁷, L.A.M. Wiik-Fuchs ²², A. Wildauer ¹⁰¹, H.G. Wilkens ³¹, H.H. Williams ¹²², S. Williams ¹⁰⁷, C. Willis ⁹¹, S. Willocq ⁸⁷, J.A. Wilson ¹⁸, I. Wingerter-Seez ⁵, F. Winklmeier ¹¹⁶, O.J. Winston ¹⁴⁹, B.T. Winter ²², M. Wittgen ¹⁴³, J. Wittkowski ¹⁰⁰, S.J. Wollstadt ⁸⁴, M.W. Wolter ⁴⁰, H. Wolters ^{126a,126c}, B.K. Wosiek ⁴⁰, J. Wotschack ³¹, M.J. Woudstra ⁸⁵, K.W. Wozniak ⁴⁰, M. Wu ⁵⁶, M. Wu ³², S.L. Wu ¹⁷², X. Wu ⁵⁰, Y. Wu ⁹⁰, T.R. Wyatt ⁸⁵, B.M. Wynne ⁴⁷, S. Xella ³⁷, D. Xu ^{34a}, L. Xu ²⁶, B. Yabsley ¹⁵⁰, S. Yacoob ^{145a}, R. Yakabe ⁶⁸,

D. Yamaguchi ¹⁵⁷, Y. Yamaguchi ¹¹⁸, A. Yamamoto ⁶⁷, S. Yamamoto ¹⁵⁵, T. Yamanaka ¹⁵⁵, K. Yamauchi ¹⁰³, Y. Yamazaki ⁶⁸, Z. Yan ²³, H. Yang ^{34e}, H. Yang ¹⁷², Y. Yang ¹⁵¹, Z. Yang ¹⁴, W-M. Yao ¹⁵, Y.C. Yap ⁸¹, Y. Yasu ⁶⁷, E. Yatsenko ⁵, K.H. Yau Wong ²², J. Ye ⁴¹, S. Ye ²⁶, I. Yeletskikh ⁶⁶, A.L. Yen ⁵⁸, E. Yildirim ⁴³, K. Yorita ¹⁷⁰, R. Yoshida ⁶, K. Yoshihara ¹²², C. Young ¹⁴³, C.J.S. Young ³¹, S. Youssef ²³, D.R. Yu ¹⁵, J. Yu ⁸, J.M. Yu ⁹⁰, J. Yu ⁶⁵, L. Yuan ⁶⁸, S.P.Y. Yuen ²², I. Yusuff ^{29,an}, B. Zabinski ⁴⁰, R. Zaidan ^{34d}, A.M. Zaitsev ^{130,ac}, N. Zakharchuk ⁴³, J. Zalieckas ¹⁴, A. Zaman ¹⁴⁸, S. Zambito ⁵⁸, L. Zanello ^{132a,132b}, D. Zanzi ⁸⁹, C. Zeitnitz ¹⁷⁴, M. Zeman ¹²⁸, A. Zemla ^{39a}, J.C. Zeng ¹⁶⁵, Q. Zeng ¹⁴³, K. Zengel ²⁴, O. Zenin ¹³⁰, T. Ženiš ^{144a}, D. Zerwas ¹¹⁷, D. Zhang ⁹⁰, F. Zhang ¹⁷², G. Zhang ^{34b,z}, H. Zhang ^{34c}, J. Zhang ⁶, L. Zhang ⁴⁹, R. Zhang ²², R. Zhang ^{34b,ao}, X. Zhang ^{34d}, Z. Zhang ¹¹⁷, X. Zhao ⁴¹, Y. Zhao ^{34d,117}, Z. Zhao ^{34b}, A. Zhemchugov ⁶⁶, J. Zhong ¹²⁰, B. Zhou ⁹⁰, C. Zhou ⁴⁶, L. Zhou ³⁶, L. Zhou ⁴¹, M. Zhou ¹⁴⁸, N. Zhou ^{34f}, C.G. Zhu ^{34d}, H. Zhu ^{34a}, J. Zhu ⁹⁰, Y. Zhu ^{34b}, X. Zhuang ^{34a}, K. Zhukov ⁹⁶, A. Zibell ¹⁷³, D. Ziemska ⁶², N.I. Zimine ⁶⁶, C. Zimmermann ⁸⁴, S. Zimmermann ⁴⁹, Z. Zinonos ⁵⁵, M. Zinser ⁸⁴, M. Ziolkowski ¹⁴¹, L. Živković ¹³, G. Zobernig ¹⁷², A. Zoccoli ^{21a,21b}, M. zur Nedden ¹⁶, G. Zurzolo ^{104a,104b}, L. Zwalski ³¹

¹ Department of Physics, University of Adelaide, Adelaide, Australia² Physics Department, SUNY Albany, Albany NY, United States³ Department of Physics, University of Alberta, Edmonton AB, Canada⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Istanbul Aydin University, Istanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States⁷ Department of Physics, University of Arizona, Tucson AZ, United States⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States⁹ Physics Department, University of Athens, Athens, Greece¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹² Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain¹³ Institute of Physics, University of Belgrade, Belgrade, Serbia¹⁴ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States¹⁶ Department of Physics, Humboldt University, Berlin, Germany¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom¹⁹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey; ^(e) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey²⁰ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia²¹ ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy²² Physikalisches Institut, University of Bonn, Bonn, Germany²³ Department of Physics, Boston University, Boston MA, United States²⁴ Department of Physics, Brandeis University, Waltham MA, United States²⁵ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil²⁶ Physics Department, Brookhaven National Laboratory, Upton NY, United States²⁷ ^(a) Transilvania University of Brasov, Brasov, Romania; ^(b) National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(d) University Politehnica Bucharest, Bucharest; ^(e) West University in Timisoara, Timisoara, Romania²⁸ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina²⁹ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom³⁰ Department of Physics, Carleton University, Ottawa ON, Canada³¹ CERN, Geneva, Switzerland³² Enrico Fermi Institute, University of Chicago, Chicago IL, United States³³ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile³⁴ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) School of Physics, Shandong University, Shandong; ^(e) Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai ^{ap}; ^(f) Physics Department, Tsinghua University, Beijing 100084, China³⁵ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France³⁶ Nevis Laboratory, Columbia University, Irvington NY, United States³⁷ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark³⁸ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy³⁹ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland⁴⁰ Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland⁴¹ Physics Department, Southern Methodist University, Dallas TX, United States⁴² Physics Department, University of Texas at Dallas, Richardson TX, United States⁴³ DESY, Hamburg and Zeuthen, Germany⁴⁴ Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany⁴⁵ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany⁴⁶ Department of Physics, Duke University, Durham NC, United States⁴⁷ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom⁴⁸ INFN Laboratori Nazionali di Frascati, Frascati, Italy⁴⁹ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany⁵⁰ Section de Physique, Université de Genève, Geneva, Switzerland⁵¹ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy⁵² ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia⁵³ II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

- ⁵⁴ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
⁵⁵ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
⁵⁶ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
⁵⁷ Department of Physics, Hampton University, Hampton VA, United States
⁵⁸ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States
⁵⁹ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
⁶⁰ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
⁶¹ ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, NT, Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
⁶² Department of Physics, Indiana University, Bloomington IN, United States
⁶³ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
⁶⁴ University of Iowa, Iowa City IA, United States
⁶⁵ Department of Physics and Astronomy, Iowa State University, Ames IA, United States
⁶⁶ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
⁶⁷ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
⁶⁸ Graduate School of Science, Kobe University, Kobe, Japan
⁶⁹ Faculty of Science, Kyoto University, Kyoto, Japan
⁷⁰ Kyoto University of Education, Kyoto, Japan
⁷¹ Department of Physics, Kyushu University, Fukuoka, Japan
⁷² Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷³ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷⁴ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷⁵ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁶ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
⁷⁷ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁷⁸ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁷⁹ Department of Physics and Astronomy, University College London, London, United Kingdom
⁸⁰ Louisiana Tech University, Ruston LA, United States
⁸¹ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁸² Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸³ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸⁴ Institut für Physik, Universität Mainz, Mainz, Germany
⁸⁵ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸⁶ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁷ Department of Physics, University of Massachusetts, Amherst MA, United States
⁸⁸ Department of Physics, McGill University, Montreal QC, Canada
⁸⁹ School of Physics, University of Melbourne, Victoria, Australia
⁹⁰ Department of Physics, The University of Michigan, Ann Arbor MI, United States
⁹¹ Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States
⁹² ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹³ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹⁴ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
⁹⁵ Group of Particle Physics, University of Montreal, Montreal QC, Canada
⁹⁶ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
⁹⁷ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁸ National Research Nuclear University MEPhI, Moscow, Russia
⁹⁹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
¹⁰⁰ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
¹⁰¹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰² Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰³ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰⁴ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
¹⁰⁵ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States
¹⁰⁶ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁷ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁸ Department of Physics, Northern Illinois University, DeKalb IL, United States
¹⁰⁹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹¹⁰ Department of Physics, New York University, New York NY, United States
¹¹¹ Ohio State University, Columbus OH, United States
¹¹² Faculty of Science, Okayama University, Okayama, Japan
¹¹³ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States
¹¹⁴ Department of Physics, Oklahoma State University, Stillwater OK, United States
¹¹⁵ Palacký University, RCPMT, Olomouc, Czech Republic
¹¹⁶ Center for High Energy Physics, University of Oregon, Eugene OR, United States
¹¹⁷ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
¹¹⁸ Graduate School of Science, Osaka University, Osaka, Japan
¹¹⁹ Department of Physics, University of Oslo, Oslo, Norway
¹²⁰ Department of Physics, Oxford University, Oxford, United Kingdom
¹²¹ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²² Department of Physics, University of Pennsylvania, Philadelphia PA, United States
¹²³ National Research Centre "Kurchatov Institute", B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
¹²⁴ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²⁵ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States
¹²⁶ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
¹²⁷ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹²⁸ Czech Technical University in Prague, Praha, Czech Republic

- 129 Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
 130 State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
 131 Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
 132 (a) INFN Sezione di Roma; (b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
 133 (a) INFN Sezione di Roma Tor Vergata; (b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
 134 (a) INFN Sezione di Roma Tre; (b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
 135 (a) Faculté des Sciences Aïn Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; (b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; (e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
 136 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
 137 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States
 138 Department of Physics, University of Washington, Seattle WA, United States
 139 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
 140 Department of Physics, Shinshu University, Nagano, Japan
 141 Fachbereich Physik, Universität Siegen, Siegen, Germany
 142 Department of Physics, Simon Fraser University, Burnaby BC, Canada
 143 SLAC National Accelerator Laboratory, Stanford CA, United States
 144 (a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
 145 (a) Department of Physics, University of Cape Town, Cape Town; (b) Department of Physics, University of Johannesburg, Johannesburg; (c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
 146 (a) Department of Physics, Stockholm University; (b) The Oskar Klein Centre, Stockholm, Sweden
 147 Physics Department, Royal Institute of Technology, Stockholm, Sweden
 148 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States
 149 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
 150 School of Physics, University of Sydney, Sydney, Australia
 151 Institute of Physics, Academia Sinica, Taipei, Taiwan
 152 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
 153 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
 154 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
 155 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
 156 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
 157 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
 158 Department of Physics, University of Toronto, Toronto ON, Canada
 159 (a) TRIUMF, Vancouver BC; (b) Department of Physics and Astronomy, York University, Toronto ON, Canada
 160 Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
 161 Department of Physics and Astronomy, Tufts University, Medford MA, United States
 162 Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States
 163 (a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (b) ICTP, Trieste; (c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
 164 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
 165 Department of Physics, University of Illinois, Urbana IL, United States
 166 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
 167 Department of Physics, University of British Columbia, Vancouver BC, Canada
 168 Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
 169 Department of Physics, University of Warwick, Coventry, United Kingdom
 170 Waseda University, Tokyo, Japan
 171 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
 172 Department of Physics, University of Wisconsin, Madison WI, United States
 173 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
 174 Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
 175 Department of Physics, Yale University, New Haven CT, United States
 176 Yerevan Physics Institute, Yerevan, Armenia
 177 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Department of Physics, King's College London, London, United Kingdom.

^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

^c Also at Novosibirsk State University, Novosibirsk, Russia.

^d Also at TRIUMF, Vancouver, BC, Canada.

^e Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States.

^f Also at Department of Physics, California State University, Fresno, CA, United States.

^g Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.

^h Also at Departament de Fisica de la Universitat Autònoma de Barcelona, Barcelona, Spain.

ⁱ Also at Departamento de Física e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal.

^j Also at Tomsk State University, Tomsk, Russia.

^k Also at Universita di Napoli Parthenope, Napoli, Italy.

^l Also at Institute of Particle Physics (IPP), Canada.

^m Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.

ⁿ Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.

^o Also at Louisiana Tech University, Ruston, LA, United States.

^p Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

^q Also at Graduate School of Science, Osaka University, Osaka, Japan.

^r Also at Department of Physics, National Tsing Hua University, Taiwan.

^s Also at Department of Physics, The University of Texas at Austin, Austin, TX, United States.

^t Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.

^u Also at CERN, Geneva, Switzerland.

^v Also at Georgian Technical University (GTU), Tbilisi, Georgia.

- ^w Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.
^x Also at Manhattan College, New York, NY, United States.
^y Also at Hellenic Open University, Patras, Greece.
^z Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
^{aa} Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.
^{ab} Also at School of Physics, Shandong University, Shandong, China.
^{ac} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
^{ad} Also at Section de Physique, Université de Genève, Geneva, Switzerland.
^{ae} Also at International School for Advanced Studies (SISSA), Trieste, Italy.
^{af} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.
^{ag} Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.
^{ah} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.
^{ai} Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.
^{aj} Also at National Research Nuclear University MEPhI, Moscow, Russia.
^{ak} Also at Department of Physics, Stanford University, Stanford, CA, United States.
^{al} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
^{am} Also at Flensburg University of Applied Sciences, Flensburg, Germany.
^{an} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
^{ao} Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
^{ap} Also affiliated with PKU-CHEP.
- * Deceased.