



Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in pp collisions with the ATLAS detector at $\sqrt{s} = 13$ TeV

The ATLAS Collaboration *



ARTICLE INFO

Article history:

Received 30 April 2019

Received in revised form 4 August 2019

Accepted 22 August 2019

Available online 18 September 2019

Editor: M. Doser

ABSTRACT

A search for a right-handed gauge boson W_R , decaying into a boosted right-handed heavy neutrino N_R , in the framework of Left-Right Symmetric Models is presented. It is based on data from proton–proton collisions with a centre-of-mass energy of 13 TeV collected by the ATLAS detector at the Large Hadron Collider during the years 2015, 2016 and 2017, corresponding to an integrated luminosity of 80 fb^{-1} . The search is performed separately for electrons and muons in the final state. A distinguishing feature of the search is the use of large-radius jets containing electrons. Selections based on the signal topology result in smaller background compared to the expected signal. No significant deviation from the Standard Model prediction is observed and lower limits are set in the W_R and N_R mass plane. Mass values of the W_R smaller than 3.8–5 TeV are excluded for N_R in the mass range 0.1–1.8 TeV.

© 2019 The Author. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

Over the past decades, there have been several important developments at the theoretical and experimental frontiers to address the question of neutrino mass generation, which is not explained in the Standard Model (SM) of particle interactions. A widely adopted approach to explain small neutrino masses is the so-called seesaw mechanism [1], where the light neutrinos acquire their Majorana masses from dimension-5 operators through electroweak symmetry breaking. The simplest seesaw mechanism can be categorised into a few different classes, such as the Type-I [2–4], Type-II [5–7] and Type-III [5,8] seesaw scenarios. Type-I and Type-II models can further be embedded into a Left-Right Symmetric Model (LRSM) [9–11]. The LRSM contains SM-singlet heavy neutrinos N_R , which are introduced as the parity gauge partners of the corresponding left-handed neutrino fields, and a right-handed gauge boson W_R .

The LRSM framework provides a natural set-up for the seesaw mechanism and offers several features including parity symmetry at high energy, mass generation of the light and heavy neutrinos, explanation of parity violation in the SM and existence of the right-handed charged current. This model can naturally explain the small neutrino masses through the Type-I seesaw via the right-handed neutrinos, and the Type-II seesaw via SU(2)-triplet scalars. Both the Type-I and Type-II contributions can coexist. In the LRSM,

left-handed neutrinos (SM neutrinos) as well as the right-handed neutrinos are considered to be Majorana particles (i.e. to be their own antiparticles). The LRSM thus features violation of the global lepton number symmetry of the SM. Hence, the model can be tested by observing lepton-number-violating processes, such as the Keung–Senjanović process [12], shown in Fig. 1.

Searches by the ATLAS [13,14] and CMS [15–19] collaborations for signatures of LRSMs have considered the final state containing two charged leptons and two jets and have excluded regions of the (m_{W_R}, m_{N_R}) parameter space for m_{W_R} and m_{N_R} up to several TeV, where m_{N_R} and m_{W_R} denote the masses of N_R and W_R , respectively.

This search is focused on the regime where the W_R is very heavy compared with the N_R ($m_{N_R}/m_{W_R} \leq 0.1$), and investigates an alternative signature for $W_R \rightarrow N_R \ell$ decays, following Ref. [20]. The probed mass regime enables exploration of a parameter space complementary to the one used in previous searches that reconstruct the N_R decay into a charged lepton and two jets, later referred to as the “resolved topology”. In the probed mass regime, the heavy neutrinos are produced with large transverse momentum (i.e. are highly boosted) and their decay products are very collimated. Therefore a large-radius jet (large- R jet) can be used to reconstruct all or part of the N_R . Since jet construction in ATLAS includes the energy deposition of electrons in the calorimeters but no muons, the analysis strategy is different for the two cases. In the electron channel, the electron energy deposit is included in the constructed large- R jet originating from the decay of the N_R , and the large- R jet can be considered as a proxy for the N_R . In

* E-mail address: atlas.publications@cern.ch.




Fig. 1. Diagram of the W_R decay via N_R into charged leptons and quarks. The leptons need to be of the same flavour, but can be the same or opposite charges. The dashed purple lines indicate that the N_R decay products can be inside a large- R jet.

the muon channel, the four-momentum of the muon is added to the large- R jet to obtain the N_R four-momentum. The search is restricted to the scenarios where both leptons have the same flavour. No constraint on their charge is enforced, because of the higher probability of charge misidentification for high- p_T electrons.

The results obtained in this search are also applicable to other variations of the LRSM that contain a right-handed gauge boson and neutral leptons, such as inverse seesaw models [21]. Additionally, this search is also applicable to R-parity-violating supersymmetry [22,23], where a selectron is resonantly produced and subsequently decays into an electron and a neutralino, and the latter decays to a lepton and quarks through a non-zero λ' coupling. When the neutralino is boosted, its decay products can be reconstructed as a single large- R jet [24], analogous to the final state probed in this analysis.

2. ATLAS detector

The ATLAS detector [25] at the Large Hadron Collider (LHC) is a multipurpose particle detector with a forward–backward symmetric cylindrical geometry and a near 4π coverage in solid angle.¹ It consists of an inner tracking detector (ID) surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic (EM) and hadronic calorimeters, and a muon spectrometer (MS). The ID consists of silicon pixel, silicon microstrip, and straw-tube transition-radiation tracking detectors, covering the pseudorapidity range $|\eta| < 2.5$. The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Electromagnetic calorimetry is provided by barrel and endcap high-granularity lead and liquid-argon (LAr) sampling calorimeters, within the region $|\eta| < 3.2$. There is an additional thin LAr presampler covering $|\eta| < 1.8$, to correct for energy loss in material upstream of the calorimeters.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln(\tan(\theta/2))$. The angular separation between two objects is defined as $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$, where $\Delta\eta$ and $\Delta\phi$ are the separations in η and ϕ . The rapidity is defined as $y = \frac{1}{2} \ln \frac{E+p_z}{E-p_z}$, where E is the energy and p_z is the longitudinal component of the momentum along the beam pipe. The angular separation between two objects in terms of rapidity is defined as $\Delta R_y \equiv \sqrt{(\Delta y)^2 + (\Delta\phi)^2}$, where Δy and $\Delta\phi$ are the separations in y and ϕ . Momentum in the transverse plane is denoted by p_T .

For $|\eta| < 2.5$, the LAr calorimeters are divided into three layers in depth. Hadronic calorimetry is provided by a steel/scintillator-tile calorimeter, segmented into three barrel structures within $|\eta| < 1.7$, and two copper/LAr hadronic endcap calorimeters, which cover the region $1.5 < |\eta| < 3.2$. The forward solid angle up to $|\eta| = 4.9$ is covered by copper/LAr and tungsten/LAr calorimeter modules, which are optimised for energy measurements of electrons/photons and hadrons, respectively. The muon spectrometer is the outermost layer of the detector, and is designed to measure muons up to $|\eta|$ of 2.7. It comprises separate trigger and high-precision tracking chambers that measure the deflection of muons in a magnetic field generated by superconducting air-core toroids. The muon trigger chambers cover up to $|\eta|$ of 2.4.

The ATLAS detector selects events using a tiered trigger system [26]. The first level is implemented in custom electronics and reduces the event rate from the bunch-crossing frequency of 40 MHz to a design value of 100 kHz. The second level is implemented in software, running on a general-purpose processor farm which processes the events and reduces the rate of recorded events to about 1 kHz.

3. Data and simulation samples

This analysis uses proton–proton (pp) collision data at a centre-of-mass energy $\sqrt{s} = 13$ TeV collected in 2015, 2016 and 2017 that satisfy a number of data-quality criteria. The amount of data used in this analysis corresponds to an integrated luminosity of 80 fb^{-1} .

Simulated signal and background events are used to optimise the event selection, to validate the performance of large- R jets containing an electron, evaluate the $Z+jets$ background contribution, and calculate signal yields and their systematic uncertainties. Signal events were simulated at leading order (LO) in QCD using MG5_aMC@NLO 2.2.2 [27], with PYTHIA 8.186 [28] using the NNPDF23LO [29] parton distribution function (PDF) set and the A14 set of tuned parameters (tune) [30] for parton showering and hadronisation. A version of a LRSM model produced with FeynRules [31] was implemented [32] in MG5_aMC@NLO and further modified by the authors of Refs. [33,34]. This model assumes the equivalence of left and right-handed weak gauge couplings, universality of all the right-handed quarks and right-handed leptons, and the same masses for all three flavours of heavy right-handed neutrinos. Events were generated without constraints on the charge of leptons, in line with the production of Majorana neutrinos. Signal samples were generated for different m_{W_R} and m_{N_R} hypotheses, covering the range of 3–6 TeV for m_{W_R} and 150–600 GeV for m_{N_R} . The production cross-sections are scaled to next-to-leading order (NLO) in QCD following Ref. [35].

The background processes considered are top-quark pairs ($t\bar{t}$), $Z/W+jets$, single top-quark, diboson and multijet production. Table 1 summarises the generator configurations used to produce the samples. The $t\bar{t}$ sample cross-sections are scaled to next-to-next-to-leading order (NNLO) in perturbative QCD, including soft-gluon resummation to next-to-next-to-leading-log (NNLL) accuracy [36], assuming a top-quark mass $m_t = 172.5$ GeV [37]. The resummation damping parameter, h_{damp} in the PowHEG model, which controls the matching of matrix elements to parton showers and regulates the high- p_T radiation, was set to $1.5m_t$. The single-top-quark and $W/Z+jets$ samples are scaled to the NNLO theoretical cross-sections [38–41].

The MC samples were processed through the full ATLAS detector simulation [50] based on GEANT4 [51], or a faster simulation [52] based on a parameterisation of the calorimeter response and GEANT4 for the other detector systems, and reconstructed and analysed using the same procedure and software as used for the data. The signal modelling is found to be consistent between the

Table 1

Main features of the Monte Carlo models used to simulate background samples. Top quark refers to both the $t\bar{t}$ and single-top processes. ME and PS refer to matrix element and parton shower, while leading order (LO) and next-to-leading order (NLO) indicate the accuracy of the generators in perturbative QCD (pQCD). For Powheg + Pythia8, different PDF sets were used in ME and PS.

Process	Top quark	W + jets	Z + jets	Diboson	Multijet
Generator	Powheg [42–45] + Pythia8	Powheg + Pythia8	Sherpa [46]	Pythia8	
ME order in pQCD	NLO	NLO	NLO	LO	
Version	v2, 8.186	v2, 8.186	2.2.1	8.186	
PDF (ME, PS)	NNPDF30NLO [47], NNPDF23LO	CT10 [48], CTEQ6L1	NNPDF30NNLO	NNPDF23LO	
PS tune	A14	AZNLO [49]	Default	A14	

full and the fast simulation, after application of dedicated calibration procedures. To simulate the effects of additional collisions in the same and neighbouring bunch crossings (pile-up), additional minimum-bias events generated using Pythia8 with the A3 tune [53] and MSTW2008 [54] PDF set were overlaid onto the signal and background simulated events, with a distribution of the number of collisions matching that of the data. To account for the differences in particle reconstruction, trigger, identification and isolation efficiencies between simulation and data, correction factors are derived in dedicated measurements and applied to the simulated events.

4. Event selection and characterisation

The event selection is designed to select signal events, while rejecting background events, based on the signal topology. The events are selected if they contain exactly two same-flavour leptons (with no charge requirement) and at least one trimmed large- R jet [55] with large transverse momentum $p_T > 200$ GeV. The highest- p_T (leading) lepton should be back-to-back in azimuth with the large- R jet, while other (subleading) lepton should be contained in the large- R jet. In Fig. 2, the reconstructed p_T distributions of the leading and subleading lepton, as well as of the selected large- R jet, and the candidate N_R mass are shown for four representative signal samples. The leading electron and the large- R jet are balanced in p_T , with the maxima at roughly half of the corresponding m_{W_R} values. The leading muon p_T shows the same characteristic, but the p_T of the large- R jet is lower and has a broader distribution, as it does not contain the energy from the subleading muon, and the muon p_T resolution for high- p_T muons is worse. The reconstructed mass of the N_R in each case is consistent with the expected value. The natural width of the resonance varies with the mass and is 100 GeV for $m_{W_R} = 3$ TeV. At this mass the width of the reconstructed mass peak is about 150 GeV in the electron channel, and about 350 GeV in the muon channel.

The detailed selection criteria are listed in Table 2 and further discussed below. Events with electrons and muons are analysed separately. The leading lepton is required to pass a single-lepton trigger. For data collected in 2015, the lowest p_T trigger threshold is 24 GeV and 20 GeV for single-electron and single-muon triggers, respectively. For 2016 and 2017 data, the threshold is 26 GeV for both.

Electron candidates are reconstructed from an isolated energy deposit in the electromagnetic calorimeter matched to an ID track, within the fiducial region of transverse energy $p_T > 26$ GeV and $|\eta| < 2.47$. Candidates within the transition region between the barrel and endcap electromagnetic calorimeters, $1.37 < |\eta| < 1.52$, are excluded. Muon candidates are reconstructed by combining tracks found in the ID with tracks found in the muon spectrometer and are required to satisfy $p_T > 28$ GeV and $|\eta| < 2.5$. Electrons and muons are required to be isolated using criteria based on tracks and calorimeter energy deposits. For track-based isolation, the discriminating variable is the scalar sum of the p_T of tracks

coming from the primary vertex ² in a variable-size cone around the lepton direction (excluding the track identified as the lepton), with the cone size given by the maximum of $\Delta R = 10$ GeV/ p_T^ℓ and R_0 , where p_T^ℓ is the p_T of the lepton, and R_0 is a constant, set to 0.2 for electrons, and 0.3 for muons. For calorimeter-based isolation, the discriminating variable is the sum of the transverse energies of topological clusters [56] around the lepton in a cone of size $\Delta R = 0.2$.

The inputs to the jet construction are noise-suppressed three-dimensional topological clusters of energy deposits in the calorimeters, built from calorimeter cells [56]. They are classified as either electromagnetic or hadronic, based on their shape, depth and energy density. The energy clusters are calibrated to the hadronic scale. The momenta of the jets are corrected for energy losses in passive material and for the non-compensating response of the calorimeter [57]. The large- R jets are constructed with the anti- k_t algorithm [58] with a radius parameter of $R = 1.0$, through its implementation in FastJet [59]. They are further trimmed [55] to reduce the contamination from soft uncorrelated radiation. In this method, the original constituents of the jets are reclustered using the k_t algorithm [60] with a radius parameter $R_{\text{sub}} = 0.2$ in order to produce a collection of subjets. These subjets are discarded if they carry less than a specific fraction ($f_{\text{cut}} = 5\%$) of the p_T of the original jet. The remaining constituents are summed to form the four-momentum of the final jet.

In the electron channel, the large- R jets are required to have a mass of at least 50 GeV, while no such requirement is applied in the muon channel. This is because in the former case, the large- R jet includes the electron, while in the muon channel, the muon is not included in the large- R jet.

Small-radius jets constructed with the anti- k_t algorithm using energy clusters calibrated to the electromagnetic scale with a radius parameter of $R = 0.4$ are used to check for possible overlap between objects, and to perform b -tagging (described in Section 5). In the muon channel, the event is discarded if either muon satisfies $\Delta R_y(\mu, \text{jet}) < \min(0.4, 0.04 + 10 \text{ GeV}/p_T^\mu)$, in order to avoid jets formed from energy deposits associated to high energy muons. In the electron channel, for the leading electron, first all small-radius jets within $\Delta R_y = 0.2$ of a selected electron are removed. Then the event is discarded if the leading electron is within $\Delta R_y = 0.4$ of a remaining small-radius jet. This is referred to as the nominal overlap removal procedure for electrons. A modified procedure, described in Section 5, is applied for the subleading electron as, unlike muons, electron clusters can overlap with a jet and the signal efficiency drops off if the standard overlap removal approach is followed.

Further requirements based on the characteristics of the signal are applied:

² Collision vertices are formed from tracks with $p_T > 400$ MeV. If an event contains more than one vertex candidate, the one with the highest $\sum p_T^2$ of its associated tracks is selected as the primary vertex.




Fig. 2. Reconstructed distributions of the transverse momentum of the leading lepton, subleading lepton, the selected large- R jet, and the N_R candidate mass in electron (left column) and muon (right column) channels for four representative signal samples in the signal region. The indices 1 and 2 indicate leading and subleading lepton, respectively.

Table 2

Object selection criteria. The significance of the transverse impact parameter is defined as the transverse impact parameter d_0 divided by its uncertainty, σ_{d_0} , of tracks relative to the primary vertex with the highest sum of track p_T . The longitudinal impact parameter z_0 is multiplied by $\sin\theta$, where θ is the polar angle of the track.

	Electron channel	Muon channel
Lepton:		
p_T	>26 GeV	>28 GeV
$ \eta $	$ \eta < 1.37$ or $1.52 < \eta < 2.47$	< 2.5
Leading lepton quality	Medium [61], isolated [61]	Medium [62], isolated [62]
Subleading lepton quality	Medium, no isolation	Medium, no isolation
Transverse impact parameter significance	$ d_0 /\sigma_{d_0} < 5.0$	$ d_0 /\sigma_{d_0} < 3.0$
Longitudinal impact parameter	$ z_0 \sin\theta < 0.5$ mm	
Trimmed large-R jet:		
p_T	>200 GeV	
$ \eta $	<2.0	
Mass	> 50 GeV	None

- ΔR_y between the subleading lepton and the large- R jet is required to be less than 1, in order for the lepton to be inside the jet.
- $\Delta\phi$ between the leading lepton and the large- R jet is required to be greater than 2, in order to have a balanced topology between the N_R and the lepton from the W_R decay.
- In order to reduce the $Z+jets$ background, events with a dilepton invariant mass of less than 200 GeV are vetoed, and the $\Delta\phi$ between the leading and subleading leptons is required to be greater than 1.5.

After applying these requirements, simulation studies show that the background consists mainly of $t\bar{t}$ and $Z+jets$ processes (including off-shell Z/γ^* production), while contributions from $W+jets$, single-top-quark and multijet processes are negligible. No requirements on b -tagged jets are applied, as the W_R in the signal can decay to a top and bottom quark pair.

The final discriminating observable used in the analysis is the reconstructed mass of the W_R candidate, $m_{W_R}^{\text{reco}}$. In the electron channel, the selected large- R jet corresponds to the N_R candidate, and therefore the W_R candidate four-momentum is obtained by adding the large- R jet and the leading electron four-momenta. In the muon channel, the N_R candidate four-momentum is obtained by adding the four-momentum of the selected large- R jet to that of the muon contained in the jet. The W_R candidate four-momentum is obtained by adding the N_R candidate four-momentum to that of the leading muon. In both cases, if there is more than one large- R jet in the event, the large- R jet with the largest mass is used.

Based on the range of $m_{W_R}^{\text{reco}}$, control and signal regions (CR, SR) are defined as specified in Table 3. The CR is defined in a region of low reconstructed $m_{W_R}^{\text{reco}}$ corresponding to a parameter space excluded by previous searches [14]. The background in the SR is evaluated from a combined fit of MC and data events in the CR (described in Section 6). To test the performance of large- R jets containing electrons, a validation region (VR) is defined with a selection orthogonal to the CR and the SR. This requires a muon balanced in p_T by a large- R jet with an electron inside. By construction, the VR is dominated by $t\bar{t}$ events decaying dileptonically to $e\mu$ final states.

In Fig. 3, good agreement is observed between data and simulation in the $m_{W_R}^{\text{reco}}$ distributions in the control regions of the electron and muon channels, as well as in the validation region. In the bottom-right plot, the selection efficiency times acceptance is shown for different signal samples. The efficiency decreases for lower m_{N_R} and higher m_{W_R} values. The largest inefficiency arises from the difficulty of electron reconstruction close to hadronic activity, which is discussed in the next section. The probability of producing an off-shell W_R increases with the mass. This can result

Table 3

Definition of signal, control and validation regions.

Region	Range of $m_{W_R}^{\text{reco}}$	Lepton flavour
Signal region (SR)	> 2 TeV	Same flavour
Control region (CR)	< 2 TeV	Same flavour
Validation region (VR)	All	Mixed flavour (leading: muon; subleading: electron)

in a less boosted N_R , explaining the drop in signal efficiency for higher m_{W_R} values.

5. Performance of large- R jets containing electrons

A distinguishing feature of this search is the use of large- R jets containing electrons as a proxy for N_R in the electron channel. Since the large- R jet construction procedure is based on energy clusters calibrated at the hadronic scale, the effect of a non-negligible fraction of EM clusters in the large- R jet needs to be investigated. The analysis does not use the kinematic properties of the identified electron inside the large- R jets to reconstruct the N_R or W_R invariant masses, but uses the mass of the large- R jet, which includes the associated electron clusters. The presence of real hadronic activity close to an electron may affect the reconstruction of the electron.

The jet mass and energy scales, JMS and JES, defined as the average of the ratio of the mass or energy of the reconstructed and corresponding generator-level large- R jets, are used to study the effect of including the large EM-cluster of the electron in the jet reconstruction. The matching between detector-level and generator-level large- R jets is performed with $\Delta R_y < 0.75$. The generator-level jet is obtained by clustering stable final-state particles (with lifetime greater than 30 ps) except muons and neutrinos using the same jet algorithm, radius parameter and trimming used at the detector-level. The JMS and JES of the selected large- R jets for a few representative signal samples are shown in Fig. 4 as a function of the ratio of the energy of the electron to the energy of the large- R jet. This ratio can be considered a proxy for the electromagnetic energy fraction in the large- R jet. Constant values of JES and JMS within a few percent of unity indicate that the large- R jet has only a weak dependence on the fraction of electromagnetic energy inside the jet, and thus no particular additional corrections are required for the signal large- R jets. Typical numbers for the large- R jet mass resolution (JMR) in signal events are about 4–6% in the electron channel and about 7–14% in the muon channel, while the large- R jet energy resolution (JER) is about 3–5% GeV in both channels. As opposed to the muon channel, in the electron channel the large- R jet does contain the electron as a compact and high energy deposit. This implies a more precise angular distribu-




Fig. 3. Distributions of the reconstructed mass of the W_R , in the electron (top left), muon (top right) channel control regions, in the validation region (bottom left), and the signal selection efficiency for a number of benchmark points (bottom right) using simulated signal samples. The $m_{W_R}^{\text{reco}}$ distributions only include statistical uncertainties, which are shown for both the data and simulation in the ratios.




Fig. 4. Large- R jet average JMS (left) and JES (right) as a function of subleading electron energy divided by the large- R jet energy for signal samples.

tion of the energies in the jet and thus a better JMR in the electron channel.

In signal events, as almost all selected large- R jets contain activity from both the W_R hadronic decay and the nearby electron, application of the nominal overlap removal procedure, as described in Section 4, for the subleading electron results in a large loss of signal efficiency. However, it is observed that removing events where the electron and the nearest jet are within $\Delta R_y < 0.04$ retains a sizeable fraction of the signal events and rejects a large fraction of the background events. The discarded events are dominated by the case where isolated electrons are reconstructed as jets.

A study is performed to check the validity of the electron efficiency correction factors, which account for potential differences in electron reconstruction, identification and isolation efficiency between data and simulation and are derived using well-isolated electrons [61]. A sample of $t\bar{t}$ events decaying into a mixed-flavour dileptonic final state is chosen. The leading lepton is chosen to be a muon with nominal isolation requirements, and the subleading lepton is chosen to be an electron with no isolation requirements. The rest of the selection is the same as the signal selection, except that the events are selected with at least one b -tagged small-radius jet. The b -tagging is based on a multivariate algorithm [63]. Several observables based on the long lifetime of b -hadrons and the




Fig. 5. Angular separation between the subleading electron and nearest small-radius jet (left) and transverse momentum distribution of the subleading electron (right) in events with a leading muon and subleading electron, requiring one b -tagged small-radius jet. The distributions only include statistical uncertainties, which are shown for both the data and simulation in the ratios.

b - to c -hadron decay topology, are used as algorithm input to discriminate between b -jets, c -jets and other jets. The b -tagging requirement corresponds to the 70% efficient working point for b -jets, as determined in simulated $t\bar{t}$ events, while the rejection rates of τ -jets, c -jets and light-flavour jets are 55, 12 and 381, respectively [64,65].

The large- R jet requirements are the same as in the nominal selection. Only the events in which the electrons and the nearest small-radius jet are within $0.04 < \Delta R_y < 0.4$ are studied. The distributions of electron p_T and ΔR_y between the electron and the small-radius jet show satisfactory agreement between data and simulation, as shown in Fig. 5. An additional uncertainty of 30% on the electron efficiency for electrons within $0.04 < \Delta R_y < 0.4$ is derived from the difference in yields between data and the simulation, statistical uncertainties as well as the theoretical and b -tagging uncertainties on the simulation.

6. Background estimation and systematic uncertainty

While the CR is dominated by $t\bar{t}$ events, the fraction of $Z+jets$ events becomes larger at higher masses as they have a less steeply falling mass distribution than $t\bar{t}$ events, as shown in Fig. 3. In order to take this into account in evaluating the background in the SR, which is located at higher masses, a data-driven approach is used to evaluate the $t\bar{t}$ contribution in conjunction with a fitted MC prediction of the $Z+jets$ background. The fit to the data in the CR is extrapolated to the SR.

Different steeply falling functions are tested, motivated by Refs. [66,67], where they are found to fit steeply falling distributions like the scalar sum of jet transverse momenta in multijet events or the dijet mass. It is observed that the functional form $A \exp(-Bu)/u^C$ describes the data distribution in the CR the best, while the functional form $A'(1-u)^{B'}(1+u)^{(C'u)}$ best describes the $Z+jets$ MC distribution. In both cases, $u = m_{W_R}^{\text{reco}}/\sqrt{s}$ and the choice of fit function is determined by the goodness of fit (based on the χ^2 per degree of freedom) as well as by the best agreement with the yields from the MC background estimate in the CR. First, the fit parameters A' , B' , and C' are determined from $Z+jets$ MC using a reconstructed $m_{W_R}^{\text{reco}}$ range of 400–4000 GeV, then the fit to data is performed using the function $A \exp(-Bu)/u^C + A'(1-u)^{B'}(1+u)^{(C'u)}$, to determine the values of the parameters A , B and C . This functional form is fitted in the CR range of 600–1800 GeV, where the range is chosen depending on the goodness of the fits. The slope of the background fit is steeper in the muon channel compared to the electron channel.

In the VR the fit performed for reconstructed W_R candidate masses 600–1800 GeV is extrapolated into the region > 2 TeV and the fit prediction is compared to the data yield finding consistency. In order to assess the systematic uncertainty related to the $t\bar{t}$ data-driven fit, variations of the data fit range are made, and the largest change in the SR yield obtained from these variations is taken as the uncertainty. The same is done for the $Z+jets$ MC fit, and the uncertainty is added in quadrature to the uncertainty derived from fitting alternative $Z+jets$ MC samples obtained after varying the scale (by factors of two and one half) and using alternative PDF sets [14]. This uncertainty is larger than the difference yield obtained using PowHEG + PYTHIA8. The relative uncertainty of the background yield in the SR is about 25% for both channels. Statistical uncertainties on the fits are estimated using pseudo-experiments built by varying the input data points within their statistical uncertainties. The resultant background fit, along with the estimated uncertainty is shown in Fig. 6.

7. Systematic uncertainties of the signal yield

Systematic uncertainties affect the shape and normalisation of the $m_{W_R}^{\text{reco}}$ distributions, thereby changing the signal yield. The dominant uncertainties in the SR are shown in Table 4. They can be classified as originating from experimental or theoretical sources.

The yields from simulated samples are affected by uncertainties related to the description of the detector response. The dominant uncertainty is related to the electron and muon identification, which is (4–20)% in the electron channel (including the additional 30% uncertainty for electrons reconstructed nearby a small-radius jet) and (4–8)% in the muon channel, depending on the values of m_{W_R} and m_{N_R} . The uncertainties related to the electron trigger, reconstruction, and isolation are (4–5)%. The uncertainties related to the muon trigger and isolation are about 1%. These uncertainties are assessed by comparing data and simulation samples of $Z \rightarrow \ell^+\ell^-$ decays [62,61]. The simulation is used to extrapolate to lepton p_T beyond a few hundred GeV. The other uncertainties such as those related to JES and JMS of the large- R jets are evaluated by comparing the ratio of calorimeter-based to track-based measurements in multijet events in data and simulation [68,69,57]. The uncertainties related to JMR and JER modelling are evaluated by increasing the nominal resolution by 20% [70] and 2% respectively. These uncertainties are at sub-percent level. The average number of interactions per bunch crossing is rescaled to improve the agreement of simulation with data, and the corresponding uncertainty, as large as the correction, has an effect of 0.5% in the




Fig. 6. Comparison of the $m_{W_R}^{\text{reco}}$ distribution between data and the fitted background prediction for the electron (left) and muon (right) channels. Two signal scenarios considered in this search are overlayed. The dashed brown lines at 2 TeV show the boundary between the CR and SR. The dashed black lines depict the uncertainty on the background fit. The solid black lines on the data points indicate the Poisson uncertainties. The significance, which indicates the deviation of data in each bin from the background fit, is computed as the difference between the observed data and fit values, divided by the square root of the observed data value.

Table 4

Relative systematic uncertainties of the signal yield in the signal region, in percentage for each source. The ranges indicate the different signal samples. The systematic uncertainties with sub-percent contributions are not shown.

Component	Electron channel (%)	Muon channel (%)
Lepton identification	4–20	4–8
Lepton isolation	4–5	1.0–1.5
Lepton reconstruction	4–5	1–4
Lepton trigger	4–5	0.5
Pile-up	<0.5	2–3
Luminosity	2	2
Theory	10	10

electron channel, and up to 3% in the muon channel, caused by the lack of a large- R jet mass threshold in the latter case. The uncertainty in the 2015, 2016 and 2017 integrated luminosity is 2%. It is derived from the calibration of the luminosity scale using x - y beam-separation scans, following a methodology similar to that detailed in Ref. [71], and using the LUCID-2 detector for the baseline luminosity measurements [72].

The theory uncertainty of the signal yield is evaluated by varying the renormalisation and factorisation scales by factors of 2 and 0.5, and using alternative PDF sets, CTEQ6L1 [73] and MSTW2008LO [54] via SysCalc [74]. The dominant effect on the yield comes from the scale variation. The total effect on the signal yield is at most 10%. The uncertainties on the background yield are described in Section 6.

8. Results

Fig. 6 shows the $m_{W_R}^{\text{reco}}$ distributions in the SR for the electron and muon channels. In order to search for the presence of a massive resonance, yields from simulated signal samples and the data-driven background estimate (corresponding to $m_{W_R}^{\text{reco}} > 2$ TeV) are fit to the data, separately in the electron and muon channels, using a single bin covering the entire SR. The integral of the background functional shape in the SR is used to evaluate the expected background, as shown in Table 5. The statistical analysis is based on a likelihood fit to data. The likelihood is constructed using a single-bin Poissonian counting-experiment approach based on the RootStats framework [75,76]. The uncertainties of the background yield are incorporated as Gaussian constraints in the likelihood itself in terms of a set of nuisance parameters.

The compatibility of the observed data with the background-only hypothesis is tested by fitting the data with the background

Table 5

Observed yields and expected background yields in the signal region. The significance and the p -values are shown for the background-only hypothesis. Expected yields from three representative signal samples are also shown.

	Electron channel	Muon channel
Signal ($m_{W_R} = 3$ TeV, $m_{N_R} = 150$ GeV)	346^{+48}_{-75}	411^{+36}_{-48}
Signal ($m_{W_R} = 3$ TeV, $m_{N_R} = 300$ GeV)	471^{+42}_{-69}	429^{+29}_{-40}
Signal ($m_{W_R} = 4$ TeV, $m_{N_R} = 400$ GeV)	66^{+6}_{-10}	57^{+4}_{-4}
Expected background	$2.8^{+0.5}_{-0.7}$	$1.9^{+0.5}_{-0.7}$
Observed events	8	4
Significance	2.4σ	1.2σ
p -value	0.0082	0.12

model to obtain the p -value. The significance of an excess can be quantified by the probability (p -value) that a background-only experiment is more signal-like than observed. The p -values are given in Table 5. In the electron channel, 8 events are observed, while the expected background is $2.8^{+0.5}_{-0.7}$ events. In the muon channel 4 events are observed, while the expected background is $1.9^{+0.5}_{-0.7}$ events. The observed significance corresponds to 2.4σ in the electron channel and 1.2σ in the muon channel.

Lower limits on the masses of N_R and W_R for each of the considered signal scenarios are determined by using the profiled likelihood test statistic [77] with the CL_s method [78,79]. The inputs to the limit calculations are the signal cross-sections and the signal efficiencies in the m_{W_R} – m_{N_R} grid. A linear interpolation between several benchmark samples in the m_{W_R} range 3–6 TeV and in the m_{N_R} range 0.1–1.8 TeV is performed. The results are shown in Fig. 7, separately for electron and muon channels. The CL_s is computed using pseudo-experiments. The data statistical uncertainty has a significantly larger impact on the limits than the systematic uncertainties. The leading systematic uncertainty is the background modelling uncertainty and, in the case of the W_R and N_R mass limits, the signal theory uncertainties or the electron identification uncertainty, depending on the signal mass values.

The excluded region extends to m_{W_R} of 4.8 TeV in the electron channel and to 5 TeV in the muon channel, for m_{N_R} of 0.4–0.5 TeV where the search is most sensitive. For m_{N_R} of 1.8 TeV the excluded m_{W_R} is 4 TeV in both channels. The limits in the electron channel are weaker compared to those in the muon channel for low m_{N_R} values, as the electron reconstruction and identification efficiency is lower for these W_R , N_R mass configurations. For higher m_{N_R} values, the worsening muon resolution and reconstruction efficiency result in weaker limits in the muon channel. The exclusion con-




Fig. 7. Observed (black solid line) and expected (red dashed line) 95% CL exclusion contours in the (m_{W_R}, m_{N_R}) plane, along with the $\pm 1\sigma$ and $\pm 2\sigma$ uncertainty bands (green and yellow) around the expected exclusion contour in the electron (left) and muon (right) channels. The exclusion limits in the resolved topology [14] are shown by the blue line.

tour for the resolved topology [14] is overlaid for both channels in Fig. 7, to indicate the complementarity of the present analysis, as lower values of m_{N_R} are excluded.

As the analysis is a single-bin Poissonian counting experiment, the limits on the cross-section are only sensitive to the efficiencies of each signal, and do not depend significantly on m_{W_R} and m_{N_R} . The observed limits on the number of selected signal events are 13.3 events for the electron channel and 8.1 for the muon channel. The corresponding expected limits are 5.4 events for the electron channel and 4.9 for the muon channel.

9. Summary

A search for a heavy right-handed W_R boson decaying into a boosted right-handed neutrino N_R is presented using 80 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data recorded by the ATLAS detector at the LHC. Both electron and muon final states are analysed for the decay into two same-flavour leptons, $W_R \rightarrow N_R \ell$, $N_R \rightarrow \ell + \text{jets}$. In the electron final state, the analysis makes use of a large- R jet containing an electron as a proxy for N_R , while in the muon channel, the muon four-momentum is added to the large- R jet four-momentum. The observed $m_{W_R}^{\text{reco}}$ spectrum is consistent with the background prediction and exclusion limits at 95% confidence level are set on the N_R masses as a function of the W_R masses. The excluded region extends to m_{W_R} of 4.8 TeV in the electron channel and to 5 TeV in the muon channel, for m_{N_R} of 0.4–0.5 TeV. The use of large- R jets results in a significant reduction of the background contribution. Due to the signal topology, and a higher integrated luminosity this result represents an increase of the exclusion limits in a complementary parameter space compared with previous results that reconstruct the W_R as two resolved jets.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO,

Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, Canarie, CRC and Compute Canada, Canada; COST, ERC, ERDF, Horizon 2020, and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristea programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and GIF, Israel; CERCA Programme Generalitat de Catalunya, Spain; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [80].

References

- [1] S. Weinberg, Baryon and lepton nonconserving processes, Phys. Rev. Lett. 43 (1979) 1566.
- [2] P. Minkowski, $\mu \rightarrow e\gamma$ at a rate of one out of 10^9 muon decays?, Phys. Lett. B 67 (1977) 421.
- [3] T. Yanagida, Horizontal symmetry and masses of neutrinos, Conf. Proc. C 7902131 (1979) 95.
- [4] M. Gell-Mann, P. Ramond, R. Slansky, Complex spinors and unified theories, Conf. Proc. C 790927 (1979) 315, arXiv:1306.4669 [hep-th].
- [5] M. Magg, C. Wetterich, Neutrino mass problem and gauge hierarchy, Phys. Lett. B 94 (1980) 61.
- [6] T.P. Cheng, L.-F. Li, Neutrino masses, mixings, and oscillations in $SU(2) \times U(1)$ models of electroweak interactions, Phys. Rev. D 22 (11) (1980) 2860.
- [7] R.N. Mohapatra, G. Senjanovic, Neutrino masses and mixings in gauge models with spontaneous parity violation, Phys. Rev. D 23 (1) (1981) 165.
- [8] R. Foot, H. Lew, X.G. He, G.C. Joshi, See-saw neutrino masses induced by a triplet of leptons, Z. Phys. C 44 (1989) 441.
- [9] J.C. Pati, A. Salam, Lepton number as the fourth color, Phys. Rev. D 10 (1974) 275, Erratum: Phys. Rev. D 11 (1975) 703.
- [10] R.N. Mohapatra, J.C. Pati, “Natural” left-right symmetry, Phys. Rev. D 11 (1975) 2558.
- [11] G. Senjanovic, R.N. Mohapatra, Exact left-right symmetry and spontaneous violation of parity, Phys. Rev. D 12 (1975) 1502.
- [12] W.-Y. Keung, G. Senjanovic, Majorana neutrinos and the production of the right-handed charged gauge boson, Phys. Rev. Lett. 50 (19) (1983) 1427.
- [13] ATLAS Collaboration, Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$, J. High Energy Phys. 07 (2015) 162, arXiv:1506.06020 [hep-ex].

- [14] ATLAS Collaboration, Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13$ TeV with the ATLAS detector, *J. High Energy Phys.* 01 (2019) 016, arXiv:1809.11105 [hep-ex].
- [15] CMS Collaboration, Search for heavy neutrinos and W bosons with right-handed couplings in proton-proton collisions at $\sqrt{s} = 8$ TeV, *Eur. Phys. J. C* 74 (2014) 3149, arXiv:1407.3683 [hep-ex].
- [16] CMS Collaboration, Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying t leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* 03 (2017) 077, arXiv: 1612.01190 [hep-ex].
- [17] CMS Collaboration, Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* 05 (2018) 148, arXiv:1803.11116 [hep-ex].
- [18] CMS Collaboration, Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* 01 (2019) 122, arXiv:1806.10905 [hep-ex].
- [19] CMS Collaboration, Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two τ leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* 03 (2019) 170, arXiv:1811.00806 [hep-ex].
- [20] M. Mitra, R. Ruiz, D.J. Scott, M. Spannowsky, Neutrino jets from high-mass W_R gauge bosons in TeV-scale left-right symmetric models, *Phys. Rev. D* 94 (2016) 095016, arXiv:1607.03504 [hep-ph].
- [21] A.G. Dias, C.A. de, S. Pires, P.S. Rodrigues da Silva, A. Sampieri, Simple realization of the inverse seesaw mechanism, *Phys. Rev. D* 86 (2012) 035007, arXiv:1206.2590 [hep-ph].
- [22] R. Barbier, et al., R-parity-violating supersymmetry, *Phys. Rep.* 420 (2005) 1, arXiv:hep-ph/0406039.
- [23] ATLAS Collaboration, Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data, *J. High Energy Phys.* 09 (2017) 088, arXiv:1704.08493 [hep-ex].
- [24] B.C. Allanach, S. Biswas, S. Mondal, M. Mitra, Resonant slepton production yields CMS $e\bar{e}jj$ and $q\bar{q}jj$ excesses, *Phys. Rev. D* 91 (2015) 015011, arXiv: 1410.5947 [hep-ph].
- [25] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, *JINST* 3 (2008) S08003.
- [26] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, *Eur. Phys. J. C* 77 (2017) 317, arXiv:1611.09661 [hep-ex].
- [27] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [28] T. Sjostrand, S. Mrenna, P. Skands, A brief introduction to PYTHIA 8.1, *Comput. Phys. Commun.* 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [29] R.D. Ball, et al., Parton distributions with LHC data, *Nucl. Phys. B* 867 (2013) 244, arXiv:1207.1303 [hep-ph].
- [30] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, <https://cds.cern.ch/record/1966419>, 2014.
- [31] A. Alloul, N.D. Christensen, C. Degrande, C. Duhr, B. Fuks, FeynRules 2.0 – a complete toolbox for tree-level phenomenology, *Comput. Phys. Commun.* 185 (2014) 2250, arXiv:1310.1921 [hep-ph].
- [32] A. Roitgrund, G. Eilam, S. Bar-Shalom, Implementation of the left-right symmetric model in FeynRules, *Comput. Phys. Commun.* 203 (2016) 18, arXiv: 1401.3345 [hep-ph].
- [33] A. Maiezza, M. Nemevsek, F. Nesti, Lepton number violation in Higgs decay at LHC, *Phys. Rev. Lett.* 115 (2015) 081802, arXiv:1503.06834 [hep-ph].
- [34] M. Nemevsek, F. Nesti, J.C. Vasquez, Majorana Higgses at colliders, *J. High Energy Phys.* 04 (2017) 114, arXiv:1612.06840 [hep-ph].
- [35] O. Mattelaer, M. Mitra, R. Ruiz, Automated neutrino jet and top jet predictions at next-to-leading-order with parton shower matching in effective left-right symmetric models, arXiv:1610.08985 [hep-ph], 2016.
- [36] M. Czakon, A. Mitov, Top++: a program for the calculation of the top-pair cross-section at hadron colliders, *Comput. Phys. Commun.* 185 (2014) 2930, arXiv:1112.5675 [hep-ph].
- [37] ATLAS Collaboration, Studies on top-quark Monte Carlo modelling for Top2016, ATL-PHYS-PUB-2016-020, <https://cds.cern.ch/record/2216168>, 2016.
- [38] N. Kidonakis, Next-to-next-to-leading-order collinear and soft gluon corrections for t -channel single top quark production, *Phys. Rev. D* 83 (2011) 091503, arXiv:1103.2792 [hep-ph].
- [39] N. Kidonakis, Two-loop soft anomalous dimensions for single top quark associated production with a W - or H -, *Phys. Rev. D* 82 (2010) 054018, arXiv: 1005.4451 [hep-ph].
- [40] N. Kidonakis, NNLL resummation for s -channel single top quark production, *Phys. Rev. D* 81 (2010) 054028, arXiv:1001.5034 [hep-ph].
- [41] C. Anastasiou, L.J. Dixon, K. Melnikov, F. Petriello, High precision QCD at hadron colliders: electroweak gauge boson rapidity distributions at NNLO, *Phys. Rev. D* 69 (2004) 094008, arXiv:hep-ph/0312266 [hep-ph].
- [42] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, *J. High Energy Phys.* 11 (2004) 040, arXiv:hep-ph/0409146 [hep-ph].
- [43] S. Frixione, P. Nason, G. Ridolfi, A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction, *J. High Energy Phys.* 09 (2007) 126, arXiv:0707.3088 [hep-ph].
- [44] S. Frixione, P. Nason, C. Oleari, Matching NLO QCD computations with parton shower simulations: the POWHEG method, *J. High Energy Phys.* 11 (2007) 070, arXiv:0709.2092 [hep-ph].
- [45] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, *J. High Energy Phys.* 06 (2010) 043, arXiv:1002.2581 [hep-ph].
- [46] T. Gleisberg, et al., Event generation with SHERPA 1.1, *J. High Energy Phys.* 02 (2009) 007, arXiv:0811.4622 [hep-ph].
- [47] R.D. Ball, et al., Parton distributions for the LHC Run II, *J. High Energy Phys.* 04 (2015) 040, arXiv:1410.8849 [hep-ph].
- [48] H.-L. Lai, et al., New parton distributions for collider physics, *Phys. Rev. D* 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [49] ATLAS Collaboration, Measurement of the Z/y^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *J. High Energy Phys.* 09 (2014) 145, arXiv:1406.3660 [hep-ex].
- [50] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [51] S. Agostinelli, et al., Geant4: a simulation toolkit, *Nucl. Instrum. Methods A* 506 (2003) 250.
- [52] ATLAS Collaboration, The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim, ATL-PHYS-PUB-2010-013, <https://cds.cern.ch/record/1300517>, 2010.
- [53] ATLAS Collaboration, The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model, ATL-PHYS-PUB-2016-017, <https://cds.cern.ch/record/2206965>, 2016.
- [54] A.D. Martin, W.J. Stirling, R.S. Thorne, G. Watt, Parton distributions for the LHC, *Eur. Phys. J. C* 63 (2009) 189, arXiv:0901.0002 [hep-ph].
- [55] D. Krohn, J. Thaler, L-T. Wang, Jet trimming, *J. High Energy Phys.* 02 (2010) 084, arXiv:0912.1342 [hep-ph].
- [56] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, *Eur. Phys. J. C* 77 (2017) 490, arXiv:1603.02934 [hep-ex].
- [57] ATLAS Collaboration, In situ calibration of large- R jet energy and mass in 13 TeV proton–proton collisions with the ATLAS detector, *Eur. Phys. J. C* 79 (2019) 135, arXiv:1807.09477 [hep-ex].
- [58] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_t jet clustering algorithm, *J. High Energy Phys.* 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [59] M. Cacciari, G.P. Salam, G. Soyez, FastJet user manual, *Eur. Phys. J. C* 72 (2012) 1896, arXiv:1111.6097 [hep-ph].
- [60] S. Catani, Y.L. Dokshitzer, M.H. Seymour, B.R. Webber, Longitudinally invariant k_\perp clustering algorithms for hadron–hadron collisions, *Nucl. Phys. B* 406 (1993) 187.
- [61] ATLAS Collaboration, Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton–proton collision data at $\sqrt{s} = 13$ TeV, arXiv:1902.0465, 2019.
- [62] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* 76 (2016) 292, arXiv:1603.05598 [hep-ex].
- [63] ATLAS Collaboration, Performance of b -jet identification in the ATLAS experiment, *JINST* 11 (2016) P04008, arXiv:1512.01094 [hep-ex].
- [64] ATLAS Collaboration, Expected performance of the ATLAS b -tagging algorithms in Run-2, ATL-PHYS-PUB-2015-022, <https://cds.cern.ch/record/2037697>, 2015.
- [65] ATLAS Collaboration, Optimisation of the ATLAS b -tagging performance for the 2016 LHC Run, ATL-PHYS-PUB-2016-012, <https://cds.cern.ch/record/2160731>, 2016.
- [66] ATLAS Collaboration, Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, *J. High Energy Phys.* 03 (2016) 026, arXiv:1512.02586 [hep-ex].
- [67] ATLAS Collaboration, Search for new phenomena in dijet events using 37 fb^{-1} of pp collision data collected at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Rev. D* 96 (2017) 052004, arXiv:1703.09127 [hep-ex].
- [68] ATLAS Collaboration, Performance of jet substructure techniques for large- R jets in proton–proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, *J. High Energy Phys.* 09 (2013) 076, arXiv:1306.4945 [hep-ex].
- [69] ATLAS Collaboration, Jet energy scale measurements and their systematic uncertainties in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Rev. D* 96 (2017) 072002, arXiv:1703.09665 [hep-ex].
- [70] ATLAS Collaboration, Jet mass resolutions in ATLAS using Run 2 Monte Carlo simulation, ATL-PHYS-PUB-2018-015, <https://cds.cern.ch/record/2631339>, 2018.
- [71] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, *Eur. Phys. J. C* 76 (2016) 653, arXiv:1608.03953 [hep-ex].
- [72] G. Avoni, et al., The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS, *JINST* 13 (2018) P07017.

- [73] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, *J. High Energy Phys.* 07 (2002) 012, arXiv:hep-ph/0201195.
- [74] A. Kalogeropoulos, J. Alwall, The SysCalc code: a tool to derive theoretical systematic uncertainties, arXiv:1801.08401 [hep-ph], 2018.
- [75] L. Moneta, et al., The RooStats project, PoSACAT 2010 (2010) 057, arXiv:1009.1003 [physics.data-an].
- [76] M. Baak, et al., HistFitter software framework for statistical data analysis, *Eur. Phys. J. C* 75 (2015) 153, arXiv:1410.1280 [hep-ex].
- [77] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, *Eur. Phys. J. C* 71 (2011) 1554, Erratum: *Eur. Phys. J. C* 73 (2013) 2501, arXiv:1007.1727 [physics.data-an].
- [78] T. Junk, Confidence level computation for combining searches with small statistics, *Nucl. Instrum. Methods A* 434 (1999) 435, arXiv:hep-ex/9902006.
- [79] A.L. Read, Presentation of search results: the CL_s technique, *J. Phys. G* 28 (2002) 2693.
- [80] ATLAS Collaboration, ATLAS computing acknowledgements, ATL-GEN-PUB-2016-002, <https://cds.cern.ch/record/2202407>, 2016.

The ATLAS Collaboration

- M. Aaboud ^{35d}, G. Aad ¹⁰¹, B. Abbott ¹²⁸, D.C. Abbott ¹⁰², O. Abdinov ^{13,*}, A. Abed Abud ^{70a,70b}, K. Abeling ⁵³, D.K. Abhayasinghe ⁹³, S.H. Abidi ¹⁶⁷, O.S. AbouZeid ⁴⁰, N.L. Abraham ¹⁵⁶, H. Abramowicz ¹⁶¹, H. Abreu ¹⁶⁰, Y. Abulaiti ⁶, B.S. Acharya ^{66a,66b,n}, B. Achkar ⁵³, S. Adachi ¹⁶³, L. Adam ⁹⁹, C. Adam Bourdarios ¹³², L. Adamczyk ^{83a}, L. Adamek ¹⁶⁷, J. Adelman ¹²¹, M. Adersberger ¹¹⁴, A. Adiguzel ^{12c,ah}, S. Adorni ⁵⁴, T. Adye ¹⁴⁴, A.A. Affolder ¹⁴⁶, Y. Afik ¹⁶⁰, C. Agapopoulou ¹³², M.N. Agaras ³⁸, A. Aggarwal ¹¹⁹, C. Agheorghiesei ^{27c}, J.A. Aguilar-Saavedra ^{140f,140a,ag}, F. Ahmadov ⁷⁹, X. Ai ^{15a}, G. Aielli ^{73a,73b}, S. Akatsuka ⁸⁵, T.P.A. Åkesson ⁹⁶, E. Akilli ⁵⁴, A.V. Akimov ¹¹⁰, K. Al Khoury ¹³², G.L. Alberghi ^{23b,23a}, J. Albert ¹⁷⁶, M.J. Alconada Verzini ⁸⁸, S. Alderweireldt ¹¹⁹, M. Alekso ³⁶, I.N. Aleksandrov ⁷⁹, C. Alexa ^{27b}, D. Alexandre ¹⁹, T. Alexopoulos ¹⁰, A. Alfonsi ¹²⁰, M. Alhroob ¹²⁸, B. Ali ¹⁴², G. Alimonti ^{68a}, J. Alison ³⁷, S.P. Alkire ¹⁴⁸, C. Allaire ¹³², B.M.M. Allbrooke ¹⁵⁶, B.W. Allen ¹³¹, P.P. Allport ²¹, A. Aloisio ^{69a,69b}, A. Alonso ⁴⁰, F. Alonso ⁸⁸, C. Alpigiani ¹⁴⁸, A.A. Alshehri ⁵⁷, M.I. Alstaty ¹⁰¹, M. Alvarez Estevez ⁹⁸, B. Alvarez Gonzalez ³⁶, D. Álvarez Piqueras ¹⁷⁴, M.G. Alviggi ^{69a,69b}, Y. Amaral Coutinho ^{80b}, A. Ambler ¹⁰³, L. Ambroz ¹³⁵, C. Amelung ²⁶, D. Amidei ¹⁰⁵, S.P. Amor Dos Santos ^{140a,140c}, S. Amoroso ⁴⁶, C.S. Amrouche ⁵⁴, F. An ⁷⁸, C. Anastopoulos ¹⁴⁹, N. Andari ¹⁴⁵, T. Andeen ¹¹, C.F. Anders ^{61b}, J.K. Anders ²⁰, A. Andreazza ^{68a,68b}, V. Andrei ^{61a}, C.R. Anelli ¹⁷⁶, S. Angelidakis ³⁸, I. Angelozzi ¹²⁰, A. Angerami ³⁹, A.V. Anisenkov ^{122b,122a}, A. Annovi ^{71a}, C. Antel ^{61a}, M.T. Anthony ¹⁴⁹, M. Antonelli ⁵¹, D.J.A. Antrim ¹⁷¹, F. Anulli ^{72a}, M. Aoki ⁸¹, J.A. Aparisi Pozo ¹⁷⁴, L. Aperio Bella ³⁶, G. Arabidze ¹⁰⁶, J.P. Araque ^{140a}, V. Araujo Ferraz ^{80b}, R. Araujo Pereira ^{80b}, C. Arcangeletti ⁵¹, A.T.H. Arce ⁴⁹, F.A. Arduh ⁸⁸, J-F. Arguin ¹⁰⁹, S. Argyropoulos ⁷⁷, J.-H. Arling ⁴⁶, A.J. Armbruster ³⁶, L.J. Armitage ⁹², A. Armstrong ¹⁷¹, O. Arnaez ¹⁶⁷, H. Arnold ¹²⁰, A. Artamonov ^{111,*}, G. Artoni ¹³⁵, S. Artz ⁹⁹, S. Asai ¹⁶³, N. Asbah ⁵⁹, E.M. Asimakopoulou ¹⁷², L. Asquith ¹⁵⁶, K. Assamagan ²⁹, R. Astalos ^{28a}, R.J. Atkin ^{33a}, M. Atkinson ¹⁷³, N.B. Atlay ¹⁵¹, H. Atmani ¹³², K. Augsten ¹⁴², G. Avolio ³⁶, R. Avramidou ^{60a}, M.K. Ayoub ^{15a}, A.M. Azoulay ^{168b}, G. Azuelos ^{109,aw}, A.E. Baas ^{61a}, M.J. Baca ²¹, H. Bachacou ¹⁴⁵, K. Bachas ^{67a,67b}, M. Backes ¹³⁵, F. Backman ^{45a,45b}, P. Bagnaia ^{72a,72b}, M. Bahmani ⁸⁴, H. Bahrasemani ¹⁵², A.J. Bailey ¹⁷⁴, V.R. Bailey ¹⁷³, J.T. Baines ¹⁴⁴, M. Bajic ⁴⁰, C. Bakalis ¹⁰, O.K. Baker ¹⁸³, P.J. Bakker ¹²⁰, D. Bakshi Gupta ⁸, S. Balaji ¹⁵⁷, E.M. Baldin ^{122b,122a}, P. Balek ¹⁸⁰, F. Balli ¹⁴⁵, W.K. Balunas ¹³⁵, J. Balz ⁹⁹, E. Banas ⁸⁴, A. Bandyopadhyay ²⁴, Sw. Banerjee ^{181,i}, A.A.E. Bannoura ¹⁸², L. Barak ¹⁶¹, W.M. Barbe ³⁸, E.L. Barberio ¹⁰⁴, D. Barberis ^{55b,55a}, M. Barbero ¹⁰¹, T. Barillari ¹¹⁵, M.-S. Barisits ³⁶, J. Barkeloo ¹³¹, T. Barklow ¹⁵³, R. Barnea ¹⁶⁰, S.L. Barnes ^{60c}, B.M. Barnett ¹⁴⁴, R.M. Barnett ¹⁸, Z. Barnovska-Blenessy ^{60a}, A. Baroncelli ^{60a}, G. Barone ²⁹, A.J. Barr ¹³⁵, L. Barranco Navarro ¹⁷⁴, F. Barreiro ⁹⁸, J. Barreiro Guimarães da Costa ^{15a}, R. Bartoldus ¹⁵³, G. Bartolini ¹⁰¹, A.E. Barton ⁸⁹, P. Bartos ^{28a}, A. Basalaev ⁴⁶, A. Bassalat ^{132,ap}, R.L. Bates ⁵⁷, S.J. Batista ¹⁶⁷, S. Batlamous ^{35e}, J.R. Batley ³², B. Batool ¹⁵¹, M. Battaglia ¹⁴⁶, M. Bauce ^{72a,72b}, F. Bauer ¹⁴⁵, K.T. Bauer ¹⁷¹, H.S. Bawa ^{31,l}, J.B. Beacham ⁴⁹, T. Beau ¹³⁶, P.H. Beauchemin ¹⁷⁰, F. Becherer ⁵², P. Bechtle ²⁴, H.C. Beck ⁵³, H.P. Beck ^{20,q}, K. Becker ⁵², M. Becker ⁹⁹, C. Becot ⁴⁶, A. Beddall ^{12d}, A.J. Beddall ^{12a}, V.A. Bednyakov ⁷⁹, M. Bedognetti ¹²⁰, C.P. Bee ¹⁵⁵, T.A. Beermann ⁷⁶, M. Begalli ^{80b}, M. Begel ²⁹, A. Behera ¹⁵⁵, J.K. Behr ⁴⁶, F. Beisiegel ²⁴, A.S. Bell ⁹⁴, G. Bella ¹⁶¹, L. Bellagamba ^{23b}, A. Bellerive ³⁴, P. Bellos ⁹, K. Beloborodov ^{122b,122a}, K. Belotskiy ¹¹², N.L. Belyaev ¹¹², O. Benary ^{161,*}, D. Benchekroun ^{35a}, N. Benekos ¹⁰, Y. Benhammou ¹⁶¹, D.P. Benjamin ⁶, M. Benoit ⁵⁴, J.R. Bensinger ²⁶, S. Bentvelsen ¹²⁰, L. Beresford ¹³⁵, M. Beretta ⁵¹, D. Berge ⁴⁶, E. Bergeaas Kuutmann ¹⁷², N. Berger ⁵, B. Bergmann ¹⁴², L.J. Bergsten ²⁶, J. Beringer ¹⁸, S. Berlendis ⁷, N.R. Bernard ¹⁰², G. Bernardi ¹³⁶, C. Bernius ¹⁵³, F.U. Bernlochner ²⁴, T. Berry ⁹³, P. Berta ⁹⁹, C. Bertella ^{15a}, I.A. Bertram ⁸⁹, G.J. Besjes ⁴⁰, O. Bessidskaia Bylund ¹⁸², N. Besson ¹⁴⁵, A. Bethani ¹⁰⁰, S. Bethke ¹¹⁵, A. Betti ²⁴, A.J. Bevan ⁹², J. Beyer ¹¹⁵, R. Bi ¹³⁹, R.M. Bianchi ¹³⁹, O. Biebel ¹¹⁴,

- D. Biedermann 19, R. Bielski 36, K. Bierwagen 99, N.V. Biesuz 71a, 71b, M. Biglietti 74a, T.R.V. Billoud 109, M. Bindi 53, A. Bingul 12d, C. Bini 72a, 72b, S. Biondi 23b, 23a, M. Birman 180, T. Bisanz 53, J.P. Biswal 161, A. Bitadze 100, C. Bittrich 48, D.M. Bjergaard 49, K. Bjørke 134, J.E. Black 153, K.M. Black 25, T. Blazek 28a, I. Bloch 46, C. Blocker 26, A. Blue 57, U. Blumenschein 92, G.J. Bobbink 120, V.S. Bobrovnikov 122b, 122a, S.S. Bocchetta 96, A. Bocci 49, D. Boerner 46, D. Bogavac 14, A.G. Bogdanchikov 122b, 122a, C. Bohm 45a, V. Boisvert 93, P. Bokan 53, 172, T. Bold 83a, A.S. Boldyrev 113, A.E. Bolz 61b, M. Bomben 136, M. Bona 92, J.S. Bonilla 131, M. Boonekamp 145, H.M. Borecka-Bielska 90, A. Borisov 123, G. Borissov 89, J. Bortfeldt 36, D. Bortoletto 135, V. Bortolotto 73a, 73b, D. Boscherini 23b, M. Bosman 14, J.D. Bossio Sola 103, K. Bouaouda 35a, J. Boudreau 139, E.V. Bouhova-Thacker 89, D. Boumediene 38, S.K. Boutle 57, A. Boveia 126, J. Boyd 36, D. Boye 33b, aq, I.R. Boyko 79, A.J. Bozson 93, J. Bracinik 21, N. Brahimi 101, G. Brandt 182, O. Brandt 61a, F. Braren 46, U. Bratzler 164, B. Brau 102, J.E. Brau 131, W.D. Breaden Madden 57, K. Brendlinger 46, L. Brenner 46, R. Brenner 172, S. Bressler 180, B. Brickwedde 99, D.L. Briglin 21, D. Britton 57, D. Britzger 115, I. Brock 24, R. Brock 106, G. Brooijmans 39, T. Brooks 93, W.K. Brooks 147b, E. Brost 121, J.H. Broughton 21, P.A. Bruckman de Renstrom 84, D. Bruncko 28b, A. Bruni 23b, G. Bruni 23b, L.S. Bruni 120, S. Bruno 73a, 73b, B.H. Brunt 32, M. Bruschi 23b, N. Bruscino 139, P. Bryant 37, L. Bryngemark 96, T. Buanes 17, Q. Buat 36, P. Buchholz 151, A.G. Buckley 57, I.A. Budagov 79, M.K. Bugge 134, F. Bührer 52, O. Bulekov 112, T.J. Burch 121, S. Burdin 90, C.D. Burgard 120, A.M. Burger 129, B. Burghgrave 8, K. Burka 84, J.T.P. Burr 46, V. Büscher 99, E. Buschmann 53, P.J. Bussey 57, J.M. Butler 25, C.M. Buttar 57, J.M. Butterworth 94, P. Butti 36, W. Buttlinger 36, A. Buzatu 158, A.R. Buzykaev 122b, 122a, G. Cabras 23b, 23a, S. Cabrera Urbán 174, D. Caforio 56, H. Cai 173, V.M.M. Cairo 153, O. Cakir 4a, N. Calace 36, P. Calafiura 18, A. Calandri 101, G. Calderini 136, P. Calfayan 65, G. Callea 57, L.P. Caloba 80b, S. Calvente Lopez 98, D. Calvet 38, S. Calvet 38, T.P. Calvet 155, M. Calvetti 71a, 71b, R. Camacho Toro 136, S. Camarda 36, D. Camarero Munoz 98, P. Camarri 73a, 73b, D. Cameron 134, R. Caminal Armadans 102, C. Camincher 36, S. Campana 36, M. Campanelli 94, A. Camplani 40, A. Campoverde 151, V. Canale 69a, 69b, A. Canesse 103, M. Cano Bret 60c, J. Cantero 129, T. Cao 161, Y. Cao 173, M.D.M. Capeans Garrido 36, M. Capua 41b, 41a, R. Cardarelli 73a, F.C. Cardillo 149, I. Carli 143, T. Carli 36, G. Carlino 69a, B.T. Carlson 139, L. Carminati 68a, 68b, R.M.D. Carney 45a, 45b, S. Caron 119, E. Carquin 147b, S. Carrá 68a, 68b, J.W.S. Carter 167, M.P. Casado 14, e, A.F. Casha 167, D.W. Casper 171, R. Castelijn 120, F.L. Castillo 174, V. Castillo Gimenez 174, N.F. Castro 140a, 140e, A. Catinaccio 36, J.R. Catmore 134, A. Cattai 36, J. Caudron 24, V. Cavaliere 29, E. Cavallaro 14, D. Cavalli 68a, M. Cavalli-Sforza 14, V. Cavasinni 71a, 71b, E. Celebi 12b, F. Ceradini 74a, 74b, L. Cerdà Alberich 174, A.S. Cerqueira 80a, A. Cerri 156, L. Cerrito 73a, 73b, F. Cerutti 18, A. Cervelli 23b, 23a, S.A. Cetin 12b, A. Chafaq 35a, D. Chakraborty 121, S.K. Chan 59, W.S. Chan 120, W.Y. Chan 90, J.D. Chapman 32, B. Chargeishvili 159b, D.G. Charlton 21, T.P. Charman 92, C.C. Chau 34, S. Che 126, A. Chegwidden 106, S. Chekanov 6, S.V. Chekulaev 168a, G.A. Chelkov 79, av, M.A. Chelstowska 36, B. Chen 78, C. Chen 60a, C.H. Chen 78, H. Chen 29, J. Chen 60a, J. Chen 39, S. Chen 137, S.J. Chen 15c, X. Chen 15b, au, Y. Chen 82, Y-H. Chen 46, H.C. Cheng 63a, H.J. Cheng 15a, 15d, A. Cheplakov 79, E. Cheremushkina 123, R. Cherkaoui El Moursli 35e, E. Cheu 7, K. Cheung 64, T.J.A. Chevaléries 145, L. Chevalier 145, V. Chiarella 51, G. Chiarella 71a, G. Chiodini 67a, A.S. Chisholm 36, 21, A. Chitan 27b, I. Chiu 163, Y.H. Chiu 176, M.V. Chizhov 79, K. Choi 65, A.R. Chomont 132, S. Chouridou 162, Y.S. Chow 120, M.C. Chu 63a, J. Chudoba 141, A.J. Chuinard 103, J.J. Chwastowski 84, L. Chytka 130, K.M. Ciesla 84, D. Cinca 47, V. Cindro 91, I.A. Cioară 27b, A. Ciocio 18, F. Cirotto 69a, 69b, Z.H. Citron 180, M. Citterio 68a, D.A. Ciubotaru 27b, B.M. Ciungu 167, A. Clark 54, M.R. Clark 39, P.J. Clark 50, C. Clement 45a, 45b, Y. Coadou 101, M. Cobal 66a, 66c, A. Coccaro 55b, J. Cochran 78, H. Cohen 161, A.E.C. Coimbra 180, L. Colasurdo 119, B. Cole 39, A.P. Colijn 120, J. Collot 58, P. Conde Muñoz 140a, f, E. Coniavitis 52, S.H. Connell 33b, I.A. Connelly 57, S. Constantinescu 27b, F. Conventi 69a, ax, A.M. Cooper-Sarkar 135, F. Cormier 175, K.J.R. Cormier 167, L.D. Corpe 94, M. Corradi 72a, 72b, E.E. Corrigan 96, F. Corriveau 103, ac, A. Cortes-Gonzalez 36, M.J. Costa 174, F. Costanza 5, D. Costanzo 149, G. Cowan 93, J.W. Cowley 32, J. Crane 100, K. Cranmer 124, S.J. Crawley 57, R.A. Creager 137, S. Crépé-Renaudin 58, F. Crescioli 136, M. Cristinziani 24, V. Croft 120, G. Crosetti 41b, 41a, A. Cueto 5, T. Cuhadar Donszelmann 149, A.R. Cukierman 153, S. Czekierda 84, P. Czodrowski 36, M.J. Da Cunha Sargedas De Sousa 60b, J.V. Da Fonseca Pinto 80b, C. Da Via 100, W. Dabrowski 83a, T. Dado 28a, S. Dahbi 35e, T. Dai 105, C. Dallapiccola 102, M. Dam 40, G. D'amen 23b, 23a, V. D'Amico 74a, 74b, J. Damp 99, J.R. Dandoy 137, M.F. Daneri 30, N.P. Dang 181, N.D. Dann 100, M. Danninger 175, V. Dao 36,

- G. Darbo 55b, O. Dartsi 5, A. Dattagupta 131, T. Daubney 46, S. D'Auria 68a, 68b, W. Davey 24, C. David 46, T. Davidek 143, D.R. Davis 49, E. Dawe 104, I. Dawson 149, K. De 8, R. De Asmundis 69a, A. De Benedetti 128, M. De Beurs 120, S. De Castro 23b, 23a, S. De Cecco 72a, 72b, N. De Groot 119, P. de Jong 120, H. De la Torre 106, A. De Maria 15c, D. De Pedis 72a, A. De Salvo 72a, U. De Sanctis 73a, 73b, M. De Santis 73a, 73b, A. De Santo 156, K. De Vasconcelos Corga 101, J.B. De Vivie De Regie 132, C. Debenedetti 146, D.V. Dedovich 79, A.M. Deiana 42, M. Del Gaudio 41b, 41a, J. Del Peso 98, Y. Delabat Diaz 46, D. Delgove 132, F. Deliot 145, C.M. Delitzsch 7, M. Della Pietra 69a, 69b, D. Della Volpe 54, A. Dell'Acqua 36, L. Dell'Asta 25, M. Delmastro 5, C. Delporte 132, P.A. Delsart 58, D.A. DeMarco 167, S. Demers 183, M. Demichev 79, G. Demontigny 109, S.P. Denisov 123, D. Denysiuk 120, L. D'Eramo 136, D. Derendarz 84, J.E. Derkaoui 35d, F. Derue 136, P. Dervan 90, K. Desch 24, C. Deterre 46, K. Dette 167, M.R. Devesa 30, P.O. Deviveiros 36, A. Dewhurst 144, S. Dhaliwal 26, F.A. Di Bello 54, A. Di Ciaccio 73a, 73b, L. Di Ciaccio 5, W.K. Di Clemente 137, C. Di Donato 69a, 69b, A. Di Girolamo 36, G. Di Gregorio 71a, 71b, B. Di Micco 74a, 74b, R. Di Nardo 102, K.F. Di Petrillo 59, R. Di Sipio 167, D. Di Valentino 34, C. Diaconu 101, F.A. Dias 40, T. Dias Do Vale 140a, 140e, M.A. Diaz 147a, J. Dickinson 18, E.B. Diehl 105, J. Dietrich 19, S. Díez Cornell 46, A. Dimitrievska 18, W. Ding 15b, J. Dingfelder 24, F. Dittus 36, F. Djama 101, T. Djobava 159b, J.I. Djupsland 17, M.A.B. Do Vale 80c, M. Dobre 27b, D. Dodsworth 26, C. Doglioni 96, J. Dolejsi 143, Z. Dolezal 143, M. Donadelli 80d, J. Donini 38, A. D'onofrio 92, M. D'Onofrio 90, J. Dopke 144, A. Doria 69a, M.T. Dova 88, A.T. Doyle 57, E. Drechsler 152, E. Dreyer 152, T. Dreyer 53, Y. Du 60b, Y. Duan 60b, F. Dubinin 110, M. Dubovsky 28a, A. Dubreuil 54, E. Duchovni 180, G. Duckeck 114, A. Ducourthial 136, O.A. Ducu 109, D. Duda 115, A. Dudarev 36, A.C. Dudder 99, E.M. Duffield 18, L. Duflot 132, M. Dührssen 36, C. Dülzen 182, M. Dumancic 180, A.E. Dumitriu 27b, A.K. Duncan 57, M. Dunford 61a, A. Duperrin 101, H. Duran Yildiz 4a, M. Düren 56, A. Durglishvili 159b, D. Duschinger 48, B. Dutta 46, D. Duvnjak 1, G.I. Dyckes 137, M. Dyndal 36, S. Dysch 100, B.S. Dziedzic 84, K.M. Ecker 115, R.C. Edgar 105, T. Eifert 36, G. Eigen 17, K. Einsweiler 18, T. Ekelof 172, M. El Kacimi 35c, R. El Kosseifi 101, V. Ellajosyula 172, M. Ellert 172, F. Ellinghaus 182, A.A. Elliot 92, N. Ellis 36, J. Elmsheuser 29, M. Elsing 36, D. Emeliyanov 144, A. Emerman 39, Y. Enari 163, J.S. Ennis 178, M.B. Epland 49, J. Erdmann 47, A. Ereditato 20, M. Escalier 132, C. Escobar 174, O. Estrada Pastor 174, A.I. Etienne 145, E. Etzion 161, H. Evans 65, A. Ezhilov 138, F. Fabbri 57, L. Fabbri 23b, 23a, V. Fabiani 119, G. Facini 94, R.M. Faisca Rodrigues Pereira 140a, R.M. Fakhruddinov 123, S. Falciano 72a, P.J. Falke 5, S. Falke 5, J. Faltova 143, Y. Fang 15a, Y. Fang 15a, G. Fanourakis 44, M. Fanti 68a, 68b, A. Farbin 8, A. Farilla 74a, E.M. Farina 70a, 70b, T. Farooque 106, S. Farrell 18, S.M. Farrington 178, P. Farthouat 36, F. Fassi 35e, P. Fassnacht 36, D. Fassouliotis 9, M. Faucci Giannelli 50, W.J. Fawcett 32, L. Fayard 132, O.L. Fedin 138, 0, W. Fedorko 175, M. Feickert 42, S. Feigl 134, L. Feligioni 101, A. Fell 149, C. Feng 60b, E.J. Feng 36, M. Feng 49, M.J. Fenton 57, A.B. Fenyuk 123, J. Ferrando 46, A. Ferrante 173, A. Ferrari 172, P. Ferrari 120, R. Ferrari 70a, D.E. Ferreira de Lima 61b, A. Ferrer 174, D. Ferrere 54, C. Ferretti 105, F. Fiedler 99, A. Filipčič 91, F. Filthaut 119, K.D. Finelli 25, M.C.N. Fiolhais 140a, L. Fiorini 174, F. Fischer 114, W.C. Fisher 106, I. Fleck 151, P. Fleischmann 105, R.R.M. Fletcher 137, T. Flick 182, B.M. Flierl 114, L.F. Flores 137, L.R. Flores Castillo 63a, F.M. Follega 75a, 75b, N. Fomin 17, G.T. Forcolin 75a, 75b, A. Formica 145, F.A. Förster 14, A.C. Forti 100, A.G. Foster 21, M.G. Foti 135, D. Fournier 132, H. Fox 89, S. Fracchia 149, P. Francavilla 71a, 71b, M. Franchini 23b, 23a, S. Franchino 61a, D. Francis 36, L. Franconi 20, M. Franklin 59, M. Frate 171, A.N. Fray 92, B. Freund 109, W.S. Freund 80b, E.M. Freundlich 47, D.C. Frizzell 128, D. Froidevaux 36, J.A. Frost 135, C. Fukunaga 164, E. Fullana Torregrosa 174, E. Fumagalli 55b, 55a, T. Fusayasu 116, J. Fuster 174, A. Gabrielli 23b, 23a, A. Gabrielli 18, G.P. Gach 83a, S. Gadatsch 54, P. Gadow 115, G. Gagliardi 55b, 55a, L.G. Gagnon 109, C. Galea 27b, B. Galhardo 140a, 140c, G.E. Gallardo 135, E.J. Gallas 135, B.J. Gallop 144, P. Gallus 142, G. Galster 40, R. Gamboa Goni 92, K.K. Gan 126, S. Ganguly 180, J. Gao 60a, Y. Gao 90, Y.S. Gao 31, I, C. García 174, J.E. García Navarro 174, J.A. García Pascual 15a, C. Garcia-Argos 52, M. Garcia-Sciveres 18, R.W. Gardner 37, N. Garelli 153, S. Gargiulo 52, V. Garonne 134, A. Gaudiello 55b, 55a, G. Gaudio 70a, I.L. Gavrilenco 110, A. Gavriluk 111, C. Gay 175, G. Gaycken 24, E.N. Gazis 10, A.A. Geanta 27b, C.N.P. Gee 144, J. Geisen 53, M. Geisen 99, M.P. Geisler 61a, C. Gemme 55b, M.H. Genest 58, C. Geng 105, S. Gentile 72a, 72b, S. George 93, T. Geralis 44, D. Gerbaudo 14, L.O. Gerlach 53, P. Gessinger-Befurt 99, G. Gessner 47, S. Ghazemi 151, M. Ghazemi Bostanabad 176, M. Ghneimat 24, A. Ghosh 77, B. Giacobbe 23b, S. Giagu 72a, 72b, N. Giangiacomi 23b, 23a, P. Giannetti 71a, A. Giannini 69a, 69b, S.M. Gibson 93, M. Gignac 146, D. Gillberg 34, G. Gilles 182, D.M. Gingrich 3, aw, M.P. Giordani 66a, 66c, F.M. Giorgi 23b, P.F. Giraud 145,

- G. Giugliarelli 66a,66c, D. Giugni 68a, F. Giuli 73a,73b, M. Giulini 61b, S. Gkaitatzis 162, I. Gkialas 9,h,
 E.L. Gkougkousis 14, P. Gkountoumis 10, L.K. Gladilin 113, C. Glasman 98, J. Glatzer 14, P.C.F. Glaysher 46,
 A. Glazov 46, M. Goblirsch-Kolb 26, S. Goldfarb 104, T. Golling 54, D. Golubkov 123, A. Gomes 140a,140b,
 R. Goncalves Gama 53, R. Gonçalo 140a,140b, G. Gonella 52, L. Gonella 21, A. Gongadze 79, F. Gonnella 21,
 J.L. Gonski 59, S. González de la Hoz 174, S. Gonzalez-Sevilla 54, G.R. Goncalvo Rodriguez 174,
 L. Goossens 36, P.A. Gorbounov 111, H.A. Gordon 29, B. Gorini 36, E. Gorini 67a,67b, A. Gorišek 91,
 A.T. Goshaw 49, C. Gössling 47, M.I. Gostkin 79, C.A. Gottardo 24, C.R. Goudet 132, M. Gouighri 35b,
 D. Goujdami 35c, A.G. Goussiou 148, N. Govender 33b,a, C. Goy 5, E. Gozani 160, I. Grabowska-Bold 83a,
 P.O.J. Gradin 172, E.C. Graham 90, J. Gramling 171, E. Gramstad 134, S. Grancagnolo 19, M. Grandi 156,
 V. Gratchev 138, P.M. Gravila 27f, F.G. Gravili 67a,67b, C. Gray 57, H.M. Gray 18, C. Grefe 24, K. Gregersen 96,
 I.M. Gregor 46, P. Grenier 153, K. Grevtsov 46, N.A. Grieser 128, J. Griffiths 8, A.A. Grillo 146, K. Grimm 31,k,
 S. Grinstein 14,w, J.-F. Grivaz 132, S. Groh 99, E. Gross 180, J. Grosse-Knetter 53, Z.J. Grout 94, C. Grud 105,
 A. Grummer 118, L. Guan 105, W. Guan 181, J. Guenther 36, A. Guerguichon 132, F. Guescini 168a,
 D. Guest 171, R. Gugel 52, B. Gui 126, T. Guillemin 5, S. Guindon 36, U. Gul 57, J. Guo 60c, W. Guo 105,
 Y. Guo 60a,r, Z. Guo 101, R. Gupta 46, S. Gurbuz 12c, G. Gustavino 128, P. Gutierrez 128, C. Gutschow 94,
 C. Guyot 145, M.P. Guzik 83a, C. Gwenlan 135, C.B. Gwilliam 90, A. Haas 124, C. Haber 18, H.K. Hadavand 8,
 N. Haddad 35e, A. Hadef 60a, S. Hageböck 36, M. Hagihara 169, M. Haleem 177, J. Haley 129, G. Halladjian 106,
 G.D. Hallewell 101, K. Hamacher 182, P. Hamal 130, K. Hamano 176, H. Hamdaoui 35e, G.N. Hamity 149,
 K. Han 60a,aj, L. Han 60a, S. Han 15a,15d, K. Hanagaki 81,u, M. Hance 146, D.M. Handl 114, B. Haney 137,
 R. Hankache 136, P. Hanke 61a, E. Hansen 96, J.B. Hansen 40, J.D. Hansen 40, M.C. Hansen 24, P.H. Hansen 40,
 E.C. Hanson 100, K. Hara 169, A.S. Hard 181, T. Harenberg 182, S. Harkusha 107, P.F. Harrison 178,
 N.M. Hartmann 114, Y. Hasegawa 150, A. Hasib 50, S. Hassani 145, S. Haug 20, R. Hauser 106, L. Hauswald 48,
 L.B. Havener 39, M. Havranek 142, C.M. Hawkes 21, R.J. Hawkings 36, D. Hayden 106, C. Hayes 155,
 R.L. Hayes 175, C.P. Hays 135, J.M. Hays 92, H.S. Hayward 90, S.J. Haywood 144, F. He 60a, M.P. Heath 50,
 V. Hedberg 96, L. Heelan 8, S. Heer 24, K.K. Heidegger 52, J. Heilman 34, S. Heim 46, T. Heim 18,
 B. Heinemann 46,ar, J.J. Heinrich 131, L. Heinrich 36, C. Heinz 56, J. Hejbal 141, L. Helary 61b, A. Held 175,
 S. Hellesund 134, C.M. Helling 146, S. Hellman 45a,45b, C. Helsens 36, R.C.W. Henderson 89, Y. Heng 181,
 S. Henkelmann 175, A.M. Henriques Correia 36, G.H. Herbert 19, H. Herde 26, V. Herget 177,
 Y. Hernández Jiménez 33c, H. Herr 99, M.G. Herrmann 114, T. Herrmann 48, G. Herten 52,
 R. Hertenberger 114, L. Hervas 36, T.C. Herwig 137, G.G. Hesketh 94, N.P. Hessey 168a, A. Higashida 163,
 S. Higashino 81, E. Higón-Rodriguez 174, K. Hildebrand 37, E. Hill 176, J.C. Hill 32, K.K. Hill 29, K.H. Hiller 46,
 S.J. Hillier 21, M. Hils 48, I. Hincliffe 18, F. Hinterkeuser 24, M. Hirose 133, S. Hirose 52, D. Hirschbuehl 182,
 B. Hiti 91, O. Hladík 141, D.R. Hlaluku 33c, X. Hoad 50, J. Hobbs 155, N. Hod 180, M.C. Hodgkinson 149,
 A. Hoecker 36, F. Hoenig 114, D. Hohn 52, D. Hohov 132, T.R. Holmes 37, M. Holzbock 114,
 L.B.A.H Hommels 32, S. Honda 169, T. Honda 81, T.M. Hong 139, A. Höngle 115, B.H. Hooberman 173,
 W.H. Hopkins 6, Y. Horii 117, P. Horn 48, A.J. Horton 152, L.A. Horyn 37, J-Y. Hostachy 58, A. Hostiuc 148,
 S. Hou 158, A. Hoummada 35a, J. Howarth 100, J. Hoya 88, M. Hrabovsky 130, J. Hrdinka 76, I. Hristova 19,
 J. Hrivnac 132, A. Hrynevich 108, T. Hryna'ova 5, P.J. Hsu 64, S.-C. Hsu 148, Q. Hu 29, S. Hu 60c, Y. Huang 15a,
 Z. Hubacek 142, F. Hubaut 101, M. Huebner 24, F. Huegging 24, T.B. Huffman 135, M. Huhtinen 36,
 R.F.H. Hunter 34, P. Huo 155, A.M. Hupe 34, N. Huseynov 79,ae, J. Huston 106, J. Huth 59, R. Hyneman 105,
 S. Hyrych 28a, G. Iacobucci 54, G. Iakovidis 29, I. Ibragimov 151, L. Iconomidou-Fayard 132, Z. Idrissi 35e,
 P.I. Iengo 36, R. Ignazzi 40, O. Igonkina 120,y, R. Iguchi 163, T. Iizawa 54, Y. Ikegami 81, M. Ikeno 81,
 D. Iliadis 162, N. Ilic 119, F. Iltzsche 48, G. Introzzi 70a,70b, M. Iodice 74a, K. Iordanidou 39, V. Ippolito 72a,72b,
 M.F. Isacson 172, N. Ishijima 133, M. Ishino 163, M. Ishitsuka 165, W. Islam 129, C. Issever 135, S. Istin 160,
 F. Ito 169, J.M. Iturbe Ponce 63a, R. Iuppa 75a,75b, A. Ivina 180, H. Iwasaki 81, J.M. Izen 43, V. Izzo 69a,
 P. Jacka 141, P. Jackson 1, R.M. Jacobs 24, V. Jain 2, G. Jäkel 182, K.B. Jakobi 99, K. Jakobs 52, S. Jakobsen 76,
 T. Jakoubek 141, J. Jamieson 57, R. Jansky 54, J. Janssen 24, M. Janus 53, P.A. Janus 83a, G. Jarlskog 96,
 N. Javadov 79,ae, T. Javůrek 36, M. Javurkova 52, F. Jeanneau 145, L. Jeanty 131, J. Jejelava 159a,af,
 A. Jelinskas 178, P. Jenni 52,b, J. Jeong 46, N. Jeong 46, S. Jézéquel 5, H. Ji 181, J. Jia 155, H. Jiang 78, Y. Jiang 60a,
 Z. Jiang 153,p, S. Jiggins 52, F.A. Jimenez Morales 38, J. Jimenez Pena 174, S. Jin 15c, A. Jinaru 27b,
 O. Jinnouchi 165, H. Jivan 33c, P. Johansson 149, K.A. Johns 7, C.A. Johnson 65, K. Jon-And 45a,45b,
 R.W.L. Jones 89, S.D. Jones 156, S. Jones 7, T.J. Jones 90, J. Jongmanns 61a, P.M. Jorge 140a,140b, J. Jovicevic 36,

- X. Ju ¹⁸, J.J. Junggeburth ¹¹⁵, A. Juste Rozas ^{14,w}, A. Kaczmarska ⁸⁴, M. Kado ¹³², H. Kagan ¹²⁶, M. Kagan ¹⁵³, T. Kaji ¹⁷⁹, E. Kajomovitz ¹⁶⁰, C.W. Kalderon ⁹⁶, A. Kaluza ⁹⁹, A. Kamenshchikov ¹²³, L. Kanjir ⁹¹, Y. Kano ¹⁶³, V.A. Kantserov ¹¹², J. Kanzaki ⁸¹, L.S. Kaplan ¹⁸¹, D. Kar ^{33c}, M.J. Kareem ^{168b}, E. Karentzos ¹⁰, S.N. Karpov ⁷⁹, Z.M. Karpova ⁷⁹, V. Kartvelishvili ⁸⁹, A.N. Karyukhin ¹²³, L. Kashif ¹⁸¹, R.D. Kass ¹²⁶, A. Kastanas ^{45a,45b}, Y. Kataoka ¹⁶³, C. Kato ^{60d,60c}, J. Katzy ⁴⁶, K. Kawade ⁸², K. Kawagoe ⁸⁷, T. Kawaguchi ¹¹⁷, T. Kawamoto ¹⁶³, G. Kawamura ⁵³, E.F. Kay ¹⁷⁶, V.F. Kazanin ^{122b,122a}, R. Keeler ¹⁷⁶, R. Kehoe ⁴², J.S. Keller ³⁴, E. Kellermann ⁹⁶, D. Kelsey ¹⁵⁶, J.J. Kempster ²¹, J. Kendrick ²¹, O. Kepka ¹⁴¹, S. Kersten ¹⁸², B.P. Kerševan ⁹¹, S. Katabchi Haghigat ¹⁶⁷, R.A. Keyes ¹⁰³, M. Khader ¹⁷³, F. Khalil-Zada ¹³, M.K. Khandoga ¹⁴⁵, A. Khanov ¹²⁹, A.G. Kharlamov ^{122b,122a}, T. Kharlamova ^{122b,122a}, E.E. Khoda ¹⁷⁵, A. Khodinov ¹⁶⁶, T.J. Khoo ⁵⁴, E. Khramov ⁷⁹, J. Khubua ^{159b}, S. Kido ⁸², M. Kiehn ⁵⁴, C.R. Kilby ⁹³, Y.K. Kim ³⁷, N. Kimura ^{66a,66c}, O.M. Kind ¹⁹, B.T. King ^{90,*}, D. Kirchmeier ⁴⁸, J. Kirk ¹⁴⁴, A.E. Kiryunin ¹¹⁵, T. Kishimoto ¹⁶³, D.P. Kisliuk ¹⁶⁷, V. Kitali ⁴⁶, O. Kivernyk ⁵, E. Kladiva ^{28b,*}, T. Klapdor-Kleingrothaus ⁵², M.H. Klein ¹⁰⁵, M. Klein ⁹⁰, U. Klein ⁹⁰, K. Kleinknecht ⁹⁹, P. Klimek ¹²¹, A. Klimentov ²⁹, T. Klingl ²⁴, T. Klioutchnikova ³⁶, F.F. Klitzner ¹¹⁴, P. Kluit ¹²⁰, S. Kluth ¹¹⁵, E. Kneringer ⁷⁶, E.B.F.G. Knoops ¹⁰¹, A. Knue ⁵², D. Kobayashi ⁸⁷, T. Kobayashi ¹⁶³, M. Kobel ⁴⁸, M. Kocian ¹⁵³, P. Kodys ¹⁴³, P.T. Koenig ²⁴, T. Koffas ³⁴, N.M. Köhler ¹¹⁵, T. Koi ¹⁵³, M. Kolb ^{61b}, I. Koletsou ⁵, T. Komarek ¹³⁰, T. Kondo ⁸¹, N. Kondrashova ^{60c}, K. Köneke ⁵², A.C. König ¹¹⁹, T. Kono ¹²⁵, R. Konoplich ^{124,am}, V. Konstantinides ⁹⁴, N. Konstantinidis ⁹⁴, B. Konya ⁹⁶, R. Kopeliansky ⁶⁵, S. Koperny ^{83a}, K. Korcyl ⁸⁴, K. Kordas ¹⁶², G. Koren ¹⁶¹, A. Korn ⁹⁴, I. Korolkov ¹⁴, E.V. Korolkova ¹⁴⁹, N. Korotkova ¹¹³, O. Kortner ¹¹⁵, S. Kortner ¹¹⁵, T. Kosek ¹⁴³, V.V. Kostyukhin ²⁴, A. Kotwal ⁴⁹, A. Koulouris ¹⁰, A. Kourkoumeli-Charalampidi ^{70a,70b}, C. Kourkoumelis ⁹, E. Kourlitis ¹⁴⁹, V. Kouskoura ²⁹, A.B. Kowalewska ⁸⁴, R. Kowalewski ¹⁷⁶, C. Kozakai ¹⁶³, W. Kozanecki ¹⁴⁵, A.S. Kozhin ¹²³, V.A. Kramarenko ¹¹³, G. Kramberger ⁹¹, D. Krasnopevtsev ^{60a}, M.W. Krasny ¹³⁶, A. Krasznahorkay ³⁶, D. Krauss ¹¹⁵, J.A. Kremer ^{83a}, J. Kretzschmar ⁹⁰, P. Krieger ¹⁶⁷, F. Krieter ¹¹⁴, A. Krishnan ^{61b}, K. Krizka ¹⁸, K. Kroeninger ⁴⁷, H. Kroha ¹¹⁵, J. Kroll ¹⁴¹, J. Kroll ¹³⁷, J. Krstic ¹⁶, U. Kruchonak ⁷⁹, H. Krüger ²⁴, N. Krumnack ⁷⁸, M.C. Kruse ⁴⁹, T. Kubota ¹⁰⁴, S. Kuday ^{4b}, J.T. Kuechler ⁴⁶, S. Kuehn ³⁶, A. Kugel ^{61a}, T. Kuhl ⁴⁶, V. Kukhtin ⁷⁹, R. Kukla ¹⁰¹, Y. Kulchitsky ^{107,ai}, S. Kuleshov ^{147b}, Y.P. Kulinich ¹⁷³, M. Kuna ⁵⁸, T. Kunigo ⁸⁵, A. Kupco ¹⁴¹, T. Kupfer ⁴⁷, O. Kuprash ⁵², H. Kurashige ⁸², L.L. Kurchaninov ^{168a}, Y.A. Kurochkin ¹⁰⁷, A. Kurova ¹¹², M.G. Kurth ^{15a,15d}, E.S. Kuwertz ³⁶, M. Kuze ¹⁶⁵, A.K. Kvam ¹⁴⁸, J. Kvita ¹³⁰, T. Kwan ¹⁰³, A. La Rosa ¹¹⁵, J.L. La Rosa Navarro ^{80d}, L. La Rotonda ^{41b,41a}, F. La Ruffa ^{41b,41a}, C. Lacasta ¹⁷⁴, F. Lacava ^{72a,72b}, D.P.J. Lack ¹⁰⁰, H. Lacker ¹⁹, D. Lacour ¹³⁶, E. Ladygin ⁷⁹, R. Lafaye ⁵, B. Laforge ¹³⁶, T. Lagouri ^{33c}, S. Lai ⁵³, S. Lammers ⁶⁵, W. Lampl ⁷, E. Lançon ²⁹, U. Landgraf ⁵², M.P.J. Landon ⁹², M.C. Lanfermann ⁵⁴, V.S. Lang ⁴⁶, J.C. Lange ⁵³, R.J. Langenberg ³⁶, A.J. Lankford ¹⁷¹, F. Lanni ²⁹, K. Lantzsch ²⁴, A. Lanza ^{70a}, A. Lapertosa ^{55b,55a}, S. Laplace ¹³⁶, J.F. Laporte ¹⁴⁵, T. Lari ^{68a}, F. Lasagni Manghi ^{23b,23a}, M. Lassnig ³⁶, T.S. Lau ^{63a}, A. Laudrain ¹³², A. Laurier ³⁴, M. Lavorgna ^{69a,69b}, M. Lazzaroni ^{68a,68b}, B. Le ¹⁰⁴, O. Le Dortz ¹³⁶, E. Le Guirriec ¹⁰¹, M. LeBlanc ⁷, T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁸, C.A. Lee ²⁹, G.R. Lee ¹⁷, L. Lee ⁵⁹, S.C. Lee ¹⁵⁸, S.J. Lee ³⁴, B. Lefebvre ^{168a}, M. Lefebvre ¹⁷⁶, F. Legger ¹¹⁴, C. Leggett ¹⁸, K. Lehmann ¹⁵², N. Lehmann ¹⁸², G. Lehmann Miotto ³⁶, W.A. Leight ⁴⁶, A. Leisos ^{162,v}, M.A.L. Leite ^{80d}, R. Leitner ¹⁴³, D. Lelloouch ^{180,*}, K.J.C. Leney ⁴², T. Lenz ²⁴, B. Lenzi ³⁶, R. Leone ⁷, S. Leone ^{71a}, C. Leonidopoulos ⁵⁰, A. Leopold ¹³⁶, G. Lerner ¹⁵⁶, C. Leroy ¹⁰⁹, R. Les ¹⁶⁷, C.G. Lester ³², M. Levchenko ¹³⁸, J. Levêque ⁵, D. Levin ¹⁰⁵, L.J. Levinson ¹⁸⁰, D.J. Lewis ²¹, B. Li ^{15b}, B. Li ¹⁰⁵, C.-Q. Li ^{60a}, F. Li ^{60c}, H. Li ^{60a}, H. Li ^{60b}, J. Li ^{60c}, K. Li ¹⁵³, L. Li ^{60c}, M. Li ^{15a}, Q. Li ^{15a,15d}, Q.Y. Li ^{60a}, S. Li ^{60d,60c}, X. Li ⁴⁶, Y. Li ⁴⁶, Z. Li ^{60b}, Z. Liang ^{15a}, B. Liberti ^{73a}, A. Liblong ¹⁶⁷, K. Lie ^{63c}, S. Liem ¹²⁰, C.Y. Lin ³², K. Lin ¹⁰⁶, T.H. Lin ⁹⁹, R.A. Linck ⁶⁵, J.H. Lindon ²¹, A.L. Lioni ⁵⁴, E. Lipeles ¹³⁷, A. Lipniacka ¹⁷, M. Lisovyi ^{61b}, T.M. Liss ^{173,at}, A. Lister ¹⁷⁵, A.M. Litke ¹⁴⁶, J.D. Little ⁸, B. Liu ^{78,ab}, B.L. Liu ⁶, H.B. Liu ²⁹, H. Liu ¹⁰⁵, J.B. Liu ^{60a}, J.K.K. Liu ¹³⁵, K. Liu ¹³⁶, M. Liu ^{60a}, P. Liu ¹⁸, Y. Liu ^{15a,15d}, Y.L. Liu ¹⁰⁵, Y.W. Liu ^{60a}, M. Livan ^{70a,70b}, A. Lleres ⁵⁸, J. Llorente Merino ^{15a}, S.L. Lloyd ⁹², C.Y. Lo ^{63b}, F. Lo Sterzo ⁴², E.M. Lobodzinska ⁴⁶, P. Loch ⁷, S. Loffredo ^{73a,73b}, T. Lohse ¹⁹, K. Lohwasser ¹⁴⁹, M. Lokajicek ¹⁴¹, J.D. Long ¹⁷³, R.E. Long ⁸⁹, L. Longo ³⁶, K.A.Looper ¹²⁶, J.A. Lopez ^{147b}, I. Lopez Paz ¹⁰⁰, A. Lopez Solis ¹⁴⁹, J. Lorenz ¹¹⁴, N. Lorenzo Martinez ⁵, M. Losada ²², P.J. Lösel ¹¹⁴, A. Lösle ⁵², X. Lou ⁴⁶, X. Lou ^{15a}, A. Lounis ¹³², J. Love ⁶, P.A. Love ⁸⁹, J.J. Lozano Bahilo ¹⁷⁴, H. Lu ^{63a}, M. Lu ^{60a}, Y.J. Lu ⁶⁴, H.J. Lubatti ¹⁴⁸, C. Luci ^{72a,72b}, A. Lucotte ⁵⁸, C. Luedtke ⁵², F. Luehring ⁶⁵, I. Luise ¹³⁶, L. Luminari ^{72a}, B. Lund-Jensen ¹⁵⁴, M.S. Lutz ¹⁰², D. Lynn ²⁹, R. Lysak ¹⁴¹, E. Lytken ⁹⁶, F. Lyu ^{15a}, V. Lyubushkin ⁷⁹, T. Lyubushkina ⁷⁹, H. Ma ²⁹,

- L.L. Ma ^{60b}, Y. Ma ^{60b}, G. Maccarrone ⁵¹, A. Macchiolo ¹¹⁵, C.M. Macdonald ¹⁴⁹, J. Machado Miguens ¹³⁷, D. Madaffari ¹⁷⁴, R. Madar ³⁸, W.F. Mader ⁴⁸, N. Madysa ⁴⁸, J. Maeda ⁸², K. Maekawa ¹⁶³, S. Maeland ¹⁷, T. Maeno ²⁹, M. Maerker ⁴⁸, A.S. Maevskiy ¹¹³, V. Magerl ⁵², N. Magini ⁷⁸, D.J. Mahon ³⁹, C. Maidantchik ^{80b}, T. Maier ¹¹⁴, A. Maio ^{140a,140b,140d}, O. Majersky ^{28a}, S. Majewski ¹³¹, Y. Makida ⁸¹, N. Makovec ¹³², B. Malaescu ¹³⁶, Pa. Malecki ⁸⁴, V.P. Maleev ¹³⁸, F. Malek ⁵⁸, U. Mallik ⁷⁷, D. Malon ⁶, C. Malone ³², S. Maltezos ¹⁰, S. Malyukov ³⁶, J. Mamuzic ¹⁷⁴, G. Mancini ⁵¹, I. Mandić ⁹¹, L. Manhaes de Andrade Filho ^{80a}, I.M. Maniatis ¹⁶², J. Manjarres Ramos ⁴⁸, K.H. Mankinen ⁹⁶, A. Mann ¹¹⁴, A. Manousos ⁷⁶, B. Mansoulie ¹⁴⁵, I. Manthos ¹⁶², S. Manzoni ¹²⁰, A. Marantis ¹⁶², G. Marceca ³⁰, L. Marchese ¹³⁵, G. Marchiori ¹³⁶, M. Marcisovsky ¹⁴¹, C. Marcon ⁹⁶, C.A. Marin Tobon ³⁶, M. Marjanovic ³⁸, F. Marroquim ^{80b}, Z. Marshall ¹⁸, M.U.F Martensson ¹⁷², S. Marti-Garcia ¹⁷⁴, C.B. Martin ¹²⁶, T.A. Martin ¹⁷⁸, V.J. Martin ⁵⁰, B. Martin dit Latour ¹⁷, L. Martinelli ^{74a,74b}, M. Martinez ^{14,w}, V.I. Martinez Outschoorn ¹⁰², S. Martin-Haugh ¹⁴⁴, V.S. Martoiu ^{27b}, A.C. Martyniuk ⁹⁴, A. Marzin ³⁶, L. Masetti ⁹⁹, T. Mashimo ¹⁶³, R. Mashinistov ¹¹⁰, J. Masik ¹⁰⁰, A.L. Maslennikov ^{122b,122a}, L.H. Mason ¹⁰⁴, L. Massa ^{73a,73b}, P. Massarotti ^{69a,69b}, P. Mastrandrea ^{71a,71b}, A. Mastroberardino ^{41b,41a}, T. Masubuchi ¹⁶³, A. Matic ¹¹⁴, P. Mättig ²⁴, J. Maurer ^{27b}, B. Maček ⁹¹, S.J. Maxfield ⁹⁰, D.A. Maximov ^{122b,122a}, R. Mazini ¹⁵⁸, I. Maznas ¹⁶², S.M. Mazza ¹⁴⁶, S.P. Mc Kee ¹⁰⁵, T.G. McCarthy ¹¹⁵, L.I. McClymont ⁹⁴, W.P. McCormack ¹⁸, E.F. McDonald ¹⁰⁴, J.A. Mcfayden ³⁶, M.A. McKay ⁴², K.D. McLean ¹⁷⁶, S.J. McMahon ¹⁴⁴, P.C. McNamara ¹⁰⁴, C.J. McNicol ¹⁷⁸, R.A. McPherson ^{176,ac}, J.E. Mdhluli ^{33c}, Z.A. Meadows ¹⁰², S. Meehan ¹⁴⁸, T. Megy ⁵², S. Mehlhase ¹¹⁴, A. Mehta ⁹⁰, T. Meideck ⁵⁸, B. Meirose ⁴³, D. Melini ¹⁷⁴, B.R. Mellado Garcia ^{33c}, J.D. Mellenthin ⁵³, M. Melo ^{28a}, F. Meloni ⁴⁶, A. Melzer ²⁴, S.B. Menary ¹⁰⁰, E.D. Mendes Gouveia ^{140a,140e}, L. Meng ³⁶, X.T. Meng ¹⁰⁵, S. Menke ¹¹⁵, E. Meoni ^{41b,41a}, S. Mergelmeyer ¹⁹, S.A.M. Merkt ¹³⁹, C. Merlassino ²⁰, P. Mermod ⁵⁴, L. Merola ^{69a,69b}, C. Meroni ^{68a}, O. Meshkov ^{113,110}, J.K.R. Meshreki ¹⁵¹, A. Messina ^{72a,72b}, J. Metcalfe ⁶, A.S. Mete ¹⁷¹, C. Meyer ⁶⁵, J. Meyer ¹⁶⁰, J-P. Meyer ¹⁴⁵, H. Meyer Zu Theenhausen ^{61a}, F. Miano ¹⁵⁶, R.P. Middleton ¹⁴⁴, L. Mijović ⁵⁰, G. Mikenberg ¹⁸⁰, M. Mikestikova ¹⁴¹, M. Mikuž ⁹¹, H. Mildner ¹⁴⁹, M. Milesi ¹⁰⁴, A. Milic ¹⁶⁷, D.A. Millar ⁹², D.W. Miller ³⁷, A. Milov ¹⁸⁰, D.A. Milstead ^{45a,45b}, R.A. Mina ^{153,p}, A.A. Minaenko ¹²³, M. Miñano Moya ¹⁷⁴, I.A. Minashvili ^{159b}, A.I. Mincer ¹²⁴, B. Mindur ^{83a}, M. Mineev ⁷⁹, Y. Minegishi ¹⁶³, Y. Ming ¹⁸¹, L.M. Mir ¹⁴, A. Mirta ^{67a,67b}, K.P. Mistry ¹³⁷, T. Mitani ¹⁷⁹, J. Mitrevski ¹¹⁴, V.A. Mitsou ¹⁷⁴, M. Mittal ^{60c}, A. Miucci ²⁰, P.S. Miyagawa ¹⁴⁹, A. Mizukami ⁸¹, J.U. Mjörnmark ⁹⁶, T. Mkrtchyan ¹⁸⁴, M. Mlynarikova ¹⁴³, T. Moa ^{45a,45b}, K. Mochizuki ¹⁰⁹, P. Mogg ⁵², S. Mohapatra ³⁹, R. Moles-Valls ²⁴, M.C. Mondragon ¹⁰⁶, K. Mönig ⁴⁶, J. Monk ⁴⁰, E. Monnier ¹⁰¹, A. Montalbano ¹⁵², J. Montejo Berlingen ³⁶, M. Montella ⁹⁴, F. Monticelli ⁸⁸, S. Monzani ^{68a}, N. Morange ¹³², D. Moreno ²², M. Moreno Llácer ³⁶, P. Morettini ^{55b}, M. Morgenstern ¹²⁰, S. Morgenstern ⁴⁸, D. Mori ¹⁵², M. Morii ⁵⁹, M. Morinaga ¹⁷⁹, V. Morisbak ¹³⁴, A.K. Morley ³⁶, G. Mornacchi ³⁶, A.P. Morris ⁹⁴, L. Morvaj ¹⁵⁵, P. Moschovakos ¹⁰, B. Moser ¹²⁰, M. Mosidze ^{159b}, T. Moskalets ¹⁴⁵, H.J. Moss ¹⁴⁹, J. Moss ^{31,m}, K. Motohashi ¹⁶⁵, E. Mountricha ³⁶, E.J.W. Moyse ¹⁰², S. Muanza ¹⁰¹, F. Mueller ¹¹⁵, J. Mueller ¹³⁹, R.S.P. Mueller ¹¹⁴, D. Muenstermann ⁸⁹, G.A. Mullier ⁹⁶, J.L. Munoz Martinez ¹⁴, F.J. Munoz Sanchez ¹⁰⁰, P. Murin ^{28b}, W.J. Murray ^{178,144}, A. Murrone ^{68a,68b}, M. Muškinja ¹⁸, C. Mwewa ^{33a}, A.G. Myagkov ^{123,an}, J. Myers ¹³¹, M. Myska ¹⁴², B.P. Nachman ¹⁸, O. Nackenhorst ⁴⁷, A. Nag Nag ⁴⁸, K. Nagai ¹³⁵, K. Nagano ⁸¹, Y. Nagasaka ⁶², M. Nagel ⁵², E. Nagy ¹⁰¹, A.M. Nairz ³⁶, Y. Nakahama ¹¹⁷, K. Nakamura ⁸¹, T. Nakamura ¹⁶³, I. Nakano ¹²⁷, H. Nanjo ¹³³, F. Napolitano ^{61a}, R.F. Naranjo Garcia ⁴⁶, R. Narayan ¹¹, D.I. Narrias Villar ^{61a}, I. Naryshkin ¹³⁸, T. Naumann ⁴⁶, G. Navarro ²², H.A. Neal ^{105,*}, P.Y. Nechaeva ¹¹⁰, F. Nechansky ⁴⁶, T.J. Neep ²¹, A. Negri ^{70a,70b}, M. Negrini ^{23b}, S. Nektarijevic ¹¹⁹, C. Nellist ⁵³, M.E. Nelson ¹³⁵, S. Nemecek ¹⁴¹, P. Nemethy ¹²⁴, M. Nessi ^{36,d}, M.S. Neubauer ¹⁷³, M. Neumann ¹⁸², P.R. Newman ²¹, T.Y. Ng ^{63c}, Y.S. Ng ¹⁹, Y.W.Y. Ng ¹⁷¹, H.D.N. Nguyen ¹⁰¹, T. Nguyen Manh ¹⁰⁹, E. Nibigira ³⁸, R.B. Nickerson ¹³⁵, R. Nicolaïdou ¹⁴⁵, D.S. Nielsen ⁴⁰, J. Nielsen ¹⁴⁶, N. Nikiforou ¹¹, V. Nikolaenko ^{123,an}, I. Nikolic-Audit ¹³⁶, K. Nikolopoulos ²¹, P. Nilsson ²⁹, H.R. Nindhito ⁵⁴, Y. Ninomiya ⁸¹, A. Nisati ^{72a}, N. Nishu ^{60c}, R. Nisius ¹¹⁵, I. Nitsche ⁴⁷, T. Nitta ¹⁷⁹, T. Nobe ¹⁶³, Y. Noguchi ⁸⁵, M. Nomachi ¹³³, I. Nomidis ¹³⁶, M.A. Nomura ²⁹, M. Nordberg ³⁶, N. Norjoharuddeen ¹³⁵, T. Novak ⁹¹, O. Novgorodova ⁴⁸, R. Novotny ¹⁴², L. Nozka ¹³⁰, K. Ntekas ¹⁷¹, E. Nurse ⁹⁴, F. Nuti ¹⁰⁴, F.G. Oakham ^{34,aw}, H. Oberlack ¹¹⁵, J. Ocariz ¹³⁶, A. Ochi ⁸², I. Ochoa ³⁹, J.P. Ochoa-Ricoux ^{147a}, K. O'Connor ²⁶, S. Oda ⁸⁷, S. Odaka ⁸¹, S. Oerdekk ⁵³, A. Ogrodnik ^{83a}, A. Oh ¹⁰⁰, S.H. Oh ⁴⁹, C.C. Ohm ¹⁵⁴, H. Oide ^{55b,55a}, M.L. Ojeda ¹⁶⁷, H. Okawa ¹⁶⁹, Y. Okazaki ⁸⁵, Y. Okumura ¹⁶³,

- T. Okuyama ⁸¹, A. Olariu ^{27b}, L.F. Oleiro Seabra ^{140a}, S.A. Olivares Pino ^{147a}, D. Oliveira Damazio ²⁹, J.L. Oliver ¹, M.J.R. Olsson ¹⁷¹, A. Olszewski ⁸⁴, J. Olszowska ⁸⁴, D.C. O’Neil ¹⁵², A. Onofre ^{140a,140e}, K. Onogi ¹¹⁷, P.U.E. Onyisi ¹¹, H. Oppen ¹³⁴, M.J. Oreglia ³⁷, G.E. Orellana ⁸⁸, Y. Oren ¹⁶¹, D. Orestano ^{74a,74b}, N. Orlando ¹⁴, R.S. Orr ¹⁶⁷, V. O’Shea ⁵⁷, R. Osipanov ^{60a}, G. Otero y Garzon ³⁰, H. Otono ⁸⁷, M. Ouchrif ^{35d}, F. Ould-Saada ¹³⁴, A. Ouraou ¹⁴⁵, Q. Ouyang ^{15a}, M. Owen ⁵⁷, R.E. Owen ²¹, V.E. Ozcan ^{12c}, N. Ozturk ⁸, J. Pacalt ¹³⁰, H.A. Pacey ³², K. Pachal ⁴⁹, A. Pacheco Pages ¹⁴, C. Padilla Aranda ¹⁴, S. Pagan Griso ¹⁸, M. Paganini ¹⁸³, G. Palacino ⁶⁵, S. Palazzo ⁵⁰, S. Palestini ³⁶, M. Palka ^{83b}, D. Pallin ³⁸, I. Panagoulias ¹⁰, C.E. Pandini ³⁶, J.G. Panduro Vazquez ⁹³, P. Pani ⁴⁶, G. Panizzo ^{66a,66c}, L. Paolozzi ⁵⁴, C. Papadatos ¹⁰⁹, K. Papageorgiou ^{9,h}, A. Paramonov ⁶, D. Paredes Hernandez ^{63b}, S.R. Paredes Saenz ¹³⁵, B. Parida ¹⁶⁶, T.H. Park ¹⁶⁷, A.J. Parker ⁸⁹, M.A. Parker ³², F. Parodi ^{55b,55a}, E.W.P. Parrish ¹²¹, J.A. Parsons ³⁹, U. Parzefall ⁵², L. Pascual Dominguez ¹³⁶, V.R. Pascuzzi ¹⁶⁷, J.M.P. Pasner ¹⁴⁶, E. Pasqualucci ^{72a}, S. Passaggio ^{55b}, F. Pastore ⁹³, P. Pasuwani ^{45a,45b}, S. Pataraia ⁹⁹, J.R. Pater ¹⁰⁰, A. Pathak ¹⁸¹, T. Pauly ³⁶, B. Pearson ¹¹⁵, M. Pedersen ¹³⁴, L. Pedraza Diaz ¹¹⁹, R. Pedro ^{140a,140b}, T. Peiffer ⁵³, S.V. Peleganchuk ^{122b,122a}, O. Penc ¹⁴¹, H. Peng ^{60a}, B.S. Peralva ^{80a}, M.M. Perego ¹³², A.P. Pereira Peixoto ^{140a,140e}, D.V. Perepelitsa ²⁹, F. Peri ¹⁹, L. Perini ^{68a,68b}, H. Pernegger ³⁶, S. Perrella ^{69a,69b}, V.D. Peshekhonov ^{79,*}, K. Peters ⁴⁶, R.F.Y. Peters ¹⁰⁰, B.A. Petersen ³⁶, T.C. Petersen ⁴⁰, E. Petit ⁵⁸, A. Petridis ¹, C. Petridou ¹⁶², P. Petroff ¹³², M. Petrov ¹³⁵, F. Petrucci ^{74a,74b}, M. Pettee ¹⁸³, N.E. Pettersson ¹⁰², K. Petukhova ¹⁴³, A. Peyaud ¹⁴⁵, R. Pezoa ^{147b}, L. Pezzotti ^{70a,70b}, T. Pham ¹⁰⁴, F.H. Phillips ¹⁰⁶, P.W. Phillips ¹⁴⁴, M.W. Phipps ¹⁷³, G. Piacquadio ¹⁵⁵, E. Pianori ¹⁸, A. Picazio ¹⁰², R.H. Pickles ¹⁰⁰, R. Piegaia ³⁰, D. Pietreanu ^{27b}, J.E. Pilcher ³⁷, A.D. Pilkington ¹⁰⁰, M. Pinamonti ^{73a,73b}, J.L. Pinfold ³, M. Pitt ¹⁸⁰, L. Pizzimento ^{73a,73b}, M.-A. Pleier ²⁹, V. Pleskot ¹⁴³, E. Plotnikova ⁷⁹, D. Pluth ⁷⁸, P. Podberezko ^{122b,122a}, R. Poettgen ⁹⁶, R. Poggi ⁵⁴, L. Poggiali ¹³², I. Pogrebnyak ¹⁰⁶, D. Pohl ²⁴, I. Pokharel ⁵³, G. Polesello ^{70a}, A. Poley ¹⁸, A. Policicchio ^{72a,72b}, R. Polifka ³⁶, A. Polini ^{23b}, C.S. Pollard ⁴⁶, V. Polychronakos ²⁹, D. Ponomarenko ¹¹², L. Pontecorvo ³⁶, S. Popa ^{27a}, G.A. Popenescu ^{27d}, D.M. Portillo Quintero ⁵⁸, S. Pospisil ¹⁴², K. Potamianos ⁴⁶, I.N. Potrap ⁷⁹, C.J. Potter ³², H. Potti ¹¹, T. Poulsen ⁹⁶, J. Poveda ³⁶, T.D. Powell ¹⁴⁹, G. Pownall ⁴⁶, M.E. Pozo Astigarraga ³⁶, P. Pralavorio ¹⁰¹, S. Prell ⁷⁸, D. Price ¹⁰⁰, M. Primavera ^{67a}, S. Prince ¹⁰³, M.L. Proffitt ¹⁴⁸, N. Proklova ¹¹², K. Prokofiev ^{63c}, F. Prokoshin ^{147b}, S. Protopopescu ²⁹, J. Proudfoot ⁶, M. Przybycien ^{83a}, A. Puri ¹⁷³, P. Puzo ¹³², J. Qian ¹⁰⁵, Y. Qin ¹⁰⁰, A. Quadt ⁵³, M. Queitsch-Maitland ⁴⁶, A. Qureshi ¹, P. Rados ¹⁰⁴, F. Ragusa ^{68a,68b}, G. Rahal ⁹⁷, J.A. Raine ⁵⁴, S. Rajagopalan ²⁹, A. Ramirez Morales ⁹², K. Ran ^{15a,15d}, T. Rashid ¹³², S. Raspopov ⁵, M.G. Ratti ^{68a,68b}, D.M. Rauch ⁴⁶, F. Rauscher ¹¹⁴, S. Rave ⁹⁹, B. Ravina ¹⁴⁹, I. Ravinovich ¹⁸⁰, J.H. Rawling ¹⁰⁰, M. Raymond ³⁶, A.L. Read ¹³⁴, N.P. Readioff ⁵⁸, M. Reale ^{67a,67b}, D.M. Rebuzzi ^{70a,70b}, A. Redelbach ¹⁷⁷, G. Redlinger ²⁹, R.G. Reed ^{33c}, K. Reeves ⁴³, L. Rehnisch ¹⁹, J. Reichert ¹³⁷, D. Reikher ¹⁶¹, A. Reiss ⁹⁹, A. Rej ¹⁵¹, C. Rembser ³⁶, M. Renda ^{27b}, M. Rescigno ^{72a}, S. Resconi ^{68a}, E.D. Ressegue ¹³⁷, S. Rettie ¹⁷⁵, E. Reynolds ²¹, O.L. Rezanova ^{122b,122a}, P. Reznicek ¹⁴³, E. Ricci ^{75a,75b}, R. Richter ¹¹⁵, S. Richter ⁴⁶, E. Richter-Was ^{83b}, O. Ricken ²⁴, M. Ridel ¹³⁶, P. Rieck ¹¹⁵, C.J. Riegel ¹⁸², O. Rifki ⁴⁶, M. Rijssenbeek ¹⁵⁵, A. Rimoldi ^{70a,70b}, M. Rimoldi ²⁰, L. Rinaldi ^{23b}, G. Ripellino ¹⁵⁴, B. Ristić ⁸⁹, E. Ritsch ³⁶, I. Riu ¹⁴, J.C. Rivera Vergara ^{147a}, F. Rizatdinova ¹²⁹, E. Rizvi ⁹², C. Rizzi ³⁶, R.T. Roberts ¹⁰⁰, S.H. Robertson ^{103,ac}, M. Robin ⁴⁶, D. Robinson ³², J.E.M. Robinson ⁴⁶, A. Robson ⁵⁷, E. Rocco ⁹⁹, C. Roda ^{71a,71b}, Y. Rodina ¹⁰¹, S. Rodriguez Bosca ¹⁷⁴, A. Rodriguez Perez ¹⁴, D. Rodriguez Rodriguez ¹⁷⁴, A.M. Rodríguez Vera ^{168b}, S. Roe ³⁶, O. Røhne ¹³⁴, R. Röhrg ¹¹⁵, C.P.A. Roland ⁶⁵, J. Roloff ⁵⁹, A. Romanikou ¹¹², M. Romano ^{23b,23a}, N. Rompotis ⁹⁰, M. Ronzani ¹²⁴, L. Roos ¹³⁶, S. Rosati ^{72a}, K. Rosbach ⁵², N-A. Rosien ⁵³, G. Rosin ¹⁰², B.J. Rosser ¹³⁷, E. Rossi ⁴⁶, E. Rossi ^{74a,74b}, E. Rossi ^{69a,69b}, L.P. Rossi ^{55b}, L. Rossini ^{68a,68b}, J.H.N. Rosten ³², R. Rosten ¹⁴, M. Rotaru ^{27b}, J. Rothberg ¹⁴⁸, D. Rousseau ¹³², G. Rovelli ^{70a,70b}, D. Roy ^{33c}, A. Rozanov ¹⁰¹, Y. Rozen ¹⁶⁰, X. Ruan ^{33c}, F. Rubbo ¹⁵³, F. Rühr ⁵², A. Ruiz-Martinez ¹⁷⁴, A. Rummler ³⁶, Z. Rurikova ⁵², N.A. Rusakovich ⁷⁹, H.L. Russell ¹⁰³, L. Rustige ^{38,47}, J.P. Rutherford ⁷, E.M. Rüttinger ^{46,j}, Y.F. Ryabov ¹³⁸, M. Rybar ³⁹, G. Rybkin ¹³², A. Ryzhov ¹²³, G.F. Rzehorz ⁵³, P. Sabatini ⁵³, G. Sabato ¹²⁰, S. Sacerdoti ¹³², H.F-W. Sadrozinski ¹⁴⁶, R. Sadykov ⁷⁹, F. Safai Tehrani ^{72a}, B. Safarzadeh Samani ¹⁵⁶, P. Saha ¹²¹, S. Saha ¹⁰³, M. Sahinsoy ^{61a}, A. Sahu ¹⁸², M. Saimpert ⁴⁶, M. Saito ¹⁶³, T. Saito ¹⁶³, H. Sakamoto ¹⁶³, A. Sakharov ^{124,am}, D. Salamani ⁵⁴, G. Salamanna ^{74a,74b}, J.E. Salazar Loyola ^{147b}, P.H. Sales De Bruin ¹⁷², D. Salihagic ^{115,*}, A. Salnikov ¹⁵³, J. Salt ¹⁷⁴, D. Salvatore ^{41b,41a}, F. Salvatore ¹⁵⁶, A. Salvucci ^{63a,63b,63c}, A. Salzburger ³⁶, J. Samarati ³⁶,

- D. Sammel 52, D. Sampsonidis 162, D. Sampsonidou 162, J. Sánchez 174, A. Sanchez Pineda 66a,66c,
 H. Sandaker 134, C.O. Sander 46, I.G. Sanderswood 89, M. Sandhoff 182, C. Sandoval 22, D.P.C. Sankey 144,
 M. Sannino 55b,55a, Y. Sano 117, A. Sansoni 51, C. Santoni 38, H. Santos 140a,140b, S.N. Santpur 18,
 A. Santra 174, A. Sapronov 79, J.G. Saraiva 140a,140d, O. Sasaki 81, K. Sato 169, E. Sauvan 5, P. Savard 167,aw,
 N. Savic 115, R. Sawada 163, C. Sawyer 144, L. Sawyer 95,ak, C. Sbarra 23b, A. Sbrizzi 23a, T. Scanlon 94,
 J. Schaarschmidt 148, P. Schacht 115, B.M. Schachtner 114, D. Schaefer 37, L. Schaefer 137, J. Schaeffer 99,
 S. Schaepe 36, U. Schäfer 99, A.C. Schaffer 132, D. Schaile 114, R.D. Schamberger 155, N. Scharmberg 100,
 V.A. Schegelsky 138, D. Scheirich 143, F. Schenck 19, M. Schernau 171, C. Schiavi 55b,55a, S. Schier 146,
 L.K. Schildgen 24, Z.M. Schillaci 26, E.J. Schioppa 36, M. Schioppa 41b,41a, K.E. Schleicher 52, S. Schlenker 36,
 K.R. Schmidt-Sommerfeld 115, K. Schmieden 36, C. Schmitt 99, S. Schmitt 46, S. Schmitz 99,
 J.C. Schmoeckel 46, U. Schnoor 52, L. Schoeffel 145, A. Schoening 61b, E. Schopf 135, M. Schott 99,
 J.F.P. Schouwenberg 119, J. Schovancova 36, S. Schramm 54, F. Schroeder 182, A. Schulte 99,
 H-C. Schultz-Coulon 61a, M. Schumacher 52, B.A. Schumm 146, Ph. Schune 145, A. Schwartzman 153,
 T.A. Schwarz 105, Ph. Schwemling 145, R. Schwienhorst 106, A. Sciandra 146, G. Sciolla 26, M. Scodeggio 46,
 M. Scornajenghi 41b,41a, F. Scuri 71a, F. Scutti 104, L.M. Scyboz 115, C.D. Sebastiani 72a,72b, P. Seema 19,
 S.C. Seidel 118, A. Seiden 146, T. Seiss 37, J.M. Seixas 80b, G. Sekhniaidze 69a, K. Sekhon 105, S.J. Sekula 42,
 N. Semprini-Cesari 23b,23a, S. Sen 49, S. Senkin 38, C. Serfon 76, L. Serin 132, L. Serkin 66a,66b, M. Sessa 60a,
 H. Severini 128, F. Sforza 170, A. Sfyrla 54, E. Shabalina 53, J.D. Shahinian 146, N.W. Shaikh 45a,45b,
 D. Shaked Renous 180, L.Y. Shan 15a, R. Shang 173, J.T. Shank 25, M. Shapiro 18, A. Sharma 135, A.S. Sharma 1,
 P.B. Shatalov 111, K. Shaw 156, S.M. Shaw 100, A. Shcherbakova 138, Y. Shen 128, N. Sherafati 34,
 A.D. Sherman 25, P. Sherwood 94, L. Shi 158,as, S. Shimizu 81, C.O. Shimmin 183, Y. Shimogama 179,
 M. Shimojima 116, I.P.J. Shipsey 135, S. Shirabe 87, M. Shiyakova 79,z, J. Shlomi 180, A. Shmeleva 110,
 M.J. Shochet 37, S. Shojaei 104, D.R. Shope 128, S. Shrestha 126, E. Shulga 180, P. Sicho 141, A.M. Sickles 173,
 P.E. Sidebo 154, E. Sideras Haddad 33c, O. Sidiropoulou 36, A. Sidoti 23b,23a, F. Siegert 48, Dj. Sijacki 16,
 M. Silva Jr. 181, M.V. Silva Oliveira 80a, S.B. Silverstein 45a, S. Simion 132, E. Simioni 99, M. Simon 99,
 R. Simoniello 99, P. Sinervo 167, N.B. Sinev 131, M. Sioli 23b,23a, I. Siral 105, S.Yu. Sivoklokov 113,
 J. Sjölin 45a,45b, E. Skorda 96, P. Skubic 128, M. Slawinska 84, K. Sliwa 170, R. Slovak 143, V. Smakhtin 180,
 B.H. Smart 144, J. Smiesko 28a, N. Smirnov 112, S.Yu. Smirnov 112, Y. Smirnov 112, L.N. Smirnova 113,s,
 O. Smirnova 96, J.W. Smith 53, M. Smizanska 89, K. Smolek 142, A. Smykiewicz 84, A.A. Snesarev 110,
 H.L. Snoek 120, I.M. Snyder 131, S. Snyder 29, R. Sobie 176,ac, A.M. Soffa 171, A. Soffer 161, A. Søgaard 50,
 F. Sohns 53, G. Sokhrannyi 91, C.A. Solans Sanchez 36, E.Yu. Soldatov 112, U. Soldevila 174, A.A. Solodkov 123,
 A. Soloshenko 79, O.V. Solovyanov 123, V. Solovyev 138, P. Sommer 149, H. Son 170, W. Song 144,
 W.Y. Song 168b, A. Sopczak 142, F. Sopkova 28b, C.L. Sotiropoulou 71a,71b, S. Sottocornola 70a,70b,
 R. Soualah 66a,66c,g, A.M. Soukharev 122b,122a, D. South 46, S. Spagnolo 67a,67b, M. Spalla 115,
 M. Spangenberg 178, F. Spanò 93, D. Sperlich 52, T.M. Spieker 61a, R. Spighi 23b, G. Spigo 36, L.A. Spiller 104,
 M. Spina 156, D.P. Spiteri 57, M. Spousta 143, A. Stabile 68a,68b, B.L. Stamas 121, R. Stamen 61a,
 M. Stamenkovic 120, S. Stamm 19, E. Stanecka 84, R.W. Stanek 6, B. Stanislaus 135, M.M. Stanitzki 46,
 M. Stankaityte 135, B. Stapf 120, E.A. Starchenko 123, G.H. Stark 146, J. Stark 58, S.H. Stark 40, P. Staroba 141,
 P. Starovoitov 61a, S. Stärz 103, R. Staszewski 84, G. Stavropoulos 44, M. Stegler 46, P. Steinberg 29,
 A.L. Steinhebel 131, B. Stelzer 152, H.J. Stelzer 36, O. Stelzer-Chilton 168a, H. Stenzel 56, T.J. Stevenson 156,
 G.A. Stewart 36, M.C. Stockton 36, G. Stoica 27b, M. Stolarski 140a, P. Stolte 53, S. Stonjek 115,
 A. Straessner 48, J. Strandberg 154, S. Strandberg 45a,45b, M. Strauss 128, P. Strizenec 28b, R. Ströhmer 177,
 D.M. Strom 131, R. Stroynowski 42, A. Strubig 50, S.A. Stucci 29, B. Stugu 17, J. Stupak 128, N.A. Styles 46,
 D. Su 153, S. Suchek 61a, Y. Sugaya 133, V.V. Sulin 110, M.J. Sullivan 90, D.M.S. Sultan 54, S. Sultansoy 4c,
 T. Sumida 85, S. Sun 105, X. Sun 3, K. Suruliz 156, C.J.E. Suster 157, M.R. Sutton 156, S. Suzuki 81, M. Svatos 141,
 M. Swiatlowski 37, S.P. Swift 2, A. Sydorenko 99, I. Sykora 28a, M. Sykora 143, T. Sykora 143, D. Ta 99,
 K. Tackmann 46,x, J. Taenzer 161, A. Taffard 171, R. Tafirout 168a, E. Tahirovic 92, H. Takai 29, R. Takashima 86,
 K. Takeda 82, T. Takeshita 150, E.P. Takeva 50, Y. Takubo 81, M. Talby 101, A.A. Talyshев 122b,122a,
 N.M. Tamir 161, J. Tanaka 163, M. Tanaka 165, R. Tanaka 132, B.B. Tannenwald 126, S. Tapia Araya 173,
 S. Tapprogge 99, A. Tarek Abouelfadl Mohamed 136, S. Tarem 160, G. Tarna 27b,c, G.F. Tartarelli 68a, P. Tas 143,
 M. Tasevsky 141, T. Tashiro 85, E. Tassi 41b,41a, A. Tavares Delgado 140a,140b, Y. Tayalati 35e, A.J. Taylor 50,
 G.N. Taylor 104, P.T.E. Taylor 104, W. Taylor 168b, A.S. Tee 89, R. Teixeira De Lima 153, P. Teixeira-Dias 93,

- H. Ten Kate ³⁶, J.J. Teoh ¹²⁰, S. Terada ⁸¹, K. Terashi ¹⁶³, J. Terron ⁹⁸, S. Terzo ¹⁴, M. Testa ⁵¹,
 R.J. Teuscher ^{167,ac}, S.J. Thais ¹⁸³, T. Theveneaux-Pelzer ⁴⁶, F. Thiele ⁴⁰, D.W. Thomas ⁹³, J.O. Thomas ⁴²,
 J.P. Thomas ²¹, A.S. Thompson ⁵⁷, P.D. Thompson ²¹, L.A. Thomsen ¹⁸³, E. Thomson ¹³⁷, Y. Tian ³⁹,
 R.E. Ticse Torres ⁵³, V.O. Tikhomirov ^{110,ao}, Yu.A. Tikhonov ^{122b,122a}, S. Timoshenko ¹¹², P. Tipton ¹⁸³,
 S. Tisserant ¹⁰¹, K. Todome ^{23b,23a}, S. Todorova-Nova ⁵, S. Todt ⁴⁸, J. Tojo ⁸⁷, S. Tokár ^{28a}, K. Tokushuku ⁸¹,
 E. Tolley ¹²⁶, K.G. Tomiwa ^{33c}, M. Tomoto ¹¹⁷, L. Tompkins ^{153,p}, K. Toms ¹¹⁸, B. Tong ⁵⁹, P. Tornambe ¹⁰²,
 E. Torrence ¹³¹, H. Torres ⁴⁸, E. Torró Pastor ¹⁴⁸, C. Tosciri ¹³⁵, J. Toth ^{101,aa}, D.R. Tovey ¹⁴⁹, C.J. Treado ¹²⁴,
 T. Trefzger ¹⁷⁷, F. Tresoldi ¹⁵⁶, A. Tricoli ²⁹, I.M. Trigger ^{168a}, S. Trincaz-Duvoud ¹³⁶, W. Trischuk ¹⁶⁷,
 B. Trocmé ⁵⁸, A. Trofymov ¹³², C. Troncon ^{68a}, M. Trovatelli ¹⁷⁶, F. Trovato ¹⁵⁶, L. Truong ^{33b},
 M. Trzebinski ⁸⁴, A. Trzupek ⁸⁴, F. Tsai ⁴⁶, J.C-L. Tseng ¹³⁵, P.V. Tsiareshka ^{107,ai}, A. Tsirigotis ¹⁶²,
 N. Tsirintanis ⁹, V. Tsiskaridze ¹⁵⁵, E.G. Tskhadadze ^{159a}, M. Tsopoulou ¹⁶², I.I. Tsukerman ¹¹¹, V. Tsulaia ¹⁸,
 S. Tsuno ⁸¹, D. Tsybychev ¹⁵⁵, Y. Tu ^{63b}, A. Tudorache ^{27b}, V. Tudorache ^{27b}, T.T. Tulbure ^{27a}, A.N. Tuna ⁵⁹,
 S. Turchikhin ⁷⁹, D. Turgeman ¹⁸⁰, I. Turk Cakir ^{4b,t}, R.J. Turner ²¹, R.T. Turra ^{68a}, P.M. Tuts ³⁹,
 S. Tzamarias ¹⁶², E. Tzovara ⁹⁹, G. Ucchielli ⁴⁷, I. Ueda ⁸¹, M. Ughetto ^{45a,45b}, F. Ukegawa ¹⁶⁹, G. Unal ³⁶,
 A. Undrus ²⁹, G. Unel ¹⁷¹, F.C. Ungaro ¹⁰⁴, Y. Unno ⁸¹, K. Uno ¹⁶³, J. Urban ^{28b}, P. Urquijo ¹⁰⁴, G. Usai ⁸,
 J. Usui ⁸¹, L. Vacavant ¹⁰¹, V. Vacek ¹⁴², B. Vachon ¹⁰³, K.O.H. Vadla ¹³⁴, A. Vaidya ⁹⁴, C. Valderanis ¹¹⁴,
 E. Valdes Santurio ^{45a,45b}, M. Valente ⁵⁴, S. Valentini ^{23b,23a}, A. Valero ¹⁷⁴, L. Valéry ⁴⁶, R.A. Vallance ²¹,
 A. Vallier ³⁶, J.A. Valls Ferrer ¹⁷⁴, T.R. Van Daalen ¹⁴, P. Van Gemmeren ⁶, I. Van Vulpen ¹²⁰,
 M. Vanadia ^{73a,73b}, W. Vandelli ³⁶, A. Vaniachine ¹⁶⁶, D. Vannicola ^{72a,72b}, R. Vari ^{72a}, E.W. Varnes ⁷,
 C. Varni ^{55b,55a}, T. Varol ⁴², D. Varouchas ¹³², K.E. Varvell ¹⁵⁷, M.E. Vasile ^{27b}, G.A. Vasquez ¹⁷⁶,
 J.G. Vasquez ¹⁸³, F. Vazeille ³⁸, D. Vazquez Furelos ¹⁴, T. Vazquez Schroeder ³⁶, J. Veatch ⁵³,
 V. Vecchio ^{74a,74b}, M.J. Veen ¹²⁰, L.M. Veloce ¹⁶⁷, F. Veloso ^{140a,140c}, S. Veneziano ^{72a}, A. Ventura ^{67a,67b},
 N. Venturi ³⁶, A. Verbytskyi ¹¹⁵, V. Vercesi ^{70a}, M. Verducci ^{74a,74b}, C.M. Vergel Infante ⁷⁸, C. Vergis ²⁴,
 W. Verkerke ¹²⁰, A.T. Vermeulen ¹²⁰, J.C. Vermeulen ¹²⁰, M.C. Vetterli ^{152,aw}, N. Viaux Maira ^{147b},
 M. Vicente Barreto Pinto ⁵⁴, I. Vichou ^{173,*}, T. Vickey ¹⁴⁹, O.E. Vickey Boeriu ¹⁴⁹, G.H.A. Viehhauser ¹³⁵,
 L. Vigani ¹³⁵, M. Villa ^{23b,23a}, M. Villaplana Perez ^{68a,68b}, E. Vilucchi ⁵¹, M.G. Vincter ³⁴, V.B. Vinogradov ⁷⁹,
 A. Vishwakarma ⁴⁶, C. Vittori ^{23b,23a}, I. Vivarelli ¹⁵⁶, M. Vogel ¹⁸², P. Vokac ¹⁴², G. Volpi ¹⁴,
 S.E. von Buddenbrock ^{33c}, E. Von Toerne ²⁴, V. Vorobel ¹⁴³, K. Vorobev ¹¹², M. Vos ¹⁷⁴, J.H. Vossebeld ⁹⁰,
 N. Vranjes ¹⁶, M. Vranjes Milosavljevic ¹⁶, V. Vrba ¹⁴², M. Vreeswijk ¹²⁰, T. Šfiligoj ⁹¹, R. Vuillermet ³⁶,
 I. Vukotic ³⁷, T. Ženiš ^{28a}, L. Živković ¹⁶, P. Wagner ²⁴, W. Wagner ¹⁸², J. Wagner-Kuhr ¹¹⁴, H. Wahlberg ⁸⁸,
 K. Wakamiya ⁸², V.M. Walbrecht ¹¹⁵, J. Walder ⁸⁹, R. Walker ¹¹⁴, S.D. Walker ⁹³, W. Walkowiak ¹⁵¹,
 V. Wallangen ^{45a,45b}, A.M. Wang ⁵⁹, C. Wang ^{60b}, F. Wang ¹⁸¹, H. Wang ¹⁸, H. Wang ³, J. Wang ¹⁵⁷,
 J. Wang ^{61b}, P. Wang ⁴², Q. Wang ¹²⁸, R.-J. Wang ⁹⁹, R. Wang ^{60a}, R. Wang ⁶, S.M. Wang ¹⁵⁸, W.T. Wang ^{60a},
 W. Wang ^{15c,ad}, W.X. Wang ^{60a,ad}, Y. Wang ^{60a,al}, Z. Wang ^{60c}, C. Wanotayaroj ⁴⁶, A. Warburton ¹⁰³,
 C.P. Ward ³², D.R. Wardrope ⁹⁴, A. Washbrook ⁵⁰, A.T. Watson ²¹, M.F. Watson ²¹, G. Watts ¹⁴⁸,
 B.M. Waugh ⁹⁴, A.F. Webb ¹¹, S. Webb ⁹⁹, C. Weber ¹⁸³, M.S. Weber ²⁰, S.A. Weber ³⁴, S.M. Weber ^{61a},
 A.R. Weidberg ¹³⁵, J. Weingarten ⁴⁷, M. Weirich ⁹⁹, C. Weiser ⁵², P.S. Wells ³⁶, T. Wenaus ²⁹, T. Wengler ³⁶,
 S. Wenig ³⁶, N. Wermes ²⁴, M.D. Werner ⁷⁸, P. Werner ³⁶, M. Wessels ^{61a}, T.D. Weston ²⁰, K. Whalen ¹³¹,
 N.L. Whallon ¹⁴⁸, A.M. Wharton ⁸⁹, A.S. White ¹⁰⁵, A. White ⁸, M.J. White ¹, R. White ^{147b}, D. Whiteson ¹⁷¹,
 B.W. Whitmore ⁸⁹, F.J. Wickens ¹⁴⁴, W. Wiedenmann ¹⁸¹, M. Wielers ¹⁴⁴, N. Wieseotte ⁹⁹,
 C. Wiglesworth ⁴⁰, L.A.M. Wiik-Fuchs ⁵², F. Wilk ¹⁰⁰, H.G. Wilkens ³⁶, L.J. Wilkins ⁹³, H.H. Williams ¹³⁷,
 S. Williams ³², C. Willis ¹⁰⁶, S. Willocq ¹⁰², J.A. Wilson ²¹, I. Wingerter-Seez ⁵, E. Winkels ¹⁵⁶,
 F. Winklmeier ¹³¹, O.J. Winston ¹⁵⁶, B.T. Winter ⁵², M. Wittgen ¹⁵³, M. Wobisch ⁹⁵, A. Wolf ⁹⁹,
 T.M.H. Wolf ¹²⁰, R. Wolff ¹⁰¹, R.W. Wölker ¹³⁵, J. Wollrath ⁵², M.W. Wolter ⁸⁴, H. Wolters ^{140a,140c},
 V.W.S. Wong ¹⁷⁵, N.L. Woods ¹⁴⁶, S.D. Worm ²¹, B.K. Wosiek ⁸⁴, K.W. Woźniak ⁸⁴, K. Wright ⁵⁷,
 S.L. Wu ¹⁸¹, X. Wu ⁵⁴, Y. Wu ^{60a}, T.R. Wyatt ¹⁰⁰, B.M. Wynne ⁵⁰, S. Xella ⁴⁰, Z. Xi ¹⁰⁵, L. Xia ¹⁷⁸, D. Xu ^{15a},
 H. Xu ^{60a,c}, L. Xu ²⁹, T. Xu ¹⁴⁵, W. Xu ¹⁰⁵, Z. Xu ^{60b}, Z. Xu ¹⁵³, B. Yabsley ¹⁵⁷, S. Yacoob ^{33a}, K. Yajima ¹³³,
 D.P. Yallup ⁹⁴, D. Yamaguchi ¹⁶⁵, Y. Yamaguchi ¹⁶⁵, A. Yamamoto ⁸¹, T. Yamanaka ¹⁶³, F. Yamane ⁸²,
 M. Yamatani ¹⁶³, T. Yamazaki ¹⁶³, Y. Yamazaki ⁸², Z. Yan ²⁵, H.J. Yang ^{60c,60d}, H.T. Yang ¹⁸, S. Yang ⁷⁷,
 X. Yang ^{60b,58}, Y. Yang ¹⁶³, Z. Yang ¹⁷, W.-M. Yao ¹⁸, Y.C. Yap ⁴⁶, Y. Yasu ⁸¹, E. Yatsenko ^{60c,60d}, J. Ye ⁴²,
 S. Ye ²⁹, I. Yeletskikh ⁷⁹, M.R. Yexley ⁸⁹, E. Yigitbasi ²⁵, E. Yildirim ⁹⁹, K. Yorita ¹⁷⁹, K. Yoshihara ¹³⁷,
 C.J.S. Young ³⁶, C. Young ¹⁵³, J. Yu ⁷⁸, R. Yuan ^{60b}, X. Yue ^{61a}, S.P.Y. Yuen ²⁴, B. Zabinski ⁸⁴, G. Zacharis ¹⁰,

E. Zaffaroni ⁵⁴, J. Zahreddine ¹³⁶, R. Zaidan ¹⁴, A.M. Zaitsev ^{123,an}, T. Zakareishvili ^{159b}, N. Zakharchuk ³⁴, S. Zambito ⁵⁹, D. Zanzi ³⁶, D.R. Zaripovas ⁵⁷, S.V. Zeißner ⁴⁷, C. Zeitnitz ¹⁸², G. Zemaityte ¹³⁵, J.C. Zeng ¹⁷³, O. Zenin ¹²³, D. Zerwas ¹³², M. Zgubic ¹³⁵, D.F. Zhang ^{15b}, F. Zhang ¹⁸¹, G. Zhang ^{60a}, G. Zhang ^{15b}, H. Zhang ^{15c}, J. Zhang ⁶, L. Zhang ^{15c}, L. Zhang ^{60a}, M. Zhang ¹⁷³, R. Zhang ^{60a}, R. Zhang ²⁴, X. Zhang ^{60b}, Y. Zhang ^{15a,15d}, Z. Zhang ^{63a}, Z. Zhang ¹³², P. Zhao ⁴⁹, Y. Zhao ^{60b}, Z. Zhao ^{60a}, A. Zhemchugov ⁷⁹, Z. Zheng ¹⁰⁵, D. Zhong ¹⁷³, B. Zhou ¹⁰⁵, C. Zhou ¹⁸¹, M.S. Zhou ^{15a,15d}, M. Zhou ¹⁵⁵, N. Zhou ^{60c}, Y. Zhou ⁷, C.G. Zhu ^{60b}, H.L. Zhu ^{60a}, H. Zhu ^{15a}, J. Zhu ¹⁰⁵, Y. Zhu ^{60a}, X. Zhuang ^{15a}, K. Zhukov ¹¹⁰, V. Zhulanov ^{122b,122a}, D. Ziemińska ⁶⁵, N.I. Zimine ⁷⁹, S. Zimmermann ⁵², Z. Zinonos ¹¹⁵, M. Ziolkowski ¹⁵¹, G. Zobernig ¹⁸¹, A. Zoccoli ^{23b,23a}, K. Zoch ⁵³, T.G. Zorbas ¹⁴⁹, R. Zou ³⁷, L. Zwalski ³⁶,

¹ Department of Physics, University of Adelaide, Adelaide, Australia

² Physics Department, SUNY Albany, Albany, NY, United States of America

³ Department of Physics, University of Alberta, Edmonton, AB, Canada

⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) İstanbul Aydin University, İstanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

⁵ LAPP, Université Grenoble Alpes, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy, France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States of America

⁷ Department of Physics, University of Arizona, Tucson, AZ, United States of America

⁸ Department of Physics, University of Texas at Arlington, Arlington, TX, United States of America

⁹ Physics Department, National and Kapodistrian University of Athens, Athens, Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece

¹¹ Department of Physics, University of Texas at Austin, Austin, TX, United States of America

¹² ^(a) Bahçeşehir University, Faculty of Engineering and Natural Sciences, Istanbul; ^(b) İstanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; ^(c) Department of Physics, Bogazici University, Istanbul; ^(d) Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey

¹³ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹⁴ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona, Spain

¹⁵ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Physics Department, Tsinghua University, Beijing; ^(c) Department of Physics, Nanjing University, Nanjing;

^(d) University of Chinese Academy of Science (UCAS), Beijing, China

¹⁶ Institute of Physics, University of Belgrade, Belgrade, Serbia

¹⁷ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁸ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States of America

¹⁹ Institut für Physik, Humboldt Universität zu Berlin, Berlin, Germany

²⁰ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

²¹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

²² Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogota, Colombia

²³ ^(a) INFN Bologna and Università di Bologna, Dipartimento di Fisica; ^(b) INFN Sezione di Bologna, Italy

²⁴ Physikalisches Institut, Universität Bonn, Bonn, Germany

²⁵ Department of Physics, Boston University, Boston, MA, United States of America

²⁶ Department of Physics, Brandeis University, Waltham, MA, United States of America

²⁷ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara, Romania

²⁸ ^(a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

²⁹ Physics Department, Brookhaven National Laboratory, Upton, NY, United States of America

³⁰ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

³¹ California State University, CA, United States of America

³² Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

³³ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa

³⁴ Department of Physics, Carleton University, Ottawa, ON, Canada

³⁵ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Faculté des Sciences, Université Ibn-Tofail, Kénitra;

^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA, Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco

³⁶ CERN, Geneva, Switzerland

³⁷ Enrico Fermi Institute, University of Chicago, Chicago, IL, United States of America

³⁸ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand, France

³⁹ Nevis Laboratory, Columbia University, Irvington, NY, United States of America

⁴⁰ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark

⁴¹ ^(a) Dipartimento di Fisica, Università della Calabria, Rende; ^(b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy

⁴² Physics Department, Southern Methodist University, Dallas, TX, United States of America

⁴³ Physics Department, University of Texas at Dallas, Richardson, TX, United States of America

⁴⁴ National Centre for Scientific Research "Demokritos", Agia Paraskevi, Greece

⁴⁵ ^(a) Department of Physics, Stockholm University; ^(b) Oskar Klein Centre, Stockholm, Sweden

⁴⁶ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen, Germany

⁴⁷ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

⁴⁸ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany

⁴⁹ Department of Physics, Duke University, Durham, NC, United States of America

⁵⁰ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

⁵¹ INFN e Laboratori Nazionali di Frascati, Frascati, Italy

⁵² Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg, Germany

⁵³ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany

⁵⁴ Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland

⁵⁵ ^(a) Dipartimento di Fisica, Università di Genova, Genova; ^(b) INFN Sezione di Genova, Italy

⁵⁶ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

⁵⁷ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

- ⁵⁸ LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble, France
- ⁵⁹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States of America
- ⁶⁰ ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; ^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; ^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, KLPPAC-MoE, SKLPPC, Shanghai; ^(d) Tsung-Dao Lee Institute, Shanghai, China
- ⁶¹ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
- ⁶² Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- ⁶³ ^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
- ⁶⁴ Department of Physics, National Tsing Hua University, Hsinchu, Taiwan
- ⁶⁵ Department of Physics, Indiana University, Bloomington, IN, United States of America
- ⁶⁶ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine, Italy
- ⁶⁷ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- ⁶⁸ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
- ⁶⁹ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- ⁷⁰ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- ⁷¹ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- ⁷² ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- ⁷³ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- ⁷⁴ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
- ⁷⁵ ^(a) INFN-TIFPA; ^(b) Università degli Studi di Trento, Trento, Italy
- ⁷⁶ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- ⁷⁷ University of Iowa, Iowa City, IA, United States of America
- ⁷⁸ Department of Physics and Astronomy, Iowa State University, Ames, IA, United States of America
- ⁷⁹ Joint Institute for Nuclear Research, Dubna, Russia
- ⁸⁰ ^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro;
- ^(c) Universidade Federal de São João del Rei (UFSJ), São João del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil
- ⁸¹ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- ⁸² Graduate School of Science, Kobe University, Kobe, Japan
- ⁸³ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
- ⁸⁴ Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland
- ⁸⁵ Faculty of Science, Kyoto University, Kyoto, Japan
- ⁸⁶ Kyoto University of Education, Kyoto, Japan
- ⁸⁷ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan
- ⁸⁸ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- ⁸⁹ Physics Department, Lancaster University, Lancaster, United Kingdom
- ⁹⁰ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- ⁹¹ Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia
- ⁹² School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- ⁹³ Department of Physics, Royal Holloway University of London, Egham, United Kingdom
- ⁹⁴ Department of Physics and Astronomy, University College London, London, United Kingdom
- ⁹⁵ Louisiana Tech University, Ruston, LA, United States of America
- ⁹⁶ Fysiska institutionen, Lunds universitet, Lund, Sweden
- ⁹⁷ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
- ⁹⁸ Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid, Spain
- ⁹⁹ Institut für Physik, Universität Mainz, Mainz, Germany
- ¹⁰⁰ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- ¹⁰¹ CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France
- ¹⁰² Department of Physics, University of Massachusetts, Amherst, MA, United States of America
- ¹⁰³ Department of Physics, McGill University, Montreal, QC, Canada
- ¹⁰⁴ School of Physics, University of Melbourne, Victoria, Australia
- ¹⁰⁵ Department of Physics, University of Michigan, Ann Arbor, MI, United States of America
- ¹⁰⁶ Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States of America
- ¹⁰⁷ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
- ¹⁰⁸ Research Institute for Nuclear Problems of Byelorussian State University, Minsk, Belarus
- ¹⁰⁹ Group of Particle Physics, University of Montreal, Montreal, QC, Canada
- ¹¹⁰ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
- ¹¹¹ Institute for Theoretical and Experimental Physics of the National Research Centre Kurchatov Institute, Moscow, Russia
- ¹¹² National Research Nuclear University MEPhI, Moscow, Russia
- ¹¹³ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- ¹¹⁴ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- ¹¹⁵ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- ¹¹⁶ Nagasaki Institute of Applied Science, Nagasaki, Japan
- ¹¹⁷ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- ¹¹⁸ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States of America
- ¹¹⁹ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- ¹²⁰ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- ¹²¹ Department of Physics, Northern Illinois University, DeKalb, IL, United States of America
- ¹²² ^(a) Budker Institute of Nuclear Physics and NSU, SB RAS, Novosibirsk; ^(b) Novosibirsk State University Novosibirsk, Russia
- ¹²³ Institute for High Energy Physics of the National Research Centre Kurchatov Institute, Protvino, Russia
- ¹²⁴ Department of Physics, New York University, New York, NY, United States of America
- ¹²⁵ Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo, Japan
- ¹²⁶ Ohio State University, Columbus, OH, United States of America
- ¹²⁷ Faculty of Science, Okayama University, Okayama, Japan
- ¹²⁸ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States of America
- ¹²⁹ Department of Physics, Oklahoma State University, Stillwater, OK, United States of America
- ¹³⁰ Palacký University, RCPTM, Joint Laboratory of Optics, Olomouc, Czech Republic
- ¹³¹ Center for High Energy Physics, University of Oregon, Eugene, OR, United States of America

- 132 LAL, Université Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
 133 Graduate School of Science, Osaka University, Osaka, Japan
 134 Department of Physics, University of Oslo, Oslo, Norway
 135 Department of Physics, Oxford University, Oxford, United Kingdom
 136 LPNHE, Sorbonne Université, Paris Diderot Sorbonne Paris Cité, CNRS/IN2P3, Paris, France
 137 Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America
 138 Konstantinov Nuclear Physics Institute of National Research Centre "Kurchatov Institute", PNPI, St. Petersburg, Russia
 139 Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States of America
 140 ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP; ^(b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Departamento de Física, Universidade de Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
 141 Institute of Physics of the Czech Academy of Sciences, Prague, Czech Republic
 142 Czech Technical University in Prague, Prague, Czech Republic
 143 Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic
 144 Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
 145 IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France
 146 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States of America
 147 ^(a) Departamento de Física, Pontifícia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
 148 Department of Physics, University of Washington, Seattle, WA, United States of America
 149 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
 150 Department of Physics, Shinshu University, Nagano, Japan
 151 Department Physik, Universität Siegen, Siegen, Germany
 152 Department of Physics, Simon Fraser University, Burnaby, BC, Canada
 153 SLAC National Accelerator Laboratory, Stanford, CA, United States of America
 154 Physics Department, Royal Institute of Technology, Stockholm, Sweden
 155 Departments of Physics and Astronomy, Stony Brook University, Stony Brook, NY, United States of America
 156 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
 157 School of Physics, University of Sydney, Sydney, Australia
 158 Institute of Physics, Academia Sinica, Taipei, Taiwan
 159 ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
 160 Department of Physics, Technion, Israel Institute of Technology, Haifa, Israel
 161 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
 162 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
 163 International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo, Japan
 164 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
 165 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
 166 Tomsk State University, Tomsk, Russia
 167 Department of Physics, University of Toronto, Toronto, ON, Canada
 168 ^(a) TRIUMF, Vancouver, BC; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
 169 Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
 170 Department of Physics and Astronomy, Tufts University, Medford, MA, United States of America
 171 Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States of America
 172 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
 173 Department of Physics, University of Illinois, Urbana, IL, United States of America
 174 Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Valencia, Spain
 175 Department of Physics, University of British Columbia, Vancouver, BC, Canada
 176 Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
 177 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg, Germany
 178 Department of Physics, University of Warwick, Coventry, United Kingdom
 179 Waseda University, Tokyo, Japan
 180 Department of Particle Physics, Weizmann Institute of Science, Rehovot, Israel
 181 Department of Physics, University of Wisconsin, Madison, WI, United States of America
 182 Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
 183 Department of Physics, Yale University, New Haven, CT, United States of America
 184 Yerevan Physics Institute, Yerevan, Armenia

^a Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.^b Also at CERN, Geneva, Switzerland.^c Also at CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France.^d Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland.^e Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain.^f Also at Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa, Portugal.^g Also at Department of Applied Physics and Astronomy, University of Sharjah, Sharjah, United Arab Emirates.^h Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.ⁱ Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY, United States of America.^j Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom.^k Also at Department of Physics, California State University, East Bay, United States of America.^l Also at Department of Physics, California State University, Fresno, United States of America.^m Also at Department of Physics, California State University, Sacramento, United States of America.ⁿ Also at Department of Physics, King's College London, London, United Kingdom.^o Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.^p Also at Department of Physics, Stanford University, Stanford CA, United States of America.^q Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.^r Also at Department of Physics, University of Michigan, Ann Arbor MI, United States of America.^s Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.^t Also at Giresun University, Faculty of Engineering, Giresun, Turkey.^u Also at Graduate School of Science, Osaka University, Osaka, Japan.

- ^v Also at Hellenic Open University, Patras, Greece.
- ^w Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.
- ^x Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.
- ^y Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.
- ^z Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.
- ^{aa} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
- ^{ab} Also at Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China.
- ^{ac} Also at Institute of Particle Physics (IPP), Canada.
- ^{ad} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
- ^{ae} Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.
- ^{af} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.
- ^{ag} Also at Instituto de Física Teórica, IFT-UAM/CSIC, Madrid, Spain.
- ^{ah} Also at İstanbul University, Dept. of Physics, İstanbul, Turkey.
- ^{ai} Also at Joint Institute for Nuclear Research, Dubna, Russia.
- ^{aj} Also at LAL, Université Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France.
- ^{ak} Also at Louisiana Tech University, Ruston LA, United States of America.
- ^{al} Also at LPNHE, Sorbonne Université, Paris Diderot Sorbonne Paris Cité, CNRS/IN2P3, Paris, France.
- ^{am} Also at Manhattan College, New York NY, United States of America.
- ^{an} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
- ^{ao} Also at National Research Nuclear University MEPhI, Moscow, Russia.
- ^{ap} Also at Physics Department, An-Najah National University, Nablus, Palestine.
- ^{aq} Also at Physics Dept, University of South Africa, Pretoria, South Africa.
- ^{ar} Also at Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg, Germany.
- ^{as} Also at School of Physics, Sun Yat-sen University, Guangzhou, China.
- ^{at} Also at The City College of New York, New York NY, United States of America.
- ^{au} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.
- ^{av} Also at Tomsk State University, Tomsk, and Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
- ^{aw} Also at TRIUMF, Vancouver BC, Canada.
- ^{ax} Also at Universita di Napoli Parthenope, Napoli, Italy.
- * Deceased.