



7th International Conference on Information Technology and Quantitative Management
(ITQM 2019)

Leveraging Users' Trust and Reputation in Social Networks

Raquel Ureña^{a,1}, Francisco Chiclana^{a,b}, Ramon A. Carrasco^c, Enrique
Herrera-Viedma^b

^a*Institute of Artificial Intelligence (IAI), School of Computer Science and Informatics, De Montfort University, Leicester, UK*

^b*Andalusian Research Institute on Data Science and Computational Intelligence (DaSCI), University of Granada, Granada, Spain*

^c*Faculty of Statistics, Complutense University of Madrid, Madrid, Spain*

Abstract

In on line communities, where there is a huge number of users that interact under anonymous identities, it has been observed that e-word of mouth is a very powerful influence tool. So far, this technology is well known in on-line marketplaces, such as Amazon¹, eBay² or travel based platforms like Tripadvisor or Booking. However, these trust based approach can be leverage in other scenarios from e-democracy to trust based recommendations on e-health context and e-learning systems. The purpose of this contribution is to analyse the main existing trust and reputation mechanisms and to point out new research challenges that needs to be accomplished with the objective of fully exploiting these systems in real world on-line communities.

© 2020 The Authors. Published by Elsevier B.V.

This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

Peer-review under responsibility of the scientific committee of the 7th International Conference on Information Technology and Quantitative Management (ITQM 2019)

Keywords: Trust, reputation, social networks, influence, group decision making, e-word of mouth.

1. Introduction

Social networks enable virtual interactions between anonymous people and services without any previous real world relationship with diverse purposes from disseminating pictures and thoughts to sharing facilities like accommodation or cars.

These internet based social channels allow the users to develop explicit and implicit relationships to share and disseminate products, services, information, opinions and recommendations. However, due to this large number of users, there is an information overload coming from various diverse sources, therefore assessing the trustworthiness of each source is key to select the piece of information to trust to make a decision or to buy a product in an e-commerce scenario. Another important issue concerning these anonymous and open systems is that they provide a very favourable environment for the proliferation of malicious users that could spread wrong information to manipulate the system or to control the system in their own advantage, [1].

¹<https://www.amazon.com/>

²<https://www.ebay.es/>

*Corresponding author.

E-mail address: raquel.urena@dmu.ac.uk.

The aim of this article is to analyse the main existing mechanisms to generate and propagate trust and reputation and to present various open research challenges about how these systems can be developed, adapted and improved to operate on social networks and decision making scenarios. To do so, this contribution is organized in the following way: Section 2 provides the background information necessary for understanding the contribution, giving notions about Social networks and presenting the definition of reputation and trust that are going to be used through this study. In section 3 we carry out the revision of the approaches for trust and reputation, and in Section 4 we point out the open research challenges to integrate these systems in real world social networks. Finally in Section 5, the conclusions of our work are presented.

2. Background

In this section we briefly define the main concepts that would be used in this contribution, that is Social networks and the definitions of Trust and Reputation.

2.1. Social Networks

A social network is composed of a group of individuals that interact with different purposes such as friendship, knowledge sharing, marketing or business exchange. Social network analyse consists on the analysis of the different network structures with the objective of understanding the different patterns that facilitates the knowledge creation in this type of communities [2]. Social networks has certain characteristics that makes the different from a random graph. These particular properties are: (i) The **A small-world network** characterized by the higher clustering coefficient and the average path length that scales the logarithm of the number of nodes, and the (ii)**Scale Free network** that means that there is only an small number of nodes that are highly connected with their neighbours.

2.2. Trust and reputation systems

Trust between two entities consist on an state in which one entity is willing to accept depending on another one even if there could be some potential risks [3]. Reputation, has been defined by the Concise Oxford dictionary, as follows: “**reputation** is what is generally said or believed about a person’s or thing’s character or standing.” This definition goes in the same line than the one in social network research: “reputation is a quantity measure derived from the underlying social network which is globally visible to all members of the network” [4].

Bearing in mind both concepts, in this contribution, we consider trust as the pairwise level of confidence that an entity may have on another one based on previous interactions, while reputation is considered as the “global perception that an agent creates through past actions about its intentions and norms in a global level” [5].

According to [5, 6] both trust and reputation systems should comply with the following characteristics:

1. **Self policing:** Only information provided by the peers, such as feedback and ratings are allowed.
2. **Long lasting entities:** The interactions between agents will be repeated during the time.
3. **Trust and reputation based on the behaviour over time:** These systems should reward long term good behaviours and consequently no give advantages to newcomers.
4. **Reduced computation cost:** Trust and reputation calculation, propagation and storage must not suppose and overload for the system in terms of computational power.
5. **Robust to malicious users:** Malicious users should be targeted and isolated.

3. Survey of trust and reputation systems

In this subsection we present a brief review of the main trust and reputation systems both in the specialized literature and at a commercial level. To do so, first of all we point out the main ways of calculating these two measures, then the different ways to propagate them within the network and the main trust and reputation based frameworks are presented. Finally we focus on the trust and reputation in group decision making scenarios as a special case of social network.

3.1. Trust and Reputation calculation

Among the best known trust and reputation commercial mechanisms are eBay and Amazon. Both of them use the technique denominated as *counting* [7, 8]. In the case of eBay this technique consists on keeping track of the positive ratings minus the negative ones whereas in the case of Amazon an average of the ratings is carried out considering other factors such as the rater trustworthiness and the number of provided ratings.

On the other hand, the statistical approach presented in [9, 3], estimates the probability that a transaction is positive or negative given the historic of the previous ones. We can find as well systems that use fuzzy numbers or linguistic ratings modelled as fuzzy sets in which the membership function describes to what extend an agent can be trustworthy or not. Some examples of these systems are the Regret System presented in [10] and some trust based group decision making methodologies [11, 12, 13].

3.2. Propagation approaches

The main goal of these approaches is to try to estimate the trust between all the agents of the network even if there are some agents that has not interacted between them. To do so they use existent indirect trust paths between them. Flow propagation models are the most frequently used. They assume that an user would likely trust the information coming from a trusted user [14].

The most representative of these approaches is the one proposed by Guha in [14], which carries out atomic propagation of the trust in four different ways:

1. If agent i trusts agent j ($t_{ij} = 1$), and agent j trusts agent k ($t_{jk} = 1$), then agent i will trust agent k ($t_{ik} = 1$). This is known as **direct propagation** of trust.
2. In agent i_1 trusts agents j_1 and j_2 , and agent i_2 trusts agent j_2 , the **co-citation** propagation of trust assumes that agent i_2 may trust agent j_1 .
3. Given that agent i trusts agent j then the **transpose trust** propagation implies that agent j might present some level of trust towards agent i .
4. Given that agent i trusts agent j then the **trust coupling** propagates to agent k if agent j and agent k trust agents in common.

In the same line, Kamvar et al. propose in [6] a methodology to compute a universal value of trust for each node, in contrast with the pairwise one in [14], with two objectives: (i) Encouraging interaction between agents by rewarding the reputable ones. (ii) Inviting agents to interact only with other reputable ones in order to isolate the malicious agents.

3.2.1. Trust and reputation frameworks

In this subsection the main trust and reputation based systems are briefly enumerated and their main characteristics are presented:

- **RateWeb**[15] is decentralised and unstructured framework applied to web services. In this system each agent stores a personal perception of the services it has interacted with. In order to select a partner, the trusting entity queries the community obtaining a set of eligible services providers including a list of past entities that used the service. The reputation of each service provider is calculated based on the obtained feedback in the following way:

$$Rep_i = \frac{\sum_{j=1}^L t_{ij} \lambda_f Cr_j}{\sum_{j=1} Cr_j}$$

Being L the set of agents that have interacted with agent i ; t_{ij} the trust value that an agent j has towards agent i ; $Cr_j \in [0, 1]$ is the reputation of each agents, and $\lambda_f \in [0, 1]$ a time based trust decay factor.

- **R2Trust** has been proposed in [16] as a distributed reputation system where each agent reputation is estimated as an aggregation of the obtained feedback weighted by local pairwise trust values. These trust values, consist on probabilistic ratings computed as a function of the past interactions. This approach presents fast reaction in case of an irregular variation on the behaviour of an agent.

- The **GRAft** distributed reputation system [17] is characterised by the use of both explicit reputation information such as feedback, scores and rating, and implicit structural information of the given node in the social network, i.e. the in-degree and out-degree.
- **Random Walk** trust measure is based on the well known Page Rank algorithm [18]. In this system, a random walker surfs the network in a similar way that in the web with the popular Google's algorithm.
- **SocialTrust** [19] is a Random Walk based framework that combines factors such as trust group feedback, user's relationship quality and user behaviour over time to model trust between the users.
- **PCR** was proposed in [20] in the same line than SocialTrust [19]. This system consists on a multi-graph based social network where users are modelled and connected using their behavioural activities and social relationship in order to build trust relationships between them even in the case of scarce first hand information. In addition, in order to discard bad-mouthing and personalized direct distrust propagation a deception filtering approach is included.

3.3. Trust based Group decision Making approaches

Group decision making approaches, specially those where a large number of experts interact can be considered as social networks in which users exchange opinions with the objective of obtaining a final solution agreed by the majority of the experts, i.e. a consensus solution. In this particular scenario trust and reputation play an emergent role. The main points where trust and reputation can be included, as depicted in Fig. 1, are (i)Trust Propagation , (ii)Trust based opinion fusion and (iii)Trust modelling, briefly analysed in the following subsections.




Fig. 1. GDM scenarios architecture with trust

3.3.1. Trust Propagation in GDM

Trust is propagated following a transitivity property using different types of operators. For example, one of the main contribution has been presented in [11] where the trust, and distrust are propagated using the Uninorm operator. Notice that the Uninorm works as a t-norm when all values are below the identity element, as a t-conorm when values are higher than the identity and as a symmetric mean otherwise. On the other hand, in [21] the t-norm and the t-conorm operators are used to propagate trust and distrust respectively. However, according to [11] using two different operators to propagate information might not be optimal since trust and distrust are not independent. Moreover the t-norm favors the minimum value in the aggregation whereas the t-conorm favors maximum ones, therefore, this predictibility in the aggregation makes the system more vulnerable to malicious attacks.

3.3.2. Trust based opinion fusion

In decision making scenarios the use of Yager's Order Weighted Averaging (OWA) operator [22] is widely adopted to carry out the fusion of the information. This operator, that gives different importance degree in the aggregation based on the order of the elements according to a certain criteria, has been recently demonstrated as effective against the malicious behaviour [23].

Some extensions of this OWA operator to include trust have been proposed: For example, in [11] the uninorm trust weighted average operator (UTWA) that use trust as a measure to calculate both the weights and the elements ordering is introduced. Later on in [12] an extension of the approach in [11] all the possible paths to estimate trust and distrust are considered and to fuse them, an OWA operator that takes into account the risk attitude of the members in the network has been proposed. This approach leverage trust as well to estimate missing experts' preferences. Another interested approach is the one in [13] where the systems is represented as a trust based graph in which each node is an expert and each edge represents the trust degree, and the importance that each expert has in the aggregation is determined by its centrality in the network.

3.4. Trust modeling

In the literature trust has been modeled in very different ways from a crisp or binary relation, that is, 'trusting' and 'not trusting' to a more "gradual concept" where people trust someone in a 'high', 'middle' and/or 'low' way [21]. With regard to the last case, in [13] the concept of distributed linguistic trust has been defined in order to establish the trust relationship between a group users. On the other hand, in [24] trust has been modelled as an interval-valued trust function with the objective of allowing more flexibility in the expression of opinions to include trust, distrust, hesitancy and conflict.

4. Discussion and Open research challenges

Motivated by the analysis and observations carried out in this survey in the following we point out the research challenges that arises from this study:

4.1. Recognize digital sources of trust and reputation

Most of the commercial systems based on trust and reputation , i.e amazon or e-bay, uses almost exclusively the explicit feedback from other users after one interaction [17]. Nevertheless there are various drawbacks associated to direct ratings, like the low motivation of users to provide positive ratings, the unfair ratings and various malicious users behaviours that may use the rating as a way to manipulate and eventually control the system imposing their will [5].

Fortunately, on-line social networks provide other types of information that can be leveraged to infer trust and reputation between users. Some examples are the interactions between users, their degree of similarity, their position in the network or going further the historical behaviour evolution of the users. Taking all of this information into consideration new approaches of behaviour scoring could be proposed to estimate the users' reputation and trust. The challenges with this regard are twofold: 1. Evaluating and identifying patterns of both good and bad behaviour and using them as a source of trust and reputation. 2. Merging both global behaviour with pairwise interaction between users to asses peer to peer related trust. In this sense similarity between users could be useful as a measure of trust since, as stated by some opinion dynamics models, it has been proved that users tend to take the opinions of the users whose opinion are closed [25, 26] and therefore trusting those users that are similar to them [13, 27, 28]. In this case, the key resides on how similarity should be defined and which are the relevant features to take into consideration.

4.2. Propagation of Trust

As aforementioned most of the approaches that carry out trust propagation uses the flow model that relies on a kind of trust transitivity. However, is it appropriate to use this transitivity property? In other words, the assessment of coherence degree of the trust, remains a challenge.

4.3. Dealing with malicious users

Trust and reputation systems, as other informatics systems, suffer from vulnerability to attacks. In this context, one of the most common malicious behaviour consists in **unfair ratings**. That is, the feedback provided by a given user is deliberately false with a unclear purpose, for example to manipulate the score towards to benefit certain entities. This type of attacks may be carried out in various different ways:

1. **Self promoting:** In this case, a group of agents collaborate with the intentions of highly rate each others to artificially boost their personal reputations.
2. **Slandering or bad mouthing:** is the opposite to the previous one. In this case, a group of users agree in unfairly low rating other users in order to destroy their reputations.
3. **Whitewashing:** This is a short term attack where the perpetrators intentionally behave unfairly to get a certain benefit knowing that their reputations will get degraded. Then, they re-enter the system with a new identity.
4. **Orchestrating:** In this case several attackers agree on using one of the aforementioned techniques simultaneously.
5. **Ballot Box Stuffing:** This consists in obtaining more votes than the expected ones.

In most of the systems we can find any type of users, from fair malicious opinion contributors as well as those who behave inconsistently when providing their ratings without any malicious intention. Therefore, it is a hard task to discern the dispersion in the feedback provoked by differences in taste from that induced by other factors such us unfair ratings. With this regard, the challenge is to develop mechanisms to flag and isolate malicious users. Some existing approaches are:

1. **Endogenous discounting:** In this case, the statistical properties of the ratings are used to give less importance or even exclude ratings that are suspected to be unfair.
2. **Exogenous discounting:** These mechanisms are based on the idea that raters with low reputation are more likely to provide unfair feedback and so rater's reputation is taken into consideration to weight the ratings.
3. **Restrict ratings provision:** In order to avoid ballot box stuffing, ratings are only allowed after the transaction has been fully accomplished.

In addition to these approaches some promising techniques, likes the ones based on game theory [29] or the use of the OWA-based operators [22] to avoid malicious behaviour in the information aggregation [23] are being explored.

4.4. Reputation and trust in GDM Systems

Applied to these specific scenarios we can point out the following research challenges:

- **Modelling Trust in GDM frameworks.** Many GDM approaches based on trust rely on users feedback. Therefore other sources of trust should be explore such as centrality [4] for example. An initial effort in this sense has been presented in [26] where trust has been modelled as a combination between the users' proximity, the quality of the provided opinions and the users' self confidence degree.
- **Using trust as way of influence.** The trust between agents have been considered as a mean of influence that has been widely used in e-commerce scenarios [30, 31]. Trust can be leverage as well in decision making platforms as way to influence the different experts to reach a consensus solution. In this sense two main open questions can be identified: (i) Trust based opinion aggregation. In [32, 13] an initial effort is presented were a Trust induced aggregation operator is presented. A further endeavour in this context could be to extend the opinion dynamics and propagation approaches and including trust assessment, to see how the propagation of both influence and trust is carried out.(ii) Secondly, integrating trust in scenarios with heterogeneous users rated using both reputation and trust sources that may be contradictory.

- **Reputation based expert selection.** In the cases where there is a large number of peers, it could be necessary to select the most suitable to take part in a decision making process. In these cases reputation can be leverage as an useful criteria that also would prevent disclosing critical information to not very reliable users. These procedures are already being applied in P2P networks during the so called search phase.

5. Conclusions

E-word of mouth, that is users' opinions in online media, are gaining importance in users daily live to help them to make decisions and to provide recommendations, specially in e-commerce and e-marketing scenarios. However, in a media characterized by a huge information overload, identifying the sources that are reliable constitutes a veritable challenge. In this contribution we have analysed the concepts of trust and reputation in on-line systems. To do so, the main commercial and academic frameworks that carry out trust and reputation calculation, propagation and utilization have been presented and the main research challenges that have appeared from our study has been pointed out.

Acknowledgments

The authors would like to acknowledge the financial support from the EU project H2020-MSCA-IF-2016-DeciTrustNET-746398 and FEDER funds provided in the Spanish project TIN2016-75850-P.

References

- [1] G. Kambourakis, Anonymity and closely related terms in the cyberspace: An analysis by example, *Journal of Information Security and Applications* 19 (1) (2014) 2 – 17.
- [2] J. Scott, *Social network analysis: a handbook.*, SAGE Publications, 2000.
- [3] A. Josang, R. Ismail, C. Boyd, A survey of trust and reputation systems for online service provision, *Decision Support Systems* 43 (2) (2007) 618 – 644.
- [4] L. C. Freeman, Centrality in social networks: Conceptual clarification, *Social Networks* 1 (3) (1979) 215–239.
- [5] R. Ureña, G. Kou, Y. Dong, F. Chiclana, E. Herrera-Viedma, A review on trust propagation and opinion dynamics in social networks and group decision making frameworks, *Information Sciences* 478 (2019) 461 – 475.
- [6] S. D. Kamvar, M. T. Schlosser, H. Garcia-Molina, The eigentrust algorithm for reputation management in p2p networks, in: *Proceedings of the 12th International Conference on World Wide Web, WWW '03, ACM, 2003*, pp. 640–651.
- [7] P. Resnick, R. Zeckhauser, Trust among strangers in internet transactions: empirical analysis of ebays reputation system, *The Economics of the Internet and ECommerce* 11.
- [8] J. Schneider, G. Kortuem, J. Jager, S. Fickas, Z. Segall, Disseminating trust information in wearable communities, *Personal Ubiquitous Comput.* 4 (4) (2000) 245–248.
- [9] K. Hoffman, D. Zage, C. Nita-Rotaru, A survey of attack and defense techniques for reputation systems, *ACM Comput. Surv.* 42 (1) (2009) 1:1–1:31.
- [10] J. Sabater, C. Sierra, Social regret, a reputation model based on social relations, *SIGecom Exch.* 3 (1).
- [11] J. Wu, R. Xiong, F. Chiclana, Uninorm trust propagation and aggregation methods for group decision making in social network with four tuple information, *Knowledge-Based Systems* 96 (2016) 29 – 39.
- [12] J. Wu, L. Dai, F. Chiclana, H. Fujita, E. Herrera-Viedma, A new consensus model for social network group decision making based on a minimum adjustment feedback mechanism and distributed linguistic trust, *Information Fusion* 41 (2018) 232 – 242.
- [13] J. Wu, L. Dai, F. Chiclana, H. Fujita, E. Herrera-Viedma, A minimum adjustment cost feedback mechanism based consensus model for group decision making under social network with distributed linguistic trust, *Information Fusion* 41 (2018) 232 – 242.
- [14] R. Guha, R. Kumar, P. Raghavan, A. Tomkins, Propagation of trust and distrust, in: *Proceedings of the 13th International Conference on World Wide Web, 2004*, pp. 403–412.
- [15] Z. Malik, A. Bouguettaya, Rateweb: Reputation assessment for trust establishment among web services, *The VLDB Journal* 18 (8) (2009) 885–911.
- [16] C. Tian, B. Yang, R2trust, a reputation and risk based trust management framework for large-scale, fully decentralized overlay networks, *Future Generation Computer Systems* 27 (8) (2011) 1135 – 1141.
- [17] F. Hendrikx, K. Bubendorfer, R. Chard, Reputation systems: A survey and taxonomy, *Journal of Parallel and Distributed Computing* 75 (2015) 184 – 197.
- [18] L. Page, S. Brin, R. Motwani, T. Winograd, The pagerank citation ranking: Bringing order to the web., Technical Report 1999-66, Stanford InfoLab, previous number = SIDL-WP-1999-0120 (November 1999).
- [19] J. Caverlee, L. Liu, S. Webb, The socialtrust framework for trusted social information management: Architecture and algorithms, *Information Sciences* 180 (1) (2010) 95 – 112.
- [20] S. R. Yan, X. L. Zheng, Y. Wang, W. W. Song, W. Y. Zhang, A graph-based comprehensive reputation model: Exploiting the social context of opinions to enhance trust in social commerce, *Information Sciences* 318 (2015) 51 – 72.

- [21] P. Victor, C. Cornelis, M. De Cock, P. Pinheiro da Silva, Gradual trust and distrust in recommender systems, *Fuzzy Sets Syst.* 160 (10) (2009) 13671382.
- [22] R. R. Yager, Quantifier guided aggregation using owa operators, *International Journal of Intelligent Systems* 11 (1996) 49–73.
- [23] Y. Dong, Y. Liu, H. Liang, F. Chiclana, E. Herrera-Viedma, Strategic weight manipulation in multiple attribute decision making, *Omega* 75 (Supplement C) (2018) 154 – 164.
- [24] Y. Liu, C. Liang, F. Chiclana, J. Wu, A trust induced recommendation mechanism for reaching consensus in group decision making, *Knowledge-Based Systems* 119 (2017) 221 – 231.
- [25] R. Hegselmann, U. Krause, Opinion dynamics and bounded confidence, models, analysis and simulation, *J. Artif. Soc. Social Simul* 5 (3) (2002) 1–33.
- [26] R. Ureña, F. Chiclana, G. Melançon, E. Herrera-Viedma, A social network based approach for consensus achievement in multiperson decision making, *Information Fusion* 47 (2019) 72 – 87.
- [27] N. H. Kamis, F. Chiclana, J. Levesley, Geo-uniform consistency control module for preference similarity network hierarchical clustering based consensus model, *Knowledge-Based Systems* doi:<https://doi.org/10.1016/j.knosys.2018.05.039>.
URL <http://www.sciencedirect.com/science/article/pii/S0950705118302855>
- [28] N. Kamis, F. Chiclana, J. Levesley, Preference similarity network structural equivalence clustering based consensus group decision making model, *Applied Soft Computing* 67 (2018) 706 – 720.
- [29] M. Chica, R. Chiong, M. Kirley, H. Ishibuchi, A networked n-player trust game and its evolutionary dynamics, *IEEE Transactions on Evolutionary Computation* (2017) 1–1.
- [30] L. Alboaie, S. C. Buraga, Trust and reputation in e-health systems, in: *International Conference on Advancements of Medicine and Health Care through Technology*, Springer Berlin Heidelberg, Berlin, Heidelberg, 2009, pp. 43–48.
- [31] W. Liu, Y. Dong, F. Chiclana, F. J. Cabrerizo, E. Herrera-Viedma, Group decision-making based on heterogeneous preference relations with self-confidence, *Fuzzy Optimization and Decision Making* 16 (4) (2016) 429–447.
- [32] J. Wu, F. Chiclana, E. Herrera-Viedma, Trust based consensus model for social network in an incomplete linguistic information context, *Applied Soft Computing* 35 (2015) 827 – 839.