

## Figure captions

Figure 1: Scheme of the methods put to use to analyse the rural medieval fortifications of Poqueira and Órgiva (Alpujarra, Granada, Spain).

Figure 2: Aerial view indicating the position of the georeference points serving to orient and scale the photogrammetric model of the site of Órgiva.

Figure 3: UAV view with a target serving as a ground point.

Figure 4: Programme of the route of the UAV photogrammetric flight carried out with the IOS MAP-PILOT app in the site of Órgiva. The regular capture of the images (red dots) leads to longitudinal and transversal overlaps of 85% and 60%.

Figure 5: Scheme of the GSD in function of the factors of flight height, focal length and geometric resolution of the sensor.

Figure 6: Scheme indicating the overlap and relative displacement of pixels in function of flight height. Lower heights lead to less overlap and impede registration of the feature's higher areas.

Figure 7: (a) Scheme of the different deformations of the image provoked by the lens. Ideal value (white). Image before correction (red). (b) Pattern of calibration of the lens indicating the radial and tangential deformations.

Figure 8: Position of the SIFT points at the site of Órgiva. Their correlation allows locating and orienting image pairs by means of the Bundler adjustment algorithm.

Figure 9: Illustration of the pairing of the homologous points between two UAV images of the site of Órgiva.

Figure 10: Image location and orientation based on the sparse point cloud.

Figure 11: (a) 3D Dense point cloud generated by multiple beam intersection from localised, oriented and calibrated 2D images of the site of Órgiva. (b) Dense coloured point cloud of the site of Órgiva.

Figure 12: (a) Digital model of the surface generated by means of triangulating the points of the dense cloud. (b) Applying the texture gleaned from the images superimposed on a MDS offers great realism and helps interpret features.

Figure 13: Digital Surface Model (DSM) of the site of Poqueira.

Figure 14: Classification of the points (terrain, vegetation, buildings, etc.) carried out with the Agisoft Metashape v1.6 program of the site of Órgiva.

Figure 15: High resolution orthophotographic representation (1.2 cm/pixel) of the fortress of Órgiva.

Figure 16: Building phases of the fortress of Órgiva.

Figure 17: Scheme depicting the capture of data by airborne LiDAR (from Dowman 2004).

Figure 18: (a) Automatic and (b) manual classification of LiDAR points of the site of Órgiva.

Figure 19: (a) Automatic classification and (b) manual reclassification the LiDAR points of the Tower of Órgiva.

Figure 20: (a) Automatic classification and (b) manual reclassification of the LiDAR points of agricultural terraces of the fortress of Órgiva.

Figure 21: (a) Automatic classification and (b) manual reclassification of the LiDAR points of the upper enclosure of Poqueira.

Figure 22: (a) Automatic classification and (b) manual reclassification of the LiDAR points of cistern of the fortress of Poqueira.

Figure 23: Scheme depicting the remote sensing workflow.

Figure 24: Location of the study area within the Iberian Peninsula and the Province of Granada.

Figure 25: Aerial view with the position of the fortifications, towns and deserted settlements cited in the text.

Figure 26: Topographic profiles of the position of the site of Poqueira (a) NE-SW (b) NW-SE.

Figure 27: Poqueira. Limits of the different enclosures.

Figure 28: Poqueira. Upper enclosure and its main structures.

Figure 29: Plan of the UAV flight over the Poqueira fortress indicating data as to the image capture and overlap.

Figure 30: (a) Camera calibration based on the Poqueira survey control points. (b) Location and error estimates of the ground control points.

Figure 31: 3D model of the site of Poqueira.

Figure 32: Graphic record of the structures of the Poqueira fortification superimposed on a flat orthophoto generated by MDS with a resolution of 1.27 cm/pixel.

Figure 33: Stratigraphical units of the eastern façade of the Poqueira fortress.

Figure 34: Measurements of the formwork wall of the Poqueira tower.

Figure 35: (a) Digital Surface Model with 1 m contour lines which allows classification of the points (terrain, vegetation, structures, etc.) and elimination of unwanted points. (b) Dense cloud with classified high and medium vegetation.

Figure 36: Visibility (green) from the tower of the Poqueira fortress.

Figure 37: LiDAR views of the Tower of the Poqueira fortress.

Figure 38: LiDAR views of section S of Poqueira's outer wall.

Figure 39: LiDAR views of the structures of the upper enclosure of Poqueira.

Figure 40: Órgiva. Topographic profiles of the promontory and its surroundings (a) E-W (b) N-S.

Figure 41: Structures of the Órgiva fortress.

Figure 42: Plan of the UAV flight over the Órgiva fortress indicating data as to the image capture and overlap.

Figure 43: Órgiva. (a) Calibration of the camera from the control points. (b) Location and estimated error of the control points.

Figure 44: Analytical plan of the site of Órgiva superimposed on an orthophoto.

Figure 45: (a) Stratigraphic Units and (b) Harris matrix of the tower of Órgiva.

Figure 46: LiDAR views of the tower of Órgiva.

Figure 47: LiDAR views of Órgiva's external cistern.

Figure 48: Órgiva cistern. Detail of the model and extract of the zone with the decor for Reflectance Transformation Imaging (RTI) processing.

Figure 49: Digital view of the model with two metal balls serving for RTI hillshade processing.

Figure 50: Rendering of the medieval decor based on the RTI technique.

Figure 51: Lamination of the model of the Órgiva cistern for printing with Cura software.

Figure 52: Views of the PLA 3D prints of (a) Órgiva's external cistern and (b) tower.

Figure 53: Visual basins of the Órgiva fortress based on (a) a MDT 05 from IGN and (b) a LiDAR.

Figure 54: Bar graph depicting the chronology of the fortresses of Órgiva and Poqueira.

Figure 55: Graph indicating the intervisibility of the fortresses of Órgiva and Poqueira.

Figure 56: Plan indicating the cumulative visual basins of the fortresses of Órgiva and Poqueira.

Figure 57: Plan indicating the areas of intervisibility of the visual basins of the fortresses of Órgiva and Poqueira.

Figure 58: LiDAR views of the site of Cerro Negro.

Figure 59: LiDAR views of the site of Cerro de la Atalaya.

Figure 60: Plan of the visual basins of the fortifications of Órgiva and Poqueira and the theoretical limit (red line) between their respective *adjza* (districts).

Figure 61: LiDAR views of the cultivated terraces of the Plain of Órgiva.

Figure 62: LiDAR views of the cultivated terraces of the Poqueira Ravine.

Figure 63: Órgiva. Tests of the (a) point cloud of the photogrammetric model and (b) of the LiDAR point cloud.

Figure 64: Poqueira. Tests of the (a) point cloud of the photogrammetric model and (b) of the LiDAR point cloud.

Figure 65: Órgiva. Altitude control points (Z).

Figure 66: Poqueira. Altitude control points (Z).

Figure 67: Upper enclosure of Poqueira. (a) LiDAR points superimposed on an orthophoto of the SfM model (b) LiDAR points superimposed on a PNOA orthophoto (IGN).

Figure 68: Poqueira cistern. (a) LiDAR points superimposed on an orthophoto of the SfM model (b) LiDAR points superimposed on a PNOA orthophoto (IGN).

Figure 69: Órgiva tower. (a) LiDAR points superimposed on an orthophoto of the SfM model (b) LiDAR superimposed on a PNOA orthophoto (IGN).