



## Correction to: Long-term effect of a dietary intervention with two-healthy dietary approaches on food intake and nutrient density in coronary patients: results from the CORDIOPREV trial

Naomi Cano-Ibáñez<sup>1,2,3</sup> · Gracia M. Quintana-Navarro<sup>4,5</sup> · Juan F. Alcalá-Díaz<sup>4,5,6,7</sup> · Oriol A. Rangel-Zuñiga<sup>4,5,7</sup> · Antonio Camargo<sup>4,5,7</sup> · Elena M. Yubero-Serrano<sup>4,5,7</sup> · Isabel Perez-Corral<sup>4,5,7</sup> · Antonio P. Arenas-de Larriva<sup>4,5,7</sup> · Antonio García-Ríos<sup>4,5,7</sup> · Pablo Perez-Martínez<sup>4,5,6,7</sup> · Javier Delgado-Lista<sup>4,5,6,7</sup> · Jose Lopez-Miranda<sup>4,5,6,7</sup>

© The Author(s) 2022

### Correction to:

**European Journal of Nutrition (2022) 61:3019–3036**

<https://doi.org/10.1007/s00394-022-02854-7>

The original version of this article unfortunately contained errors in Table 2 in the rows 1-year and 7-year-change of the section White meat, mean (SD) (g/day).

The corrected Table 2 is given in the following page.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

The original article can be found online at <https://doi.org/10.1007/s00394-022-02854-7>.

✉ Javier Delgado-Lista  
delgadolista@gmail.com

✉ Jose Lopez-Miranda  
jlopezmir@uco.es

<sup>1</sup> Department of Preventive Medicine and Public Health, University of Granada, 18071 Granada, Spain

<sup>2</sup> Consortium for Biomedical Research in Epidemiology and Public Health (CIBERESP), 28029 Madrid, Spain

<sup>3</sup> Instituto de Investigación Biosanitaria ibs.GRANADA, Complejo Hospitalares Universitarios de Granada/Universidad de Granada, 18071 Granada, Spain

<sup>4</sup> Lipids and Atherosclerosis Unit, Internal Medicine Unit, Reina Sofia University Hospital, Av. Menéndez Pidal s/n, 14004 Cordoba, Spain

<sup>5</sup> Maimonides Biomedical Research Institute of Cordoba (IMIBIC), 14014 Cordoba, Spain

<sup>6</sup> Department of Medical and Surgical Sciences, Faculty of Medicine and Nursing, University of Cordoba, 14014 Cordoba, Spain

<sup>7</sup> CIBER Fisiopatología de la Obesidad y Nutrición (CIBEROBN), Instituto de Salud Carlos III, 28029 Madrid, Spain

**Table 2** Mean values and mean changes in dietary sources according to dietary pattern at baseline and after 1 and 7 years of follow-up in the CORDIOPREV study ( $n = 802$ )

	MedDiet	Low-fat diet	<i>p</i> value between group
<b>Vegetable, mean (SD) (g/day)</b>			
Baseline	261.8 (94.5)	254.3 (99.4)	0.276
1-year change (95% CI)	-16.0 (-27.1, -5.0)	0.9 (-11.4, 13.3)	<b>0.044</b>
7-year change (95% CI)	46.1 (35.4, 56.7)	18.1 (6.0, 30.2)	<b>0.001</b>
<i>p</i> value within group	<b>&lt; 0.001</b>	<b>&lt; 0.001</b>	
<b>Fruits, mean (SD) (g/day)</b>			
Baseline	346.3 (181.3)	343.2 (191.2)	0.815
1-year change (95% CI)	39.3 (17.4, 61.3)	27.7 (6.8, 48.7)	0.456
7-year change (95% CI)	121.3 (99.7, 142.8)	72.9 (50.3, 95.5)	<b>0.002</b>
<i>p</i> value within group	<b>&lt; 0.001</b>	<b>&lt; 0.001</b>	
<b>Legumes, mean (SD) (g/day)</b>			
Baseline	22.6 (11.8)	23.9 (17.3)	0.206
1-year change (95% CI)	3.4 (1.7, 5.1)	-1.5 (-3.7, 0.7)	<b>0.001</b>
7-year change (95% CI)	4.3 (2.9, 5.8)	0.2 (-1.9, 2.2)	<b>0.001</b>
<i>p</i> value within group	<b>&lt; 0.001</b>	<b>&lt; 0.001</b>	
<b>Dairy, mean (SD) (g/day)</b>			
Baseline	387.0 (191.5)	351.3 (186.8)	<b>0.008</b>
1-year change (95% CI)	-27.9 (-47.2, -8.6)	15.2 (-3.6, 34.1)	<b>0.002</b>
7-year change (95% CI)	-68.6 (-88.8, -48.3)	-24.3 (-46.1, -2.5)	<b>0.004</b>
<i>p</i> value within group	<b>&lt; 0.001</b>	<b>&lt; 0.001</b>	
<b>Bakery and sweets, mean (SD) (g/day)</b>			
Baseline	26.9 (24.7)	27.4 (26.0)	0.793
1-year change (95% CI)	-9.8 (-12.2, -7.4)	0.2 (-3.0, 3.3)	<b>&lt; 0.001</b>
7-year change (95% CI)	-15.8 (-18.1, -13.6)	-13.2 (-15.9, -10.4)	0.134
<i>p</i> value within group	<b>&lt; 0.001</b>	<b>&lt; 0.001</b>	
<b>Cereals, mean (SD) (g/day)</b>			
Baseline	176.8 (80.5)	182.8 (86.1)	0.310
1-year change (95% CI)	-23.3 (-32.2, -14.4)	-35.1 (-45.2, -25.0)	0.085
7-year change (95% CI)	-36.9 (-45.7, -28.0)	-41.3 (-51.7, -31.0)	0.515
<i>p</i> value within group	<b>&lt; 0.001</b>	<b>&lt; 0.001</b>	
<b>Whole cereals, mean (SD) (g/day)</b>			
Baseline	40.1 (72.3)	43.9	0.481
1-year change (95% CI)	23.2 (14.5, 31.8)	19.4 (9.9, 29.0)	0.567
7-year change (95% CI)	6.9 (-1.5, 15.4)	2.6 (-7.3, 12.4)	0.507
<i>p</i> value within group	<b>&lt; 0.001</b>	<b>&lt; 0.001</b>	
<b>Fish and seafood, mean (SD) (g/day)</b>			
Baseline	106.0 (47.2)	102.9 (46.3)	0.361
1-year change (95% CI)	-19.3 (-24.5, -14.1)	-26.3 (-31.2, -21.4)	0.056
7-year change (95% CI)	-7.8 (-12.6, -3.0)	-22.6 (-27.7, -17.6)	<b>&lt; 0.001</b>
<i>p</i> value within group	<b>&lt; 0.001</b>	<b>&lt; 0.001</b>	
<b>Red meat, mean (SD) (g/day)</b>			
Baseline	40.7 (31.1)	46.8 (35.5)	0.102
1-year change (95% CI)	-23.0 (-25.9, -20.1)	-23.8 (-27.3, -20.3)	0.737
7-year change (95% CI)	-24.0 (-27.1, -21.0)	-25.9 (-29.5, -22.3)	0.439
<i>p</i> value within group	<b>&lt; 0.001</b>	<b>&lt; 0.001</b>	
<b>White meat, mean (SD) (g/day)</b>			
Baseline	69.7 (34.4)	72.3 (37.5)	0.304
1-year change (95% CI)	-5.7 (-9.2, -2.2)	-9.7 (-13.5, -6.0)	0.128
7-year change (95% CI)	-9.2 (-12.8, -5.5)	-17.2 (-21.1, -13.2)	0.004

**Table 2** (continued)

	MedDiet	Low-fat diet	<i>p</i> value between group
<i>p</i> value within group	<b>&lt; 0.001</b>	<b>&lt; 0.001</b>	
Nuts, mean (SD) (g/day)			
Baseline	9.3 (10.7)	8.5 (10.5)	0.289
1-year change (95% CI)	2.1 (0.8, 3.3)	-3.8 (-4.8, -2.7)	<b>&lt; 0.001</b>
7-year change (95% CI)	7.3 (5.9, 8.7)	-3.7 (-4.9, -2.5)	<b>&lt; 0.001</b>
<i>p</i> value within group	<b>&lt; 0.001</b>	<b>&lt; 0.001</b>	
Olive oil, mean (SD) (g/day)			
Baseline	34.9 (12.8)	33.4 (12.3)	0.099
1-year change (95% CI)	5.2 (3.6, 6.8)	-14.0 (-15.5, -12.4)	<b>&lt; 0.001</b>
7-year change (95% CI)	12.9 (11.5, 14.4)	-11.7 (-13.3, -10.1)	<b>&lt; 0.001</b>
<i>p</i> value within group	<b>&lt; 0.001</b>	<b>&lt; 0.001</b>	

Values are presented as means and standard deviations (SD) at baseline point and changes (95% CI) at 1 and 7 years of follow-up. *p* value for differences between groups at 1 and 7-year follow-up using *t* test. *p* value for differences within group using ANOVA for repeated measure. Values in bold showed significant association

CI confidence intervals, *MedDiet* Mediterranean diet