Appendix S2. List of the 221 articles used in the manuscript: A systematic review and meta-analysis on urban arthropod diversity by Sanllorente et al. 2023

Abbate A, Campbell JW, Kimmel CB, Kern WH (2019) Urban development decreases bee abundance and diversity within coastal dune systems. Global Ecology and Conservation, 20, e00711.

Abdel-Dayem MS, Sharaf MR, Majer JD, Al-Sadoon MK, Aldawood AS, Aldhafer HM, Orabi GM (2021) Ant diversity and composition patterns along the urbanization gradients in an arid city. Journal of Natural History, 55(39-40), 2521-2547.

Aguilera G, Ekroos J, Persson AS, Pettersson LB, Ockinger E (2019) Intensive management reduces butterfly diversity over time in urban green spaces. Urban Ecosystems, 22, 335-344.

Arganaraz CI, Gleiser RM (2017) Does urbanization have positive or negative effects on Crab spider (Araneae: Thomisidae) diversity? Zoologia (Curitiba), 34.

Arganaraz CI, Gleiser RM (2021) Are spider communities influenced by urbanisation? An approach using species and guilds resolutions and their interaction with the anthropogenic environment. Journal of Natural History, 54(41-42), 2687-2702

Arganaraz CI, Rubio GD, Gleiser RM (2018) Spider communities in urban green patches and their relation to local and landscape traits. Biodiversity and Conservation, 27, 981-1009.

Avondet JL, Blair RB, Berg DJ, Ebbert MA (2003) Drosophila (Diptera: Drosophilidae) response to changes in ecological parameters across an urban gradient. Environmental Entomology, 32(2), 347-358.

Bachvarova D, Doychinov A, Deltchev C, Stoev P (2015) Habitat distribution of myriapods (Chilopoda, Diplopoda) in the town of Shumen and the Shumen Plateau (NE Bulgaria). Arthropoda Selecta, 24(2), 169-184

Baena ML, Escobar F, Valenzuela JE (2020) Diversity snapshot of green-gray space ants in two Mexican cities. International journal of tropical insect science, 40(2), 239-250.

Baldock KCR, Goddard MA, Hicks DM, Kunin WE, Mitschunas N, Osgathorpe LM, Potts SG, Robertson KM, Scott AV, Stone GN, Vaughan IP, Memmott, J (2015) Where is the UK's pollinator biodiversity? The importance of urban areas for flower-visiting insects. Proceedings of the Royal Society B: Biological Sciences, 282(1803), 20142849.

Ball-Damerow JE, M'Gonigle LK, Resh VH (2014) Changes in occurrence, richness, and biological traits of dragonflies and damselflies (Odonata) in California and Nevada over the past century. Biodiversity and Conservation, 23, 2107-2126.

Banaszak-Cibicka W, Dylewski L (2021) Species and functional diversity - A better understanding of the impact of urbanization on bee communities. Science of the Total Environment, 774, 145729.

Banaszak-Cibicka W, Twerd L, Fliszkiewicz M, Giejdasz K, Langowska A (2018) City parks vs. natural areas - is it possible to preserve a natural level of bee richness and abundance in a city park? Urban Ecosystems, 21, 599-613.

Barbosa AM, Fontaneto D, Marini L, Pautasso M (2010) Is the human population a large-scale indicator of the species richness of ground beetles? Animal Conservation, 13(5), 432-441.

Barroso MS, da Silva BJ, Montes MJF, Santos PJP (2018) Anthropogenic Impacts on Coral Reef Harpacticoid Copepods. Diversity, 10(2), 32.

Battan-Horenstein, M, Mulieri PR, Gleiser RM (2021) Evaluation of environmental and local factors on urban sarcosaprophagous Diptera: a case study with Sarcophagidae. Medical and Veterinary Entomology, 35(2), 158-168

Bazinet NL, Gilbert BM, Wallace AM (2010) A Comparison of Urbanization Effects on Stream Benthic Macroinvertebrates and Water Chemistry in an Urban and an Urbanizing Basin in Southern Ontario, Canada. Water Quality Research Journal, 45(3), 327-341.

Beaulieu MRS, Hopperstad K, Dunn RR, Reiskind MH (2019) Simplification of vector communities during suburban succession. PloS one, 14(5), e0215485

Belskaya E, Zolotarev M, Zinovyev E (2020) Carabidae assemblages in pine forests with different recreation regimes within and outside a megalopolis. Urban Ecosystems, 23, 27-38.

Bennett AB, Lovell S (2019) Landscape and local site variables differentially influence pollinators and pollination services in urban agricultural sites. PLoS One, 14(2), e0212034.

Birdshire KR, Carper AL, Briles CE (2020) Bee community response to local and landscape factors along an urban-rural gradient. Urban Ecosystems, 23, 689-702.

Blair RB, Launer AE (1997) Butterfly diversity and human land use: Species assemblages along an urban gradient. Biological conservation, 80(1), 113-125.

Blicharska M, Andersson J, Bergsten J, Bjelke U, Hilding-Rydevik T, Thomsson M, Osth J, Johansson F (2017) Is there a relationship between socio-economic factors and biodiversity in urban ponds? A study in the city of Stockholm. Urban Ecosystems, 20, 1209-1220.

Blinn DW, Ruiter DE (2013) Tolerance values and effects of selected environmental determinants on caddisfly (Trichoptera) distribution in northwest and north central Washington, USA. Western North American Naturalist, 73(3), 270-294.

Bogyo D, Magura T, Simon E, Tothmeresz B (2015) Millipede (Diplopoda) assemblages alter drastically by urbanization. Landscape and Urban Planning, 133, 118-126.

Braby MF, Williams MR, Douglas F, Beardsell C, Crosby DF (2021) Changes in a peri-urban butterfly assemblage over 80 years near Melbourne, Australia. Austral Entomology, 60(1), 27-51.

Braschler B, Gilgado JD, Zwahlen V, Rusterholz HP, Buchholz S (2020) Ground-dwelling invertebrate diversity in domestic gardens along a rural-urban gradient: Landscape characteristics are more important than garden characteristics. PloS one, 15(10), e0240061.

Buchholz S, Hannig K, Moeller M, Schirmel J (2018) Reducing management intensity and isolation as promising tools to enhance ground-dwelling arthropod diversity in urban grasslands. Urban Ecosystems, 21, 1139-1149.

Buczkowski G, Richmond DS (2012) The Effect of Urbanization on Ant Abundance and Diversity: A Temporal Examination of Factors Affecting Biodiversity. PLoS ONE 7(8): e41729

Camara DCP, Pinel CD, Rocha GP, Codeco CT, Honorio NA (2020) Diversity of mosquito (Diptera: Culicidae) vectors in a heterogeneous landscape endemic for arboviruses. Acta Tropica, 212, 105715.

Candido MEMB, Morato EF, Storck-Tonon D, Miranda PN, Vieira LJS (2018) Effects of fragments and landscape characteristics on the orchid bee richness (Apidae: Euglossini) in an urban matrix, southwestern Amazonia. Journal of Insect Conservation, 22, 475-486.

Carter JL, Fend SV (2005) Setting limits: The development and use of factor-ceiling distributions for an urban assessment using macroinvertebrates. American Fisheries Society Symposium (Vol. 47, pp. 179-191).

Ceretti W, Oliveira-Christe R, Wilk-da-Silva R, Mucci LF, Duarte AMRD, Fernandes A, Barrio-Nuevo KM, Carvalho MP, Marrelli MT, Medeiros-Sousa AR (2020) Diversity analysis and an updated list of mosquitoes (Diptera: Culicidae) found in Cantareira State Park, SAo Paulo, Brazil. Acta Tropica, 212, 105669.

Cherrill A (2015) Large-scale Spatial Patterns in Species Richness of Orthoptera in the Greater London Area, United Kingdom: Relationships with Land Cover. Landscape Research, 40(4), 476-485.

Choate BA, Hickman PL, Moretti EA (2018) Wild bee species abundance and richness across an urban-rural gradient. Journal of Insect Conservation, 22, 391-403.

Cloutier CA, Fyles JW, Buddle CM (2021) Diversity and community structure of mosquitoes (Diptera: Culicidae) in suburban, field, and forest habitats in Montreal, Quebec, Canada. The Canadian Entomologist, 153(4), 393-411

Cohen H, Egerer M, Thomas SS, Philpott SM (2022) Local and landscape features constrain the trait and taxonomic diversity of urban bees. Landscape Ecology, 1-17.

Coles JF, Cuffney TF, McMahon G, Rosiu CJ (2010) Judging a Brook by its Cover: The Relation Between Ecological Condition of a Stream and Urban Land Cover in New England. Northeastern Naturalist, 17(1), 29-48.

Collier KJ, Aldridge BMTA, Hicks BJ, Kelly J, Macdonald A, Smith BJ, Tonkin J (2009) Ecological values of Hamilton urban streams (North Island, New Zealand): constraints and opportunities for restoration. New Zealand Journal of Ecology, 177-189.

Corcos D, Cerretti P, Caruso V, Mei M, Falco M, Marini L (2019) Impact of urbanization on predator and parasitoid insects at multiple spatial scales. PLoS One, 14(4), e0214068.

Correa CMA, Ferreira KR, Puker A, Audino LD, Korasaki V (2021) Greenspace sites conserve taxonomic and functional diversity of dung beetles in an urbanized landscape in the Brazilian Cerrado. Urban Ecosystems, 24(5), 1023-1034

Cortes-Arzola SV, Leon-Cortes JL (2021) Response of Beetle Assemblages (Insecta: Coleoptera) to Patch Characteristics and Habitat Complexity in an Ever-Expanding Urban Landscape in the Yucatan Peninsula, Mexico. Annals of the Entomological Society of America, 114(4), 511-521.

Cuffney TF, Zappia H, Giddings EMP, Coles JF (2005) Effects of urbanization on benthic macroinvertebrate assemblages incontrasting environmental settings: Boston, Massachusetts; Birmingham, Alabama; and Salt Lake City, Utah. American Fisheries Society Symposium (Vol. 47, pp. 361-407).

Cumming RT, Dufek MI (2021) Assemblages of Necrophagous Blow Flies (Diptera: Calliphoridae) in Four Contrasting Ecoregions of Los Angeles County, California, United States. Journal of Medical Entomology, 58(6), 2236-2246.

da Mata R, McGeoch M, Tidon R (2008) Drosophilid assemblages as a bioindicator system of human disturbance in the Brazilian Savanna. Biodiversity and Conservation, 17, 2899-2916.

Dattilo W, MacGregor-Fors I (2021) Ant social foraging strategies along a Neotropical gradient of urbanization. Scientific Reports, 11(1), 6119.

Davies PJ, Wright IA, Findlay SJ, Jonasson OJ, Burgin S (2010) Impact of urban development on aquatic macroinvertebrates in south eastern Australia: degradation of in-stream habitats and comparison with non-urban streams. Aquatic Ecology, 44, 685-700.

de la Flor YA, Delgado B, Caitlin E, Eldredge TK, Gardiner MM (2017) Patch and landscape-scale variables influence the taxonomic and functional composition of beetles in urban greenspaces. Ecosphere, 8(11), e02007.

De Santis AAA, Chacoff NP (2020) Urbanization Affects Composition but Not Richness of Flower Visitors in the Yungas of Argentina. Neotropical entomology, 49, 568-577.

Deguines N, Julliard R, de Flores M, Fontaine C (2016) Functional homogenization of flower visitor communities with urbanization. Ecology and evolution, 6(7), 1967-1976.

Denys C, Schmidt H (1998) Insect communities on experimental mugwort (Artemisia vulgaris L.) plots along an urban gradient. Oecologia, 113, 269-277.

Du Clos B, Drummond FA, Loftin CS (2020) Noncrop Habitat Use by Wild Bees (Hymenoptera: Apoidea) in a Mixed-Use Agricultural Landscape. Environmental entomology, 49(2), 502-515.

Duan MC, Hu WH, Liu YH, Yu ZR, Li X, Wu PL, Zhang F, Shi HL, Baudry J (2019) The influence of landscape alterations on changes in ground beetle (Carabidae) and spider (Araneae) functional groups between 1995 and 2013 in an urban fringe of China. Science of the total environment, 689, 516-525.

Dufek MI, Oscherov EB, Damborsky MP, Mulieri PR (2016) Assessment of the abundance and diversity of Calliphoridae and Sarcophagidae (Diptera) in sites with different degrees of human impact in the Ibera Wetlands (Argentina). Journal of medical entomology, 53(4), 827-835.

Dufek MI, Oscherov EB, Damborsky MP, Mulieri PR (2019) Calliphoridae (Diptera) in humantransformed and wild habitats: diversity and seasonal fluctuations in the humid Chaco ecoregion of South America. Journal of Medical Entomology, 56(3), 725-736.

Dufek, MI and Larrea, DD and Damborsky, MP and Mulieri, PR (2020) The Effect of Anthropization on Sarcophagidae (Diptera: Calyptratae) Community Structure: An Assessment on Different Types of Habitats in the Humid Chaco Ecoregion of Argentina. Journal of Medical Entomology, 57(5), 1468-1479.

Eckert S, Moller M, Buchholz S (2017) Grasshopper diversity of urban wastelands is primarily boosted by habitat factors. Insect Conservation and Diversity, 10, 248-257

Egerer M, Cecala JM, Cohen H (2020) Wild bee conservation within urban gardens and nurseries: effects of local and landscape management. Sustainability, 12(1), 293.

Egerer M, Li K, Ong TWY (2018) Context matters: contrasting ladybird beetle responses to urban environments across two US regions. Sustainability, 10(6), 1829.

Fattorini S, Galassi DMP, Strona G (2016) When human needs meet beetle preferences: tenebrionid beetle richness covaries with human population on the Mediterranean islands. Insect Conservation and Diversity, 9(4), 369-373

Fernandes WD, Borges LM, Casaril AE, de Oliveira EF, Infran JDM, Piranda EM, Oshiro ET, Gomes SP, de Oliveira AG (2017) Sandfly fauna (Diptera: Psychodidae) in an urban area, Central-West of Brazil. Revista do Instituto de Medicina Tropical de São Paulo, 59.

Ferraguti M, Martinez-de la Puente J, Roiz D, Ruiz S, Soriguer R, Figuerola J (2016) Effects of landscape anthropization on mosquito community composition and abundance. Scientific reports, 6(1), 29002.

Fierro P, Arismendi I, Huges RM, Valdovinos C, Jara-Flores A (2018) A benthic macroinvertebrate multimetric index for Chilean Mediterranean streams. Ecological Indicators, 91, 13-23.

Fierro P, Valdovinos C, Arismendi I, Diaz G, Jara-Flores A, Habit E, Vargas-Chacoff L (2019) Examining the influence of human stressors on benthic algae, macroinvertebrate, and fish assemblages in Mediterranean streams of Chile. Science of the total environment, 686, 26-37.

Fogaca FNO, Gomes LC, Higuti J (2013) Percentage of Impervious Surface Soil as Indicator of Urbanization Impacts in Neotropical Aquatic Insects. Neotropical Entomology, 42, 483-491.

Forsberg F, Barfod AS, Francisco AJ, Ribeiro MC (2020) Fruit feeding butterflies as indicator taxon, pitfalls and concerns demonstrated in the Atlantic Forest. Ecological Indicators, 111, 105986.

Fortel L, Henry M, Guilbaud L, Guirao AL, Kuhlmann M, Mouret H, Rollin O, Vaissière BE (2014) Decreasing abundance, increasing diversity and changing structure of the wild bee community (Hymenoptera: Apoidea) along an urbanization gradient. PloS one, 9(8), e104679.

Fu L, Jiang Y, Ding J, Liu Q, Peng QZ, Kang MY, Wang LZ (2015) Spatial variation of macroinvertebrate community structure and associated environmental conditions in a subtropical river system of southeastern China. Knowledge and Management of Aquatic Ecosystems, (416), 17.

Fusco NA, Zhao A, Munshi-South J (2017) Urban forests sustain diverse carrion beetle assemblages in the New York City metropolitan area. PeerJ, 5, e3088.

Gallardo LI, Coronel JM, Poi ASG (2019) Urban rain-fed lakes: macro-invertebrate assemblages associated with Egeria najas as indicators of biological integrity in wetlands of Corrientes Province (Argentina). Biodiversity and Conservation, 28(6), 1549-1568.

Gallou A, Baillet Y, Ficetola GF, Despres L (2017) Elevational gradient and human effects on butterfly species richness in the French Alps. Ecology and Evolution, 7(11), 3672-3681.

Gaona FP, Iniguez-Armijos C, Brehm G, Fiedler K, Espinosa CI (2021) Drastic loss of insects (Lepidoptera: Geometridae) in urban landscapes in a tropical biodiversity hotspot. Journal of Insect Conservation, 25(3), 395-405.

Garcia L, Cross WF, Pardo I, Richardson JS (2017) Effects of land use intensification on stream basal resources and invertebrate communities. Freshwater Science, 36(3), 609-625.

Geslin B, Le Feon V, Folschweiller M, Flacher F, Carmignac D, Motard E, Perret S, Dajoz I (2016) The proportion of impervious surfaces at the landscape scale structures wild bee assemblages in a densely populated region. Ecology and evolution, 6(18), 6599-6615.

Gibbs JP, Stanton EJ (2001) Habitat fragmentation and arthropod community change: Carrion beetles, phoretic mites, and flies. Ecological applications, 11(1), 79-85.

Gimenez BCG, Higuti J (2017) Land use effects on the functional structure of aquatic insect communities in Neotropical streams. Inland Waters, 7(3), 305-313.

Gimenez BCG, Lansac-Toha FA, Higuti J (2015) Effect of land use on the composition, diversity and abundance of insects drifting in neotropical streams. Brazilian Journal of Biology, 75, 52-59.

Goertzen D, Schneider AK, Eggers TO, Suhling F (2022) Temporal changes of biodiversity in urban running waters - Results of a twelve-year monitoring study. Basic and Applied Ecology, 58, 74-87.

Goldschmidt T, Helson JE, Williams DD (2016) Ecology of water mite assemblages in Panama -First data on water mites (Acari, Hydrachnidia) as bioindicators in the assessment of biological integrity of neotropical streams. Limnologica, 59, 63-77.

Gottschalk MS, De Toni DC, Valente VLS, Hofmann PRP (2007) Changes in Brazilian Drosophilidae (Diptera) assemblages across an urbanisation gradient. Neotropical entomology, 36, 848-862.

Gruver A, CaraDonna P (2021) Chicago bees: urban areas support diverse bee communities but with more non-native bee species compared to suburban areas. Environmental Entomology, 50(4), 982-994.

Guenard B, Cardinal-De Casas A, Dunn RR (2015) High diversity in an urban habitat: are some animal assemblages resilient to long-term anthropogenic change? Urban Ecosystems, 18, 449-463.

Hardy PB, Dennis RLH (1999) The impact of urban development on butterflies within a city region. Biodiversity & Conservation, 8, 1261-1279.

Helms BS, Schoonover JE, Feminella JW (2009) Seasonal variability of landuse impacts on macroinvertebrate assemblages in streams of western Georgia, USA. Journal of the North American Benthological Society, 28(4), 991-1006.

Herrmann DL, Pearse IS, Baty JH (2012) Drivers of specialist herbivore diversity across 10 cities. Landscape and Urban Planning, 108(2-4), 123-130.

Hogsden KL, Hutchinson TC (2004) Butterfly assemblages along a human disturbance gradient in Ontario, Canada. Canadian Journal of Zoology, 82(5), 739-748.

Honchar HY (2020) Diversity and Trophic Relationships of Functional Groups of Bumblebees (Hymenoptera: Apidae, Bombus Latreille, 1802) in Urban Habitats. Psyche: A Journal of Entomology, 2020, 1-14.

Horvath R, Lengyel S, Szinetar C, Jakab L (2005) The effect of prey availability on spider assemblages on European black pine (Pinus nigra) bark: spatial patterns and guild structure. Canadian Journal of Zoology, 83(2), 324-335.

Horvath R, Magura T, Tothmeresz B (2012) Ignoring ecological demands masks the real effect of urbanization: a case study of ground-dwelling spiders along a rural-urban gradient in a lowland forest in Hungary. Ecological Research, 27, 1069-1077.

Hostetler NE, McIntyre ME (2001) Effects of urban land use on pollinator (Hymenoptera: Apoidea) communities in a desert metropolis. Basic and Applied Ecology, 2(3), 209-218.

Huang C, Wang T, Luo Y, Chen S, Kim KC (2013) Assessing Collembola biodiversity under human influence at three gorges area, China. Environmental entomology, 42(2), 214-222.

Hung KLJ, Ascher JS, Gibbs J, Irwin RE, Bolger DT (2015) Effects of fragmentation on a distinctive coastal sage scrub bee fauna revealed through incidental captures by pitfall traps. Journal of Insect Conservation, 19, 175-179.

Hung KLJ, Ascher JS, Holway DA (2017) Urbanization-induced habitat fragmentation erodes multiple components of temporal diversity in a Southern California native bee assemblage. PloS one, 12(8), e0184136.

Huryn AD, Huryn VMB, Arbuckle CJ, Tsomides L (2002) Catchment land-use, macroinvertebrates and detritus processing in headwater streams: taxonomic richness versus function. Freshwater Biology, 47(3), 401-415.

Ishitani M, Kotze DJ, Niemela J (2003) Changes in carabid beetle assemblages across an urbanrural gradient in Japan. Ecography, 26(4), 481-489.

Ives CD, Taylor MP, Nipperess DA, Hose GC (2013) Effect of catchment urbanization on ant diversity in remnant riparian corridors. Landscape and Urban Planning, 110, 155-163.

Johnson MF, Gomez A, Pinedo-Vasquez M (2008) Land use and mosquito diversity in the peruvian amazon. Journal of Medical Entomology, 45(6), 1023-1030.

Kabore I, Moog O, Alp M, Guenda W, Koblinger T, Mano K, Oueda A, Ouedraogo R, Trauner D, Melcher AH (2016) Using macroinvertebrates for ecosystem health assessment in semi-arid streams of Burkina Faso. Hydrobiologia, 766, 57-74.

Kietzka GJ, Pryke JS, Samways MJ (2018) Comparative effects of urban and agricultural land transformation on Odonata assemblages in a biodiversity hotspot. Basic and Applied Ecology, 33, 89-98.

Kozlov MV, Zvereva EL (1997) Effects of pollution and urbanization on diversity of frit flies (Diptera: Chloropidae). Acta oecologica, 18(1), 13-20.

Kurylo JS, Threlfall CG, Parris KM, Ossola A, Williams NSG, Evans KL (2020) Butterfly richness and abundance along a gradient of imperviousness and the importance of matrix quality. Ecological Applications, 30(7), e02144.

Lamattina D, Venzal JM, Costa SA, Arrabal JP, Flores S, Berrozpe PE, Gonzalez-Acuna D, Guglielmone AA, Nava S (2018) Ecological characterization of a tick community across a landscape gradient exhibiting differential anthropogenic disturbance in the Atlantic Forest ecoregion in Argentina. Medical and veterinary entomology, 32(3), 271-281.

Larson JL, Kesheimer AJ, Potter DA (2014) Pollinator assemblages on dandelions and white clover in urban and suburban lawns. Journal of Insect Conservation, 18(5), 863-873.

Lee JM, Gan JY, Yule CM (2019) The ecology of littoral zone Chironomidae in four artificial, urban, tropical Malaysian lakes. Urban Ecosystems, 22(1), 149-159.

Lesniewska M, Lesniewski P, Szybiak K (2008) Effect of urbanization on centipede (Chilopoda) diversity in the Wielkopolska-Kujawy Lowlands of western Poland. Biologia, 63, 711-719.

Lin QY, Zhang YX, Marrs R, Sekar R, Wu NC, Luo X (2022) The effect of habitat restoration on macroinvertebrate communities in Shaoxi rivers, China. Environmental Science and Pollution Research, 29, 677-689.

Lovei GL, Horvath R, Elek Z, Magura T (2019) Diversity and assemblage filtering in grounddwelling spiders (Araneae) along an urbanisation gradient in Denmark. Urban Ecosystems, 22, 345-353.

Lowe EC, Threlfall CG, Wilder SM, Hochuli DF (2018) Environmental drivers of spider community composition at multiple scales along an urban gradient. Biodiversity and Conservation, 27, 829-852.

Luder K, Knop E, Menz MHM (2018) Contrasting responses in community structure and phenology of migratory and non-migratory pollinators to urbanization. Diversity and Distributions, 24(7), 919-927.

Lundquist MJ, Zhu W (2018) Aquatic insect functional diversity and nutrient content in urban streams in a medium-sized city. Ecosphere, 9(5), e02284.

Lundquist MJ, Zhu WX (2019) Aquatic insect diversity in streams across a rural-urban land-use discontinuum. Hydrobiologia, 837, 15-30.

Luo K, Hu X, He Q, Wu Z, Cheng H, Hu Z, Mazumder A (2018) Impacts of rapid urbanization on the water quality and macroinvertebrate communities of streams: A case study in Liangjiang New Area, China. Science of the Total Environment, 621, 1601-1614.

MacLean JL, van Akker L, Van Hezewijk BH (2021) The structure of temperate yellowjacket communities is affected by land development and loss of forest cover. Agricultural and Forest Entomology, 23(3), 269-275.

Magura T, Horvath R, Tothmeresz B (2010) Effects of urbanization on ground-dwelling spiders in forest patches, in Hungary. Landscape Ecology, 25, 621-629.

Magura T, Nagy D, Tothmeresz B (2013) Rove beetles respond heterogeneously to urbanization. Journal of Insect Conservation, 17, 715-724.

Magura T, Tothmeresz B, Molnar T (2004) Changes in carabid beetle assemblages along an urbanisation gradient in the city of Debrecen, Hungary. Landscape Ecology, 19, 747-759.

Malloch B, Tatsumi S, Seibold S, Cadotte MW, Maclvor JS (2020) Urbanization and plant invasion alter the structure of litter microarthropod communities. Journal of Animal Ecology, 89(11), 2496-2507.

Mangudo C, Aparicio JP, Rossi GC, Gleiser RM (2017) Tree hole mosquito species composition and relative abundances differ between urban and adjacent forest habitats in northwestern Argentina. Bulletin of Entomological Research, 108(2), 203-212.

Marini L, Fontana P, Scotton M, Klimek S (2008) Vascular plant and Orthoptera diversity in relation to grassland management and landscape composition in the European Alps. Journal of Applied Ecology, 45(1), 361-370.

Marmonier P, Maazouzi C, Baran N, Blanchet S, Ritter A, Saplairoles M, Dole-Olivier MJ, Galassi DMP, Eme D, Doledec S, Piscart C (2018) Ecology-based evaluation of groundwater ecosystems under intensive agriculture: A combination of community analysis and sentinel exposure. Science of the Total Environment, 613, 1353-1366.

Martins KP, Bandeira MGD, Palma-Silva C, Albertoni EF (2019) Microcrustacean metacommunities in urban temporary ponds. Aquatic Sciences, 81, 1-12.

Martins RT, Couceiro SRM, Melo AS, Moreira MP, Hamada N (2017) Effects of urbanization on stream benthic invertebrate communities in Central Amazon. Ecological indicators, 73, 480-491.

Masse PSM, Tindo M, Djieto-Lordon C, Mony R, Kenne M (2022) Temporal variation in ant community assemblages along a rural-urban gradient in the Yaounde metropolis, Cameroon. Urban Ecosystems, 1-12.

Mata L, Goula M, Hahs AK (2014) Conserving insect assemblages in urban landscapes: accounting for species-specific responses and imperfect detection. Journal of insect conservation, 18, 885-894.

McIntyre NE, Rango J, Fagan WF, Faeth SH (2001) Ground arthropod community structure in a heterogeneous urban environment. Landscape and urban planning, 52(4), 257-274.

Melendez-Jaramillo E, Cantu-Ayala CM, Trevino-Garza EJ, Sanchez-Reyes UJ, Herrera-Fernandez B (2021) Composition and diversity of butterflies (Lepidoptera, Papilionoidea) along an atmospheric pollution gradient in the Monterrey Metropolitan Area, Mexico. ZooKeys, 1037, 73.

Melliger RL, Braschler B, Rusterholz HP, Baur B (2018) Diverse effects of degree of urbanisation and forest size on species richness and functional diversity of plants, and ground surface-active ants and spiders. PLoS One, 13(6), e0199245.

Menke SB, Guenard B, Sexton JO, Weiser MD, Dunn RR, Silverman J (2011) Urban areas may serve as habitat and corridors for dry-adapted, heat tolerant species; an example from ants. Urban Ecosystems, 14, 135-163.

Merckx T, Van Dyck H (2019) Urbanization-driven homogenization is more pronounced and happens at wider spatial scales in nocturnal and mobile flying insects. Global Ecology and Biogeography, 28(10), 1440-1455.

Meyer S, Rusterholz HP, Salamon JA, Baur B (2020) Leaf litter decomposition and litter fauna in urban forests: Effect of the degree of urbanisation and forest size. Pedobiologia, 78, 150609.

Miserendino ML, Casaux R, Archangelsky M, Di Prinzio CY, Brand C, Kutschker AM (2011) Assessing land-use effects on water quality, in-stream habitat, riparian ecosystems and biodiversity in Patagonian northwest streams. Science of the total environment, 409(3), 612-624.

Mohseni MR, Rad SP (2021) The effect of edaphic factors on the distribution and abundance of ants (Hymenoptera: Formicidae) in Iran. Biodiversity Data Journal, 9.

Morse CC, Huryn AD, Cronan C (2003) Impervious surface area as a predictor of the effects of urbanization on stream insect communities in Maine, USA. Environmental monitoring and assessment, 89, 95-127.

Mwabvu T (2006) Spirostreptid millipedes (Diplopoda, Spirostreptida) of urban and peri-urban habitats in Zimbabwe. African Journal of Ecology, 45(3), 311.

Nagy DD, Magura T, Horvath R, Debnar Z, Tothmeresz B (2018) Arthropod assemblages and functional responses along an urbanization gradient: A trait-based multi-taxa approach. Urban Forestry & Urban Greening, 30, 157-168.

Nedeau EJ, Merritt RW, Kaufman MG (2003) The effect of an industrial effluent on an urban stream benthic community: water quality vs. habitat quality. Environmental pollution, 123(1), 1-13.

Niemela J, Kotze DJ, Venn S, Penev LSI, Spence J, Hartley D, de Oca EM (2002) Carabid beetle assemblages (Coleoptera, Carabidae) across urban-rural gradients: an international comparison. Landscape ecology, 17, 387-401.

Noden BH, Loss SR, Maichak C, Williams F (2016) Risk of encountering ticks and tick-borne pathogens in a rapidly growing metropolitan area in the US Great Plains. Ticks and tick-borne diseases, 8(1), 119-124.

Ortiz JD, Puig MA (2007) Point source effects on density, biomass and diversity of benthic macroinvertebrates in a mediterranean stream. River Research and Applications, 23(2), 155-170.

Pacheco R, Vasconcelos HL (2007) Invertebrate conservation in urban areas: Ants in the Brazilian Cerrado. Landscape and Urban Planning, 81(3), 193-199.

Palheta LR, Urbieta GL, Brasil LS, Dias-Silva K, da Silva JB, Graciolli G, Aguiar LMS, Vieira TB (2020) The effect of urbanization on bats and communities of bat flies (Diptera: Nycteribiidae and Streblidae) in the Amazon, northern Brazil. Acta Chiropterologica, 22(2), 403-416.

Papastefanou G, Panayiotou E, Mylonas M, Simaiakis SM (2015) Centipede assemblages along an urbanization gradient in the city of Heraklion, Crete (Greece). ZooKeys, (510), 163.

Park Y, Kim CJ, Choi MB, Do Y (2020) A comparative study of carabid beetles in green spaces and former natural habitats. Diversity, 12(12), 479.

Parr TB, Cronan CS, Danielson TJ, Tsomides L, Simon KS (2016) Aligning indicators of community composition and biogeochemical function in stream monitoring and ecological assessments. Ecological Indicators, 60, 970-979.

Pawlikiewicz P, Jurasz W (2017) Ecological drivers of cladoceran diversity in the central European city (Lodz, Poland): effects of urbanisation and size of the waterbody. Annales Zoologici Fennici (Vol. 54, No. 5–6, pp. 315-333

Penone C, Kerbiriou C, Julien JF, Jiulliard R, Machon N, Le Viol I (2013) Urbanisation effect on Orthoptera: which scale matters? Insect Conservation and Diversity, 6(3), 319-327.

Peralta EM, Belen AE, Buenaventura GR, Cantre FGG, Espiritu KGR, De Vera JNA, Tan AKV, De Jesus IBB, Palomares P, Briones, JCA, Ikeya T, Magbanua FS, Papa RDS, Okuda N (2019) Stream benthic macroinvertebrate assemblages reveal the importance of a recently established freshwater protected area in a tropical watershed. Pacific Science, 73(3), 305-320.

Perez-Reyes O, Crowl TA, Covich AP (2016) Comparison of decapod communities across an urban-forest land use gradient in Puerto Rican streams. Urban ecosystems, 19, 181-203.

Perron MAC, Pick FR (2020) Stormwater ponds as habitat for Odonata in urban areas: the importance of obligate wetland plant species. Biodiversity and Conservation, 29(3), 913-931.

Persson AS, Ekroos J, Olsson P, Smith HG (2020) Wild bees and hoverflies respond differently to urbanisation, human population density and urban form. Landscape and Urban Planning, 204, 103901.

Philpott SM, Cotton J, Bichier P, Friedrich RL, Moorhead LC, Uno S, Valdez M (2014) Local and landscape drivers of arthropod abundance, richness, and trophic composition in urban habitats. Urban Ecosystems, 17, 513-532.

Piano E, De Wolf K, Bona F, Bonte D, Bowler DE, Isaia M, Lens L, Merckx T, Mertens D, Van Kerckvoorde M, De Meester L, Hendrickx F (2017) Urbanization drives community shifts towards thermophilic and dispersive species at local and landscape scales. Global Change Biology, 23(7), 2554-2564.

Pignataro T, Bressan P, Santos AL, Cornelissen T (2020) Urban gradients alter the diversity, specific composition and guild distribution in tropical butterfly communities. Urban Ecosystems, 23, 723-730.

Pond GJ (2012) Biodiversity loss in Appalachian headwater streams (Kentucky, USA): Plecoptera and Trichoptera communities. Hydrobiologia, 679, 97-117.

Posa MRC, Sodhi NS (2006) Effects of anthropogenic land use on forest birds and butterflies in Subic Bay, Philippines. Biological conservation, 129(2), 256-270.

Potter KM, Cubbage FW, Blank GB, Schaberg RHA (2004) Watershed-scale model for predicting nonpoint pollution risk in North Carolina. Environmental Management, 34, 62-74.

Prescott VA, Eason PK (2018) Lentic and lotic odonate communities and the factors that influence them in urban versus rural landscapes. Urban Ecosystems, 21, 737-750.

Rajesh TP, Ballullaya UP, Surendran P, Sinu PA (2017) Ants indicate urbanization pressure in sacred groves of southwest India: A pilot study. Current Science, 317-322.

Rajesh TP, Unni AP, Ballullaya UP, Manoj K, Sinu PA (2021) An insight into the quality of sacred groves - an island habitat - using leaf-litter ants as an indicator in a context of urbanization. Journal of Tropical Ecology, 37(2), 82-90.

Rango JJ (2005) Arthropod communities on creosote bush (Larrea tridentata) in desert patches of varying degrees of urbanization. Biodiversity & Conservation, 14, 2185-2206

Razo-Leon AE, Vasquez-Bolanos M, Munoz-Urias A, Huerta-Martinez FM (2018) Changes in bee community structure (Hymenoptera, Apoidea) under three different land-use conditions. Journal of Hymenoptera Research, 66, 23-38.

Reeher P, Novotny JL, Mitchell RJ (2020) Urban bumble bees are unaffected by the proportion of intensely developed land within urban environments of the industrial Midwestern USA. Urban Ecosystems, 23, 703-711.

Rosario ING, de Andrade AJ, Ligeiro R, Ishak R, Silva IM (2017) Evaluating the Adaptation Process of Sandfly Fauna to Anthropized Environments in a Leishmaniasis Transmission Area in the Brazilian Amazon. Journal of medical entomology, 54(2), 450-459.

Rubio A, Bellocq MI, Vezzani D (2013) Macro- and microenvironmental factors affecting tyrebreeding flies (Insecta: Diptera) in urbanised areas. Ecological Entomology, 38(3), 303-314.

Rubio, A and Bellocq, MI and Vezzani, D (2012) Community structure of artificial containerbreeding flies (Insecta: Diptera) in relation to the urbanization level. Landscape and urban planning, 105(3), 288-295.

Saarinen K, Valtonen A, Jantunen J, Saarnio S (2005) Butterflies and diurnal moths along road verges: Does road type affect diversity and abundance? Biological Conservation, 123(3), 403-412.

Sadler JP, Small EC, Fiszpan H, Telfer MG, Niemela J (2006) Investigating environmental variation and landscape characteristics of an urban-rural gradient using woodland carabid assemblages. Journal of biogeography, 33(6), 1126-1138.

Salyer A, Bennett GW, Buczkowski GA (2014) Odorous House Ants (Tapinoma sessile) as Back-Seat Drivers of Localized Ant Decline in Urban Habitats. PLoS One, 9(12), e113878.

Samways MJ, Steytler NS (1996) Dragonfly (Odonata) distribution patterns in urban and forest landscapes, and recommendations for riparian management. Biological Conservation, 78(3), 279-288.

Sanford MP, Manley PN, Murphy DD (2009) Effects of urban development on ant communities: implications for ecosystem services and management. Conservation Biology, 23(1), 131-141.

Santorufo L, Cortet J, Nahmani J, Pernin C, Salmon S, Pernot A, Morel JL, Maisto G (2015) Responses of functional and taxonomic collembolan community structure to site management in Mediterranean urban and surrounding areas. European Journal of Soil Biology, 70, 46-57.

Sattler T, Obrist MK, Duelli P, Moretti M (2011) Urban arthropod communities: Added value or just a blend of surrounding biodiversity? Landscape and Urban Planning, 103(3-4), 347-361.

Saulino HHL, Canedo-Arguelles M, Trivinho-Strixino S, Gorni GR, Corbi JJ (2021) Chironomid pupal exuviae communities support the "field of dreams" hypothesis after the riparian vegetation recovery in headwater urban streams. Ecological Indicators, 127, 107766.

Schmitz HJ, Hofmann PRP, Valente VLS (2010) Assemblages of drosophilids (Diptera, Drosophilidae) in mangrove forests: community ecology and species diversity. Iheringia. Série Zoologia, 100, 133-140.

Shochat E, Stefanov WL, Whitehouse MEA, Faeth SH (2004) Urbanization and spider diversity: Influences of human modification of habitat structure and productivity. Urban Ecology: An International Perspective on the Interaction Between Humans and Nature, 455-472.

Simmatis B, Paterson AM, Edwards BA, Smol JP (2021) Linking changes in sedimentary Cladocera assemblages to limnological variables in 67 Sudbury (Ontario, Canada) lakes reflecting various degrees of metal smelter impacts. Canadian Journal of Fisheries and Aquatic Sciences, 78(10), 1455-1469.

Sing KW, Luo JS, Wang WZ, Jaturas N, Soga M, Yang XZ, Dong H, Wilson JJ (2019) Ring roads and urban biodiversity: distribution of butterflies in urban parks in Beijing city and correlations with other indicator species. Scientific reports, 9(1), 7653.

Slipinski P, Zmihorski M, Czechowski W (2022) Species diversity and nestedness of ant assemblages in an urban environment. European Journal of Entomology, 109(2).

Smith RF, Lamp WO (2008) Comparison of insect communities between adjacent headwater and main-stem streams in urban and rural watersheds. Journal of the North American Benthological Society, 27(1), 161-175.

Soga M, Kawahara T, Fukuyama K, Sayama K, Kato T, Shimomura M, Itoh T, Yoshida T, Ozaki K (2015) Landscape versus local factors shaping butterfly communities in fragmented landscapes: Does host plant diversity matter? Journal of Insect Conservation, 19, 781-790.

Soga M, Yamaura Y, Koike S, Gaston KJ (2014) Land sharing vs. land sparing: does the compact city reconcile urban development and biodiversity conservation? Journal of Applied Ecology, 51(5), 1378-1386.

Soga M, Yamaura Y, Koike S, Gaston KJ (2014) Woodland remnants as an urban wildlife refuge: a cross-taxonomic assessment. Biodiversity and conservation, 23, 649-659.

Spence-Beaulieu MRS, Hopperstad K, Dunn RR, Reiskind MH (2019) Simplification of vector communities during suburban succession. PloS one, 14(5), e0215485

Stalter D, Magdeburg A, Quednow K, Botzat A, Oehlmann J (2013) Do Contaminants Originating from State-of-the-Art Treated Wastewater Impact the Ecological Quality of Surface Waters? PloS one, 8(4), e60616.

Stefanescu C, Herrando S, Paramo F (2004) Butterfly species richness in the north-west Mediterranean Basin: the role of natural and human-induced factors. Journal of biogeography, 31(6), 905-915.

Sterzynska M, Nicia P, Zadrozny P, Fiera C, Shrubovych J, Ulrich W (2018) Urban springtail species richness decreases with increasing air pollution. Ecological Indicators, 94, 328-335.

Stewart PM, Bhattarai S, Mullen MW, Metcalf CK, Reategui-Zirena EG (2012) Characterization of large wood and its relationship to pool formation and macroinvertebrate metrics in southeastern coastal plain streams, USA. Journal of Freshwater Ecology, 27(3), 351-365.

Su Z, Zhang R, Qiu J (2011) Decline in the diversity of willow trunk-dwelling weevils (Coleoptera: Curculionoidea) as a result of urban expansion in Beijing, China. Journal of Insect Conservation, 15, 367-377.

Sumoski SE, Johncox AJ, Althoff DM, Segraves KA (2009) Impact of urbanization on tri-trophic interactions in an endemic scrub community. Florida Entomologist, 92(4), 582-587.

Tajthi B, Horvath R, Mizser S, Nagy DD, Tothmeresz B (2017) Spider assemblages in floodplain forests along an urbanization gradient. Community Ecology, 18, 311-318.

Tamburini G, Pevere I, Fornasini N, De Simone S, Sigura M, Boscutti F, Marini L (2016) Conservation tillage reduces the negative impact of urbanisation on carabid communities. Insect Conservation and Diversity, 9(5), 438-445 Tangtorwongsakul P, Warrit N, Gale GA (2018) Effects of landscape cover and local habitat characteristics on visiting bees in tropical orchards. Agricultural and Forest Entomology, 20(1), 28-40.

Tchakonte S, Ajeagah GA, Camara AI, Diomande D, Nyamsi-Tchatchoand NL, Ngassam P (2015) Impact of urbanization on aquatic insect assemblages in the coastal zone of Cameroon: the use of biotraits and indicator taxa to assess environmental pollution. Hydrobiologia, 755, 123-144.

Theodorou P, Radzeviciute R, Lentendu G, Kahnt B, Husemann M, Bleidorn C, Settele J, Schweiger O, Grosse I, Wubet T, Murray TE, Paxton RJ (2020) Urban areas as hotspots for bees and pollination but not a panacea for all insects. Nature communications, 11(1), 576.

Thongsripong P, Green A, Kittayapong,P, Kapan D, Wilcox B, Bennett S (2013) Mosquito vector diversity across habitats in central Thailand endemic for dengue and other arthropod-borne diseases. PLoS neglected tropical diseases, 7(10), e2507.

Toth Z, Hornung E (2020) Taxonomic and Functional Response of Millipedes (Diplopoda) to Urban Soil Disturbance in a Metropolitan Area. Insects, 11(1), 25.

Tothmeresz B, Mathe I, Balazs E, Magura T (2011) Responses of carabid beetles to urbanization in Transylvania (Romania). Landscape and Urban Planning, 101(4), 330-337.

Twerd L, Banaszak-Cibicka WWastelands: their attractiveness and importance for preservingthe diversity of wild bees in urban areas2019Journal of insect conservation, 23, 573-588.

Tzortzakaki O, Kati V, Panitsa M, Tzanatos E, Giokas S (2019) Butterfly diversity along the urbanization gradient in a densely-built Mediterranean city: Land cover is more decisive than resources in structuring communities. Landscape and Urban Planning, 183, 79-87.

Udy KL, Reininghaus H, Scherber C, Tscharntke T (2020) Plant-pollinator interactions along an urbanization gradient from cities and villages to farmland landscapes. Ecosphere, 11(2), e03020.

Van Nuland ME, Whitlow WL (2014) Temporal effects on biodiversity and composition of arthropod communities along an urban-rural gradient. Urban Ecosystems, 17, 1047-1060

Varet M, Burel F, Petillon J (2014) Can urban consolidation limit local biodiversity erosion? Responses from carabid beetle and spider assemblages in Western France. Urban ecosystems, 17, 123-137.

Varet M, Petillon J, Burel F (2011) Comparative responses of spider and carabid beetle assemblages along an urban-rural boundary gradient. The Journal of Arachnology, 39(2), 236-243.

Venancio H, Vilela DS, Barbosa MS, Santos JC (2021) Dragonflies and Damselflies in a region of the Triangulo Mineiro, Minas Gerais: checklist and taxonomic additions. Biota Neotropica, 21, e20201182.

Venn SJ, Kotze DJ, Niemela J (2003) Urbanization effects on carabid diversity in boreal forests. European Journal of Entomology, 100(1), 73-80.

Verboven HAF, Uyttenbroeck R, Brys R, Hermy M (2014) Different responses of bees and hoverflies to land use in an urban-rural gradient show the importance of the nature of the rural land use. Landscape and Urban Planning, 126, 31-41.

Vergnes A, Pellissier V, Lemperiere G, Rollard C, Clergeau P (2014) Urban densification causes the decline of ground-dwelling arthropods. Biodiversity and Conservation, 23, 1859-1877.

Violin CR, Cada P, Sudduth EB, Hassett BA, Penrose DL, Bernhardt ES (2011) Effects of urbanization and urban stream restoration on the physical and biological structure of stream ecosystems. Ecological Applications, 21(6), 1932-1949.

Vonshak M, Gordon DM (2015) Intermediate disturbance promotes invasive ant abundance. Biological Conservation, 186, 359-367.

Wang Q, Ross-Nickoll M, Wu D, Deng W, Wang Z, Yuan X, Zhang Y (2018) Impervious area percentage predicated influence of rapid urbanization on macroinvertebrate communities in a southwest China river system. Science of the Total Environment, 627, 104-117.

Weller B, Ganzhorn JU (2004) Carabid beetle community composition, body size, and fluctuating asymmetry along an urban-rural gradient. Basic and Applied Ecology, 5(2), 193-201.

White JY, Walsh CJ (2020) Catchment-scale urbanization diminishes effects of habitat complexity on instream macroinvertebrate assemblages. Ecological Applications, 30(8), e02199.

Williams MR (2011) Habitat resources, remnant vegetation condition and area determine distribution patterns and abundance of butterflies and day-flying moths in a fragmented urban landscape, south-west Western Australia. Journal of Insect Conservation, 15, 37-54.

Wilson CJ, Jamieson MA (2019) The effects of urbanization on bee communities depends on floral resource availability and bee functional traits. PloS one, 14(12), e0225852.

Wray JC, Neame LA, Elle E (2014) Floral resources, body size, and surrounding landscape influence bee community assemblages in oak-savannah fragments. Ecological Entomology, 39(1), 83-93.

Xiang HY, Zhang YX, Atkinson D, Sekar R (2020) Effects of anthropogenic subsidy and glyphosate on macroinvertebrates in streams. Environmental Science and Pollution Research, 27, 21939-21952.

Yule CM, Gan JY, Jinggut T, Lee KV (2015) Urbanization affects food webs and leaf-litter decomposition in a tropical stream in Malaysia. Freshwater Science, 34(2), 702-715.

Zanette LRS, Martins RP, Ribeiro SP (2005) Effects of urbanization on Neotropical wasp and bee assemblages in a Brazilian metropolis. Landscape and Urban Planning, 71(2-4), 105-121.

Zaninotto V, Perrard A, Babiar O, Hansart A, Hignard C, Dajoz I (2021) Seasonal variations of pollinator assemblages among urban and rural habitats: a comparative approach using a standardized plant community. Insects, 12(3), 199.

Zhang Y, Wang BX, Han MH, Wang LZ (2012) Relationships between the seasonal variations of macroinvertebrates, and land uses for biomonitoring in the Xitiaoxi river watershed, China. International Review of Hydrobiology, 97(3), 184-199.

Zolotarev MP, Belskaya EA (2015) Ground-dwelling invertebrates in a large industrial city: Differentiation of recreation and urbanization effects. Contemporary problems of ecology, 8, 83-90.